

# Overview of Colorectal papers

Volume 6 Number 01 January 2007

A ProctoSite's e-publication  
www.proctosite.com

October, November, December 2006

## Ulcerative Colitis Surgical treatment

[Hoie O, Wolters FL, Riis L, Bernklev T, Aamodt G, Clofent J, Tsianos E, Beltrami M, Odes S, Munkholm P, Vatn M, Stockbrugger RW, Moum B; European Collaborative Study Group of Inflammatory Bowel Disease.](#)

Low Colectomy Rates in Ulcerative Colitis in an Unselected European Cohort Followed for 10 Years.

Gastroenterology. 2006 Nov 15; [

[Antolovic D, Kienle P, Knaebel HP, Schmidt J, Gutt CN, Weitz J, Koch M, Buchler MW, Seiler CM.](#)

Totally laparoscopic versus conventional ileoanal pouch procedure--design of a single-centre, expertise based randomised controlled trial to compare the laparoscopic and conventional surgical approach in patients undergoing primary elective restorative proctocolectomy--LapConPouch-Trial.

BMC Surg. 2006 Nov 24;6:13.

[Aberg H, Pahlman L, Karlbom U.](#)

Small-bowel obstruction after restorative proctocolectomy in patients with ulcerative colitis.

Int J Colorectal Dis. 2006 Nov 15;

[Schluender SJ, Mei L, Yang H, Fleshner PR.](#)

Can a meta-analysis answer the question: is mucosectomy and handsewn or double-stapled anastomosis better in ileal pouch-anal anastomosis?

Am Surg. 2006 Oct;72(10):912-6.

[Tan JJ, Tjandra JJ.](#)

Laparoscopic surgery for ulcerative colitis - a meta-analysis.

Colorectal Dis. 2006 Oct;8(8):626-36.

[Borjesson L, Lundstam U, Oresland T, Brevinge H, Hulten L.](#)

The place for colectomy and ileorectal anastomosis: a valid surgical option for ulcerative colitis?

Tech Coloproctol. 2006 Oct;10(3):237-41;

[Kobakov G, Kostov D, Temelkov T.](#)

Manometric study in ulcerative colitis patients with modified ileal pouch-anal anastomosis.

Int J Colorectal Dis. 2006 Dec;21(8):767-73.

[M'koma AE.](#)

Serum biochemical evaluation of patients with functional pouches ten to 20 years after restorative proctocolectomy.

Int J Colorectal Dis. 2006 Oct;21(7):711-20.

## Ulcerative Colitis

### Medical treatment

[Su C, Lewis JD, Goldberg B, Brensinger C, Lichtenstein GR.](#)

A Meta-Analysis of the Placebo Rates of Remission and Response in Clinical Trials of Active Ulcerative Colitis.

Gastroenterology. 2006 Dec 20;

[Familiari L, Strangio G, Consolo P, Luigiano C, Bonica M, Barresi G, Barresi V, Familiari P, D'Arrigo G, Alibrandi A, Zirilli A, Fries W, Scaffidi M.](#)

Optical coherence tomography evaluation of ulcerative colitis: the patterns and the comparison with histology.

Am J Gastroenterol. 2006 Dec;101(12):2833-40.

[Jess T, Riis L, Vind I, Winther KV, Borg S, Binder V, Langholz E, Thomsen OO, Munkholm P.](#)

Changes in clinical characteristics, course, and prognosis of inflammatory bowel disease during the last 5 decades: A population-based study from Copenhagen, Denmark.

Inflamm Bowel Dis. 2006 Dec 19;

[Ferrante M, Vermeire S, Katsanos KH, Noman M, Van Assche G, Schnitzler F, Arijs I, De Hertogh G, Hoffman I, Geboes K, Rutgeerts P.](#)

Predictors of early response to infliximab in patients with ulcerative colitis.

Inflamm Bowel Dis. 2006 Dec 19;

[Cornish JA, Tan EK, Teare J, Teoh TG, Rai R, Clark SK, Tekkis PP.](#)

A Meta-analysis on the Influence of Inflammatory Bowel Disease on Pregnancy.

Gut. 2006 Dec 21; [

[Jess T, Gamborg M, Munkholm P, Sorensen TI.](#)

Overall and Cause-Specific Mortality in Ulcerative Colitis: Meta-analysis of Population-Based Inception Cohort Studies.

Am J Gastroenterol. 2006 Dec 11;

[Bossa F, Fiorella S, Caruso N, Accadia L, Napolitano G, Valvano MR, Andriulli A, Annese V.](#)

Continuous Infusion Versus Bolus Administration of Steroids in Severe Attacks of Ulcerative Colitis: A Randomized, Double-Blind Trial.

Am J Gastroenterol. 2006 Dec 11;

[Sood A, Midha V, Sood N, Bansal M.](#)

Long term results of use of azathioprine in patients with ulcerative colitis in India.

World J Gastroenterol. 2006 Dec 7;12(45):7332-6.

[Turner D, Walsh CM, Steinhart AH, Griffiths AM.](#)

Response to corticosteroids in severe ulcerative colitis: a systematic review of the literature and a meta-regression.

Clin Gastroenterol Hepatol. 2007 Jan;5(1):103-10.

[Ha JS, Lee JS, Kim HJ, Moon TG, Chang DK, Lee JH, Kim YH, Rhee PL, Kim JJ, Rhee JC.](#)

Comparative usefulness of erythrocyte sedimentation rate and C-reactive protein in assessing the severity of ulcerative colitis]

Korean J Gastroenterol. 2006 Nov;48(5):313-20.

[Vergara T, Cofre P, Cifuentes S, Pulgar U, Puebla C, Velasco S.](#)

[Presence of antineutrophil cytoplasmic antibodies (ANCA) and anti Saccharomyces cerevisiae antibodies (ASCA) among patients with ulcerative colitis]

Rev Med Chil. 2006 Aug;134(8):960-4.

[Mahid SS, Minor KS, Soto RE, Hornung CA, Galandiuk S.](#)  
Smoking and inflammatory bowel disease: a meta-analysis.  
Mayo Clin Proc. 2006 Nov;81(11):1462-71.

[Weber A, Fein F, Koch S, Dupont-Gossart AC, Manton G, Heyd B, Carbonnel F.](#)  
Treatment of ulcerative colitis refractory to steroid therapy by oral microemulsion cyclosporine (Neoral).  
Inflamm Bowel Dis. 2006 Dec;12(12):1131-5.

[Loftus EV Jr.](#)  
A practical perspective on ulcerative colitis: patients' needs from aminosalicylate therapies.  
Inflamm Bowel Dis. 2006 Dec;12(12):1107-13.

[Lerebours E, Gower-Rousseau C, Merle V, Brazier F, Debeugny S, Marti R, Salomez JL, Hellot MF, Dupas JL, Colombel JF, Cortot A, Benichou J.](#)  
Stressful Life Events as a Risk Factor for Inflammatory Bowel Disease Onset: A Population-Based Case-Control Study.  
Am J Gastroenterol. 2006 Nov 13;

[Chung GE, Cheon JH, Lee JY, Ye BD, Kim SG, Kim JS, Jung HC, Song IS.](#)  
[Efficacy of combination of intravenous cyclosporin A and steroid therapy versus prolonged intravenous steroid therapy alone in patients with severe ulcerative colitis refractory to initial intravenous steroid therapy]  
Korean J Gastroenterol. 2006 Oct;48(4):263-8.

[Rubin DT, LoSavio A, Yadron N, Huo D, Hanauer SB.](#)  
Aminosalicylate therapy in the prevention of dysplasia and colorectal cancer in ulcerative colitis.  
Clin Gastroenterol Hepatol. 2006 Nov;4(11):1346-50.

[Hoie O, Schouten L, Wolters F, Solberg C, Riis L, Mouzas I, Politi P, Odes S, Langholz E, Vatn M, Stockbrugger R, Mowm B.](#)  
Ulcerative colitis: no rise in mortality in a European-wide population-based cohort 10 years after diagnosis.  
Gut. 2006 Oct 6;

[Requeiro M, Loftus EV Jr, Steinhart AH, Cohen RD.](#)  
Medical management of left-sided ulcerative colitis and ulcerative proctitis: critical evaluation of therapeutic trials.  
Inflamm Bowel Dis. 2006 Oct;12(10):979-94.

[Requeiro M, Loftus EV Jr, Steinhart AH, Cohen RD.](#)  
Clinical guidelines for the medical management of left-sided ulcerative colitis and ulcerative proctitis: summary statement.  
Inflamm Bowel Dis. 2006 Oct;12(10):972-8.

[Hanauer SB.](#)  
Review article: high-dose aminosalicylates to induce and maintain remissions in ulcerative colitis.  
Aliment Pharmacol Ther. 2006 Oct;24 Suppl 3:37-40.

[Waljee A, Waljee J, Morris AM, Higgins PD.](#)  
Threefold increased risk of infertility: a meta-analysis of infertility after ileal pouch anal anastomosis in ulcerative colitis.  
Gut. 2006 Nov;55(11):1575-80.

[Ding YJ, Yu JP, Luo HS, Zhou ZY, Liu J.](#)

Evaluation and analysis of colonoscopy in the diagnosis of 186 cases of ulcerative colitis patients.

Int J Clin Pract. 2006 Nov;60(11):1408-10.

## CONSTIPATION

[Zhang WQ, Yan GZ, Ye DD, Chen CW.](#)

Simultaneous assessment of the intraluminal pressure and transit time of the colon using a telemetry technique.

Physiol Meas. 2007 Feb;28(2):141-8.

[Renzi A, Izzo D, Di Sarno G, De Iuri A, Bucci L, Izzo G, Di Martino N.](#)

Cinedefecographic findings in patients with obstructed defecation syndrome. A study in 420 cases.

Minerva Chir. 2006 Dec;61(6):493-9.

[Peng HY, Xu AZ.](#)

Colonic exclusion and combined therapy for refractory constipation.

World J Gastroenterol. 2006 Dec 28;12(48):7864-8.

[Costedio MM, Hyman N, Mawe GM.](#)

Serotonin and Its Role in Colonic Function and in Gastrointestinal Disorders.

Dis Colon Rectum. 2006 Dec 29;

[Pera M, Pares D, Pascual M, Perez M, Canete N, Sanchez de la Blanca MI, Andreu M, Grande L.](#)

[Treatment of severe chronic constipation through the antegrade continent enema procedure.]

Cir Esp. 2006 Dec;80(6):403-5.

[Hassan I, Pemberton JH, Young-Fadok TM, You YN, Drelichman ER, Rath-Harvey D, Schleck CD, Larson DR.](#)

Ileorectal anastomosis for slow transit constipation: long-term functional and quality of life results.

J Gastrointest Surg. 2006 Dec;10(10):1330-6;

[Fried M, Johanson JF, Gwee KA, Wagner A, Pecher E, Rueegg P.](#)

Efficacy of Tegaserod in Chronic Constipation in Men.

Am J Gastroenterol. 2006 Dec 11;

[Lau PY, Fung B, Meng WC, Leung R, Yip AW, So SP, Lee QS, Chan D.](#)

Efficacy of multidisciplinary approach in treatment of constipation: a pilot study.

Hong Kong Med J. 2006 Dec;12(6):415-8.

[Mortele KJ, Fairhurst J.](#)

Dynamic MR defecography of the posterior compartment: Indications, techniques and MRI features.

Eur J Radiol. 2006 Dec 2;

[Chong VH, Jalihal A.](#)

Solitary rectal ulcer syndrome: characteristics, outcomes and predictive profiles for persistent bleeding per rectum.  
Singapore Med J. 2006 Dec;47(12):1063-8.

[da Silva GM, Gurland B, Sleemi A, Levy G.](#)

Posterior vaginal wall prolapse does not correlate with fecal symptoms or objective measures of anorectal function.  
Am J Obstet Gynecol. 2006 Dec;195(6):1742-7.

[Colecchia A, Vestito A, La Rocca A, Pasqui F, Nikiforaki A, Festi D.](#)

Effect of a symbiotic preparation on the clinical manifestations of irritable bowel syndrome, constipation-variant. Results of an open, uncontrolled multicenter study.  
Minerva Gastroenterol Dietol. 2006 Dec;52(4):349-58.

[Muller-Lissner S, Kamm MA, Musoglu A, Earnest DL, Dunger-Baldauf C, Shetzline MA.](#)

Safety, tolerability, and efficacy of tegaserod over 13 months in patients with chronic constipation.  
Am J Gastroenterol. 2006 Nov;101(11):2558-69;

[Miles CL, Fellowes D, Goodman ML, Wilkinson S.](#)

Laxatives for the management of constipation in palliative care patients.  
Cochrane Database Syst Rev. 2006 Oct 18;(4):CD003448. Review.

[Houghton LA, Lea R, Agrawal A, Reilly B, Whorwell PJ.](#)

Relationship of abdominal bloating to distention in irritable bowel syndrome and effect of bowel habit.  
Gastroenterology. 2006 Oct;131(4):1003-10.

[Di Stefano M, Miceli E, Missanelli A, Mazzocchi S, Tana P, Corazza GR.](#)

Role of colonic fermentation in the perception of colonic distention in irritable bowel syndrome and functional bloating.  
Clin Gastroenterol Hepatol. 2006 Oct;4(10):1242-7.

[Bassotti G, Villanacci V, Cathomas G, Maurer CA, Fisogni S, Cadei M, Baron L, Morelli A, Valloncini E, Salerni B.](#)

Enteric neuropathology of the terminal ileum in patients with intractable slow-transit constipation.  
Hum Pathol. 2006 Oct;37(10):1252-8.

[Bouchoucha M, Devroede G, Faye A, Le Toumelin P, Arhan P, Arsac M.](#)

Colonic response to food in constipation.  
Int J Colorectal Dis. 2006 Dec;21(8):826-33. Epub 2005 Jun 21.

## HEMORRHOIDS

[Angelone G, Giardiello C, Prota C.](#)

Stapled haemorrhoidopexy. Complications and 2-year follow-up.  
Chir Ital. 2006 Nov-Dec;58(6):753-60.

[Fueglistaler P, Guenin MO, Montali I, Kern B, Peterli R, von Flue M, Ackermann C.](#)

Long-Term Results After Stapled Hemorrhoidopexy: High Patient Satisfaction Despite Frequent Postoperative Symptoms.  
Dis Colon Rectum. 2006 Dec 18;

[Huang WS, Chin CC, Yeh CH, Lin PY, Wang JY.](#)

Randomized comparison between stapled hemorrhoidopexy and Ferguson hemorrhoidectomy for grade III hemorrhoids in Taiwan: a prospective study.  
Int J Colorectal Dis. 2006 Dec 14;

[Touzin E, Hegge S, McKinley C.](#)

Early experience of stapled hemorrhoidectomy in a community hospital setting.  
Can J Surg. 2006 Oct;49(5):316-20.

[Haveran LA, Sturrock PR, Sun MY, McDade J, Singla S, Paterson CA, Counihan TC.](#)

Simple harmonic scalpel hemorrhoidectomy utilizing local anesthesia combined with intravenous sedation: a safe and rapid alternative to conventional hemorrhoidectomy.  
Int J Colorectal Dis. 2006 Nov 22;

[Tan KY, Sng KK, Tay KH, Lai JH, Eu KW.](#)

Randomized clinical trial of 0.2 per cent glyceryl trinitrate ointment for wound healing and pain reduction after open diathermy haemorrhoidectomy.  
Br J Surg. 2006 Dec;93(12):1464-8.

[Marques CF, Nahas SC, Nahas CS, Sobrado CW Jr, Habr-Gama A, Kiss DR.](#)

Early results of the treatment of internal hemorrhoid disease by infrared coagulation and elastic banding: a prospective randomized cross-over trial.  
Tech Coloproctol. 2006 Dec;10(4):312-7.

[Pigot F, Dao-Quang M, Castinel A, Juguet F, Bouchard D, Bockle J, Allaert FA.](#)

Low hemorrhoidopexy staple line does not improve results and increases risk for incontinence.  
Tech Coloproctol. 2006 Dec;10(4):329-33.

[Chik B, Law WL, Choi HK.](#)

Urinary retention after haemorrhoidectomy: Impact of stapled haemorrhoidectomy.  
Asian J Surg. 2006 Oct;29(4):233-7.

[Gupta PJ.](#)

Radioablation and suture fixation of advance grades of hemorrhoids. An effective alternative to staplers and Doppler guided ligation of hemorrhoids.  
Rev Esp Enferm Dig. 2006 Nov;98(10):740-746.

[Fondran JC, Porter JA, Slezak FA.](#)

Inflammatory polyps: a cause of late bleeding in stapled hemorrhoidectomy.  
Dis Colon Rectum. 2006 Dec;49(12):1910-3.

[Gerjy R, Derwinger K, Nystrom PO.](#)

Perianal local block for stapled anopexy.  
Dis Colon Rectum. 2006 Dec;49(12):1914-21.

[Ono T, Nakagawa H, Fukunari A, Hashimoto T, Komatsu H.](#)

Hemostatic action of OC-108, a novel agent for hemorrhoids, is associated with regional blood flow arrest induced by acute inflammation.  
J Pharmacol Sci. 2006 Nov;102(3):314-20.

[Jayaraman S, Colquhoun PH, Malthaner RA.](#)

Stapled versus conventional surgery for hemorrhoids.  
Cochrane Database Syst Rev. 2006 Oct 18;(4):CD005393.

[Plocek MD, Kondylis LA, Duhan-Floyd N, Reilly JC, Geisler DP, Kondylis PD.](#)

Hemorrhoidopexy staple line height predicts return to work.  
Dis Colon Rectum. 2006 Dec;49(12):1905-9.

[Pescatori M, Spyrou M, Cobellis L, Bottini C, Tessera G.](#)

The rectal pocket syndrome after stapled mucosectomy.  
Colorectal Dis. 2006 Nov;8(9):808-11.

[McCloud JM, Jameson JS, Scott AN.](#)

Life-threatening sepsis following treatment for haemorrhoids: a systematic review.  
Colorectal Dis. 2006 Nov;8(9):748-55. Review.

[Boccasanta P, Venturi M, Roviato G.](#)

Stapled transanal rectal resection versus stapled anopexy in the cure of hemorrhoids associated with rectal prolapse. A randomized controlled trial.  
Int J Colorectal Dis. 2007 Mar;22(3):245-51.

[Al-Mulhim AS, Ali AM, Al-Masuod N, Alwahidi A.](#)

Post hemorrhoidectomy pain. A randomized controlled trial.  
Saudi Med J. 2006 Oct;27(10):1538-41.

[Patti R, Almasio PL, Arcara M, Sammartano S, Romano P, Fede C, Di Vita G.](#)

Botulinum toxin vs. topical glyceryl trinitrate ointment for pain control in patients undergoing hemorrhoidectomy: a randomized trial.  
Dis Colon Rectum. 2006 Nov;49(11):1741-8.

[Ho KS, Ho YH.](#)

Prospective randomized trial comparing stapled hemorrhoidopexy versus closed Ferguson hemorrhoidectomy.  
Tech Coloproctol. 2006 Oct;10(3):193-7.

[Johannsson HO, Pahlman L, Graf W.](#)

Randomized clinical trial of the effects on anal function of Milligan-Morgan versus Ferguson haemorrhoidectomy.  
Br J Surg. 2006 Oct;93(10):1208-14.

## **DIVERTICULAR DISEASE**

[Pelaez N, Pera M, Courtier R, Sanchez J, Gil MJ, Pares D, Granda L.](#)

[Applicability, safety and efficacy of an ambulatory treatment protocol in patients with uncomplicated acute diverticulitis.]  
Cir Esp. 2006 Dec;80(6):369-72.

[Pautrat K, Bretagnol F, Hutten N, de Calan L.](#)

Acute Diverticulitis in Very Young Patients: A Frequent Surgical Management.  
Dis Colon Rectum. 2006 Dec 13;

[Kaewlai R, Nazinitsky KJ.](#)

Acute colonic diverticulitis in a community-based hospital: CT evaluation in 138 patients.  
Emerg Radiol. 2007 Jan;13(4):171-9

[Hildebrand P, Kropp M, Stellmacher F, Roblick UJ, Bruch HP, Schwandner O.](#)

Surgery for right-sided colonic diverticulitis: results of a 10-year-observation period.  
Langenbecks Arch Surg. 2006 Oct 28;

[Taylor CJ, Layani L, Ghush MA, White SI.](#)

Perforated diverticulitis managed by laparoscopic lavage.  
ANZ J Surg. 2006 Nov;76(11):962-5.

[Reissfelder C, Buhr HJ, Ritz JP.](#)

What is the optimal time of surgical intervention after an acute attack of sigmoid diverticulitis: early or late elective laparoscopic resection?

Dis Colon Rectum. 2006 Dec;49(12):1842-8.

[Brandt D, Gervaz P, Durmishi Y, Platon A, Morel P, Poletti PA.](#)

Percutaneous CT scan-guided drainage vs. antibiotherapy alone for Hinchey II diverticulitis: a case-control study.

Dis Colon Rectum. 2006 Oct;49(10):1533-8.

[Yang HR, Huang HH, Wang YC, Hsieh CH, Chung PK, Jeng LB, Chen RJ.](#)

Management of right colon diverticulitis: a 10-year experience.

World J Surg. 2006 Oct;30(10):1929-34.