

# Overview of Colorectal papers

Volume 6 Number 3 March 2007

A ProctoSite's e-publication  
www.proctosite.com

December, November 2006 and January, February 2007

## COLORECTAL CANCER SURGICAL TREATMENT

[Kahnamoui K, Cadeddu M, Farrokhyar F, Anvari M.](#)

Laparoscopic surgery for colon cancer: a systematic review.  
Can J Surg. 2007 Feb;50(1):48-57.

[Di Cataldo A, La Greca G, Lanteri R, Rapisarda C, Li Destri G, Licata A.](#)

Cancer of the sigmoid colon: left hemicolectomy or sigmoidectomy?  
Int Surg. 2007 Jan-Feb;92(1):10-4.

[Law WL, Choi HK, Lee YM, Ho JW, Seto CL.](#)

Anastomotic Leakage is Associated with Poor Long-Term Outcome in Patients After Curative Colorectal Resection for Malignancy.  
J Gastrointest Surg. 2007 Jan;11(1):8-15.

[Jafari Giv M, Ho YH.](#)

Concurrent laparoscopic right hemicolectomy and ultra-low anterior resection with colonic J-pouch anal anastomosis for synchronous carcinoma.  
Tech Coloproctol. 2007 Mar;11(1):55-7.

[Kim YM, Suh JH, Cha HJ, Jang SJ, Kim MJ, Yoon S, Kim B, Chang H, Kwon Y, Hong EK, Ro JY.](#)

Additional lymph node examination from entire submission of residual mesenteric tissue in colorectal cancer specimens may not add clinical and pathologic relevance.  
Hum Pathol. 2007 Feb 14;

[Choi YS, Lee SI, Lee TG, Kim SW, Cheon G, Kang SB.](#)

Economic outcomes of laparoscopic versus open surgery for colorectal cancer in Korea.  
Surg Today. 2007;37(2):127-32.

[Jenkins JT, O'Neill G, Morran CG.](#)

The relationship between patient physiology and cancer-specific survival following curative resection of colorectal cancer.  
Br J Cancer. 2007 Jan 29;96(2):213-7.

[Helyer LK, Law CH, Butler M, Last LD, Smith AJ, Wright FC.](#)

Surgery as a Bridge to Palliative Chemotherapy in Patients with Malignant Bowel Obstruction from Colorectal Cancer.  
Ann Surg Oncol. 2007 Apr;14(4):1264-1271.

[Billingsley KG, Morris AM, Dominitz JA, Matthews B, Dobie S, Barlow W, Wright GE, Baldwin LM.](#)

Surgeon and hospital characteristics as predictors of major adverse outcomes following colon cancer surgery: understanding the volume-outcome relationship.  
Arch Surg. 2007 Jan;142(1):23-31; discussion 32.

[Mitchell AD, Inglis KM, Murdoch JM, Porter GA.](#)

Emergency room presentation of colorectal cancer: a consecutive cohort study.  
Ann Surg Oncol. 2007 Mar;14(3):1099-104.

[Jota GJ, Karadzov Z, Panovski M, Vasilevski V, Serafimoski V.](#)

Preservation of the vegetative pelvic nerves and local recurrence in the operative treatment of rectal cancer.  
Prilozi. 2006 Dec;27(2):49-58.

[Szynglarewicz B, Matkowski R, Forgacz J, Pudelko M, Smorag Z, Dryl J, Kornafel J.](#)

Clinical factors in prediction of prognosis after anterior resection with total mesorectal excision for carcinoma of the rectum.  
Oncol Rep. 2007 Feb;17(2):471-5.

[Ueno H, Mochizuki H, Hashiguchi Y, Ishiguro M, Miyoshi M, Kajiwara Y, Sato T, Shimazaki H, Hase K.](#)

Potential prognostic benefit of lateral pelvic node dissection for rectal cancer located below the peritoneal reflection.  
Ann Surg. 2007 Jan;245(1):80-7.

[Morris AM, Baldwin LM, Matthews B, Dominitz JA, Barlow WE, Dobie SA, Billingsley KG.](#)

Reoperation as a quality indicator in colorectal surgery: a population-based analysis.  
Ann Surg. 2007 Jan;245(1):73-9.

[Law WL, Lee YM, Choi HK, Seto CL, Ho JW.](#)

Impact of laparoscopic resection for colorectal cancer on operative outcomes and survival.  
Ann Surg. 2007 Jan;245(1):1-7.

[Kobayashi H, Mochizuki H, Sugihara K, Morita T, Kotake K, Teramoto T, Kameoka S, Saito Y, Takahashi K, Hase K, Oya M, Maeda K, Hirai T, Kameyama M, Shirouzu K, Muto T.](#)

Characteristics of recurrence and surveillance tools after curative resection for colorectal cancer: a multicenter study.  
Surgery. 2007 Jan;141(1):67-75.

[Gurjar SV, Forshaw MJ, Ahktar N, Stewart M, Parker MC.](#)

Indwelling trans-anastomotic rectal tubes in colorectal surgery: a survey of usage in UK and Ireland.  
Colorectal Dis. 2007 Jan;9(1):47-51.

[Iversen LH, Harling H, Laurberg S, Wille-Jorgensen P; Danish Colorectal Cancer Group.](#)

Influence of caseload and surgical speciality on outcome following surgery for colorectal cancer: a review of evidence. Part 2: long-term outcome.  
Colorectal Dis. 2007 Jan;9(1):38-46. Review.

[Iversen LH, Harling H, Laurberg S, Wille-Jorgensen P.](#)

Influence of caseload and surgical speciality on outcome following surgery for colorectal cancer: a review of evidence. Part 1: short-term outcome.  
Colorectal Dis. 2007 Jan;9(1):28-37. Review.

[Chen W, Sailhamer E, Berger DL, Rattner DW.](#)

Operative time is a poor surrogate for the learning curve in laparoscopic colorectal surgery.  
Surg Endosc. 2007 Feb;21(2):238-43.

[Lemmens VE, Janssen-Heijnen ML, Houterman S, Verheij KD, Martijn H, van de Poll-Franse L, Coebergh JW.](#)

Which comorbid conditions predict complications after surgery for colorectal cancer?  
World J Surg. 2007 Jan;31(1):192-9.

[Noble SE, Horgan AF.](#)

A prospective case-matched comparison of clinical and financial outcomes of open versus laparoscopic colorectal resection.  
Surg Endosc. 2007 Mar;21(3):404-8.

[Valverde A, Msika S, Kianmanesh R, Hay JM, Couchard AC, Flamant Y, Fingerhut A, Fagniez PL; French Associations for Surgical Research.](#)

Povidone-iodine vs sodium hypochlorite enema for mechanical preparation before elective open colonic or rectal resection with primary anastomosis: a multicenter randomized controlled trial.  
Arch Surg. 2006 Dec;141(12):1168-74

[Izanec J, Nagle D.](#)

Impact of proctectomy on continence and sexual function in women.  
Am J Gastroenterol. 2006 Dec;101 Suppl 3:S618-24.

[Habr-Gama A, Perez RO, Proscurshim I, Campos FG, Nadalin W, Kiss D, Gama-Rodrigues J.](#)

Patterns of failure and survival for nonoperative treatment of stage c0 distal rectal cancer following neoadjuvant chemoradiation therapy.  
J Gastrointest Surg. 2006 Dec;10(10):1319-28; discussion 1328-9.

[Tran CL, Udani S, Holt A, Arnell T, Kumar R, Stamos MJ.](#)

Evaluation of safety of increased time interval between chemoradiation and resection for rectal cancer.  
Am J Surg. 2006 Dec;192(6):873-7.

[Tilney HS, Lovegrove RE, Purkayastha S, Sains PS, Weston-Petrides GK, Darzi AW, Tekkis PP, Heriot AG.](#)

Comparison of colonic stenting and open surgery for malignant large bowel obstruction.  
Surg Endosc. 2007 Feb;21(2):225-33.

[Taqi A, Hong X, Mistraletti G, Stein B, Charlebois P, Carli F.](#)

Thoracic epidural analgesia facilitates the restoration of bowel function and dietary intake in patients undergoing laparoscopic colon resection using a traditional, nonaccelerated, perioperative care program.  
Surg Endosc. 2007 Feb;21(2):247-52.

[Holm T, Ljung A, Haggmark T, Jurell G, Lagergren J.](#)

Extended abdominoperineal resection with gluteus maximus flap reconstruction of the pelvic floor for rectal cancer.  
Br J Surg. 2007 Feb;94(2):232-8.

[Horie H, Okada M, Kojima M, Nagai H.](#)

Favorable effects of preoperative enteral immunonutrition on a surgical site infection in patients with colorectal cancer without malnutrition.  
Surg Today. 2006;36(12):1063-8.

[Kim NK, Baik SH, Seong JS, Kim H, Roh JK, Lee KY, Sohn SK, Cho CH.](#)

Oncologic outcomes after neoadjuvant chemoradiation followed by curative resection with tumor-specific mesorectal excision for fixed locally advanced rectal cancer: Impact of postirradiated pathologic downstaging on local recurrence and survival.  
Ann Surg. 2006 Dec;244(6):1024-30.

[Yeh JJ, Shia J, Hwu WJ, Busam KJ, Paty PB, Guillem JG, Coit DG, Wong WD, Weiser MR.](#)  
The role of abdominoperineal resection as surgical therapy for anorectal melanoma.  
Ann Surg. 2006 Dec;244(6):1012-7.

[Rogers SO Jr, Wolf RE, Zaslavsky AM, Wright WE, Ayanian JZ.](#)  
Relation of surgeon and hospital volume to processes and outcomes of colorectal cancer surgery.  
Ann Surg. 2006 Dec;244(6):1003-11.

[Bujko K, Michalski W, Kepka L, Nowacki MP, Nasierowska-Guttmejer A, Tokar P, Dymecki D, Pawlak M, Lesniak T, Richter P, Wojnar A, Chmielik E; Polish Colorectal Study Group.](#)  
Association between pathologic response in metastatic lymph nodes after preoperative chemoradiotherapy and risk of distant metastases in rectal cancer: An analysis of outcomes in a randomized trial.  
Int J Radiat Oncol Biol Phys. 2007 Feb 1;67(2):369-77.

[Ma CJ, Hsieh JS, Wang WM, Su YC, Huang CJ, Huang TJ, Wang JY.](#)  
Multivariate analysis of prognostic determinants for colorectal cancer patients with high preoperative serum CEA levels: prognostic value of postoperative serum CEA levels.  
Kaohsiung J Med Sci. 2006 Dec;22(12):604-9.

[da Silva RG, Sugarbaker PH.](#)  
Analysis of prognostic factors in seventy patients having a complete cytoreduction plus perioperative intraperitoneal chemotherapy for carcinomatosis from colorectal cancer.  
J Am Coll Surg. 2006 Dec;203(6):878-86.

[Wright FC, Simunovic M, Coates A, Fitch M.](#)  
Quality initiative in rectal cancer strategy: a qualitative study of participating surgeons.  
J Am Coll Surg. 2006 Dec;203(6):795-802.

[Morris AM, Wei Y, Birkmeyer NJ, Birkmeyer JD.](#)  
Racial disparities in late survival after rectal cancer surgery.  
J Am Coll Surg. 2006 Dec;203(6):787-94.

[D'Annibale A, Morpurgo E, Fiscon V, Termini B, Serventi A, Sovernigo G, Orsini C.](#)  
Minimally invasive resection for colorectal cancer: perioperative and medium-term results in an unselected patient group at a single institution.  
Tech Coloproctol. 2006 Dec;10(4):303-7

[de la Portilla F, Zbar AP, Rada R, Vega J, Cisneros N, Maldonado VH, Utrera A, Espinosa E.](#)  
Bioabsorbable staple-line reinforcement to reduce staple-line bleeding in the transection of mesenteric vessels during laparoscopic colorectal resection: a pilot study.  
Tech Coloproctol. 2006 Dec;10(4):335-8.

[Lakshman N, Chang R, Ho Y.](#)  
Laparoscopic combined rectal anterior resection and total hysterectomy with bilateral salpingo-oophorectomy.  
Tech Coloproctol. 2006 Dec;10(4):350-2.

[Chun HK, Choi D, Kim MJ, Lee J, Yun SH, Kim SH, Lee SJ, Kim CK.](#)  
Preoperative staging of rectal cancer: comparison of 3-T high-field MRI and endorectal sonography.  
AJR Am J Roentgenol. 2006 Dec;187(6):1557-62.

[Pugliese R, Di Lernia S, Sansonna F, Ferrari GC, Maggioni D, Scandroglia I, Costanzi A, Maqistro C, De Carli S.](#)

Outcomes of laparoscopic Miles' operation in very low rectal adenocarcinoma. Analysis of 32 cases.

Eur J Surg Oncol. 2007 Feb;33(1):49-54.

[Nano M, Marchisio F, Ferronato M, Breatta AD, Solej M, Barbero S, Dei Poli M, Gandini G.](#)

Vascular anatomy of the rectal stump after total mesorectal excision.

Dis Colon Rectum. 2006 Dec;49(12):1897-904.

[Kim NK, Baik SH, Min BS, Pyo HR, Choi YJ, Kim H, Seong J, Keum KC, Rha SY, Chung HC.](#)

A comparative study of volumetric analysis, histopathologic downstaging, and tumor regression grade in evaluating tumor response in locally advanced rectal cancer following preoperative chemoradiation.

Int J Radiat Oncol Biol Phys. 2007 Jan 1;67(1):204-10.

[Yano H, Saito Y, Kirihara Y, Takashima J.](#)

Tumor invasion of lymph node capsules in patients with Dukes C colorectal adenocarcinoma.

Dis Colon Rectum. 2006 Dec;49(12):1867-77.

[Hershman D, Hall MJ, Wang X, Jacobson JS, McBride R, Grann VR, Neugut AI.](#)

Timing of adjuvant chemotherapy initiation after surgery for stage III colon cancer.

Cancer. 2006 Dec 1;107(11):2581-8.

[de Bree E, van Ruth S, Dewit LG, Zoetmulder FA.](#)

High risk of colostomy with primary radiotherapy for anal cancer.

Ann Surg Oncol. 2007 Jan;14(1):100-8.

[Liang JT, Huang KC, Lai HS, Lee PH, Jeng YM.](#)

Oncologic results of laparoscopic versus conventional open surgery for stage II or III left-sided colon cancers: a randomized controlled trial.

Ann Surg Oncol. 2007 Jan;14(1):109-17.

[Winter DC, Walsh R, Lee G, Kiely D, O'Riordain MG, O'Sullivan GC.](#)

Local involvement of the urinary bladder in primary colorectal cancer: outcome with en-bloc resection.

Ann Surg Oncol. 2007 Jan;14(1):69-73.

[Prete F, Prete FP, De Luca R, Nitti P, Sammarco D, Preziosa G.](#)

Restorative proctectomy with colon pouch-anal anastomosis by laparoscopic transanal pull-through: an available option for low rectal cancer?

Surg Endosc. 2007 Jan;21(1):91-6.

[Akasu T, Yamaguchi T, Fujimoto Y, Ishiguro S, Yamamoto S, Fujita S, Moriya Y.](#)

Abdominal sacral resection for posterior pelvic recurrence of rectal carcinoma: analyses of prognostic factors and recurrence patterns.

Ann Surg Oncol. 2007 Jan;14(1):74-83.

[Winter DC, Walsh R, Lee G, Kiely D, O'riordain MG, O'sullivan GC.](#)

Local involvement of the urinary bladder in primary colorectal cancer: outcome with en bloc resection.

Ann Surg Oncol. 2007 Feb;14(2):441-6.

[Mastracci TM, Hendren S, O'Connor B, McLeod RS.](#)

The impact of surgery for colorectal cancer on quality of life and functional status in the elderly.

Dis Colon Rectum. 2006 Dec;49(12):1878-84.

[Almeida Quadros C, Lopes A, Araujo I, Fahel F, Bacellar MS, Dias CS.](#)

Retroperitoneal and lateral pelvic lymphadenectomy mapped by lymphoscintigraphy and blue dye for rectal adenocarcinoma staging: preliminary results.  
Ann Surg Oncol. 2006 Dec;13(12):1617-21.

[Zhang W, Ayanian JZ, Zaslavsky AM.](#)

Patient characteristics and hospital quality for colorectal cancer surgery.  
Int J Qual Health Care. 2007 Feb;19(1):11-20.

[Lemmens VE, van Lijnschoten I, Janssen-Heijnen ML, Rutten HJ, Verheij CD, Coebergh JW.](#)

Pathology practice patterns affect lymph node evaluation and outcome of colon cancer: a population-based study.  
Ann Oncol. 2006 Dec;17(12):1803-9.

[Yan TD, Chu F, Links M, Kam PC, Glenn D, Morris DL.](#)

Cytoreductive surgery and perioperative intraperitoneal chemotherapy for peritoneal carcinomatosis from colorectal carcinoma: non-mucinous tumour associated with an improved survival.  
Eur J Surg Oncol. 2006 Dec;32(10):1119-24.

[Urso E, Serpentine S, Pucciarelli S, De Salvo GL, Friso ML, Fabris G, Lonardi S, Ferraro B, Bruttocao A, Aschele C, Nitti D.](#)

Complications, functional outcome and quality of life after intensive preoperative chemoradiotherapy for rectal cancer.  
Eur J Surg Oncol. 2006 Dec;32(10):1201-8.

[Madbouly KM, Senagore AJ, Mukerjee A, Delaney CP, Connor J, Fazio VW.](#)

Does immunostaining effectively upstage colorectal cancer by identifying micrometastatic nodal disease?  
Int J Colorectal Dis. 2007 Jan;22(1):39-48.

[Gao F, Cao YF, Chen LS, Zhang S, Tang ZJ, Liang JL.](#)

Outcome of surgical management of the bladder in advanced colorectal cancer.  
Int J Colorectal Dis. 2007 Jan;22(1):21-4. Epub 2006 Mar 1.  
PMID: 16508758 [PubMed - in process]

## **COLORECTAL CANCER ADJUVANT THERAPY**

[Bauhofer A, Plaul U, Torossian A, Koller M, Stinner B, Celik I, Sitter H, Greger B, Middeke M, Schein M, Wyatt J, Nystrom PO, Hartung T, Rothmund M, Lorenz W.](#)

Perioperative prophylaxis with granulocyte colony-stimulating factor (G-CSF) in high-risk colorectal cancer patients for an improved recovery: A randomized, controlled trial.  
Surgery. 2007 Apr;141(4):501-10

[Reddy N, Yu J, Fakh MG.](#)

Toxicities and survival among octogenarians and nonagenarians with colorectal cancer treated with chemotherapy or concurrent chemoradiation therapy.  
Clin Colorectal Cancer. 2007 Jan;6(5):362-6.

[Damianovich D, Adena M, Tebbutt NC.](#)

Treatment of 5-fluorouracil refractory metastatic colorectal cancer: an Australian population-based analysis.  
Br J Cancer. 2007 Feb 26;96(4):546-50.

[Kopec JA, Yothers G, Ganz PA, Land SR, Cecchini RS, Wieand HS, Lembersky BC, Wolmark N.](#)

Quality of life in operable colon cancer patients receiving oral compared with intravenous chemotherapy: results from National Surgical Adjuvant Breast and Bowel Project Trial C-06.  
J Clin Oncol. 2007 Feb 1;25(4):424-30.

[Thornton AD, Ravn P, Winslet M, Chester K.](#)

Angiogenesis inhibition with bevacizumab and the surgical management of colorectal cancer.

Br J Surg. 2006 Dec;93(12):1456-63. Review.

## **COLORECTAL CANCER RISK FACTORS, STAGING, FOLLOW-UP AND SCREENING.**

[Cruz-Correa M, Schultz K, Jagannath S, Harris M, Kantsevoy S, Bedine M, Kalloo AN.](#)

Performance characteristics and comparison of two fecal occult blood tests in patients undergoing colonoscopy.

Dig Dis Sci. 2007 Apr;52(4):1009-13.

[Murff HJ, Peterson NB, Greevy RA, Shrubsole MJ, Zheng W.](#)

Early Initiation of Colorectal Cancer Screening in Individuals with Affected First-degree Relatives.

J Gen Intern Med. 2007 Jan;22(1):121-6.

[Bjerregaard NC, Tottrup A, Sorensen HT, Laurberg S.](#)

Evaluation of the Danish national strategy for selective use of colonoscopy in symptomatic outpatients without known risk factors for colorectal cancer.

Scand J Gastroenterol. 2007 Feb;42(2):228-36.

[Lagerstedt Robinson K, Liu T, Vandrovцова J, Halvarsson B, Clendenning M, Frebourg T, Papadopoulos N, Kinzler KW, Vogelstein B, Peltomaki P, Kolodner RD, Nilbert M, Lindblom A.](#)

Lynch syndrome (hereditary nonpolyposis colorectal cancer) diagnostics.

J Natl Cancer Inst. 2007 Feb 21;99(4):291-9.

[Ohtani H.](#)

Focus on TILs: prognostic significance of tumor infiltrating lymphocytes in human colorectal cancer.

Cancer Immun. 2007 Feb 21;7:4.

[Tsong WH, Koh WP, Yuan JM, Wang R, Sun CL, Yu MC.](#)

Cigarettes and alcohol in relation to colorectal cancer: the Singapore Chinese Health Study.  
Br J Cancer. 2007 Mar 12;96(5):821-7.

[Brenner H, Hoffmeister M, Arndt V, Haug U.](#)

Gender differences in colorectal cancer: implications for age at initiation of screening.

Br J Cancer. 2007 Mar 12;96(5):828-31.

[Levi Z, Rozen P, Hazazi R, Vilkin A, Waked A, Maoz E, Birkenfeld S, Leshno M, Niv Y.](#)

A quantitative immunochemical fecal occult blood test for colorectal neoplasia.

Ann Intern Med. 2007 Feb 20;146(4):244-55.

[Ahmed FE, Vos PW, Holbert D.](#)

Modeling survival in colon cancer: a methodological review.  
Mol Cancer. 2007 Feb 12;6:15. Review.

[Lee KJ, Inoue M, Otani T, Iwasaki M, Sasazuki S, Tsugane S; for the Japan Public Health Center-based Prospective Study.](#)

Colorectal cancer screening using fecal occult blood test and subsequent risk of colorectal cancer: A prospective cohort study in Japan.  
Cancer Detect Prev. 2007;31(1):3-11.

[Rulyak SJ, Lieberman DA, Wagner EH, Mandelson MT.](#)

Outcome of Follow-up Colon Examination Among a Population-Based Cohort of Colorectal Cancer Patients.

Clin Gastroenterol Hepatol. 2007 Jan 30;

[Jass JR, O'Brien MJ, Riddell RH, Snover DC; on behalf of the Association of Directors of Anatomic and Surgical Pathology.](#)

Reporting of surgically resected specimens of colorectal carcinoma.  
Hum Pathol. 2007 Apr;38(4):537-545.

[Jeffery M, Hickey B, Hider P.](#)

Follow-up strategies for patients treated for non-metastatic colorectal cancer.  
Cochrane Database Syst Rev. 2007 Jan 24;(1):CD002200.

[Hewitson P, Glasziou P, Irwig L, Towler B, Watson E.](#)

Screening for colorectal cancer using the faecal occult blood test, Hemoccult.  
Cochrane Database Syst Rev. 2007 Jan 24;(1):CD001216.

[Saltzstein SL, Behling CA.](#)

Age and time as factors in the left-to-right shift of the subsite of colorectal adenocarcinoma: a study of 213,383 cases from the California Cancer Registry.  
J Clin Gastroenterol. 2007 Feb;41(2):173-7.

[O'dwyer ST, Renehan AG, Zwahlen M, Egger M.](#)

Risk of second primary colorectal cancer with particular reference to age at diagnosis.  
Colorectal Dis. 2007 Feb;9(2):186.

[Gasser M, Gerstlauer C, Grimm M, Bueter M, Lebedeva T, Lutz J, Maeder U, Ribas C, Ribas C, Nichiporuk E, Thalheimer A, Heemann U, Thiede A, Meyer D, Waaga-Gasser AM.](#)

Comparative analysis of predictive biomarkers for therapeutical strategies in colorectal cancer.

Ann Surg Oncol. 2007 Apr;14(4):1272-84.

[Zlobec I, Steele R, Terracciano L, Jass JR, Lugli A.](#)

Selecting immunohistochemical cut-off scores for novel biomarkers of progression and survival in colorectal cancer.

J Clin Pathol. 2006 Dec 20;

[Raje D, Scott M, Irvine T, Walshe M, Mukhtar H, Oshowo A, Ingham Clark C.](#)

Telephonic management of rectal bleeding in young adults: a prospective randomized controlled trial.

Colorectal Dis. 2007 Jan;9(1):86-9.

[Green J, Watson J, Roche M, Beral V, Patnick J.](#)

Stage, grade and morphology of tumours of the colon and rectum recorded in the Oxford Cancer Registry, 1995-2003.  
Br J Cancer. 2007 Jan 15;96(1):140-2.

[Moskal A, Norat T, Ferrari P, Riboli E.](#)

Alcohol intake and colorectal cancer risk: a dose-response meta-analysis of published cohort studies.  
Int J Cancer. 2007 Feb 1;120(3):664-71.

[Buc E, Kwiatkowski F, Alves A, Panis Y, Manton G, Slim K.](#)

Tobacco smoking: a factor of early onset of colorectal cancer.  
Dis Colon Rectum. 2006 Dec;49(12):1893-6.

[Kocak E, Al-Saif O, Satter M, Bloomston M, Abdessalam SF, Mantil J, Goshtasby AA, Martin EW Jr.](#)

Image Guidance during Abdominal Exploration for Recurrent Colorectal Cancer.  
Ann Surg Oncol. 2007 Feb;14(2):405-10.

[Park DI, Ryu SH, Oh SJ, Yoo TW, Kim HJ, Cho YK, Sung IK, Sohn CI, Jeon WK, Kim BI.](#)  
Significance of endoscopy in asymptomatic premenopausal women with iron deficiency anemia.

Dig Dis Sci. 2006 Dec;51(12):2372-6.

[Pezzoli A, Matarese V, Rubini M, Simoni M, Caravelli GC, Stockbrugger R, Cifala V, Boccia S, Feo C, Simone L, Trevisani L, Liboni A, Gullini S.](#)

Colorectal cancer screening: results of a 5-year program in asymptomatic subjects at increased risk.  
Dig Liver Dis. 2007 Jan;39(1):33-9.

[Larsson SC, Wolk A.](#)

Meat consumption and risk of colorectal cancer: a meta-analysis of prospective studies.  
Int J Cancer. 2006 Dec 1;119(11):2657-64.

[Guittet L, Bouvier V, Mariotte N, Vallee JP, Arsene D, Boutreux S, Tichet J, Launoy G.](#)

Comparison of a guaiac based and an immunochemical faecal occult blood test in screening for colorectal cancer in a general average risk population.  
Gut. 2007 Feb;56(2):210-4.

## **COLORECTAL CANCER METASTATIC DISEASE**

[Khan AZ, Karanjia ND.](#)

The impact of staging laparoscopy prior to hepatic resection for colorectal metastases.  
Eur J Surg Oncol. 2007 Jan 29;

[Abdalla EK, Ribero D, Pawlik TM, Zorzi D, Curley SA, Muratore A, Andres A, Mentha G, Capussotti L, Vauthey JN.](#)

Resection of hepatic colorectal metastases involving the caudate lobe: perioperative outcome and survival.  
J Gastrointest Surg. 2007 Jan;11(1):66-72.

[Thelen A, Jonas S, Benckert C, Spinelli A, Lopez-Hanninen E, Rudolph B, Neumann U, Neuhaus P.](#)

Simultaneous versus staged liver resection of synchronous liver metastases from colorectal cancer.

Int J Colorectal Dis. 2007 Feb 21;

[Bipat S, van Leeuwen MS, Ijzermans JN, Comans EF, Planting AS, Bossuyt PM, Greve JW, Stoker J.](#)

Evidence-base guideline on management of colorectal liver metastases in the Netherlands. Neth J Med. 2007 Jan;65(1):5-14. Review.

[Figueras J, Torras J, Valls C, Llado L, Ramos E, Marti-Rague J, Serrano T, Fabregat J.](#)

Surgical Resection of Colorectal Liver Metastases in Patients with Expanded Indications: A Single-Center Experience with 501 Patients.

Dis Colon Rectum. 2007 Feb 7;

[Cummings LC, Payes JD, Cooper GS.](#)

Survival after hepatic resection in metastatic colorectal cancer: a population-based study. Cancer. 2007 Feb 15;109(4):718-26.

[Tanaka K, Shimada H, Ueda M, Matsuo K, Endo I, Togo S.](#)

Long-term characteristics of 5-year survivors after liver resection for colorectal metastases. Ann Surg Oncol. 2007 Apr;14(4):1336-46.

[Baize N, Gerard B, Bleiberg H, Caroli-Bosc F, Berthier F, Legendre H, Pector JC, Hendlisz A.](#)

Long-term survival of patients downstaged by oxaliplatin and 5-fluorouracil combination followed by rescue surgery for unresectable colorectal liver metastases.

Gastroenterol Clin Biol. 2006 Dec;30(12):1349-53.

[Ruers TJ, Joosten JJ, Wiering B, Langenhoff BS, Dekker HM, Wobbes T, Oyen WJ, Krabbe PF, Punt CJ.](#)

Comparison between local ablative therapy and chemotherapy for non-resectable colorectal liver metastases: a prospective study.

Ann Surg Oncol. 2007 Mar;14(3):1161-9.

[Antoniou A, Lovegrove RE, Tilney HS, Heriot AG, John TG, Rees M, Tekkis PP, Welsh FK.](#)

Meta-analysis of clinical outcome after first and second liver resection for colorectal metastases.

Surgery. 2007 Jan;141(1):9-18.

[Welter S, Jacobs J, Krbek T, Poettgen C, Stamatis G.](#)

Prognostic impact of lymph node involvement in pulmonary metastases from colorectal cancer.

Eur J Cardiothorac Surg. 2007 Feb;31(2):167-72.

[Muratore A, Zorzi D, Bouzari H, Amisano M, Massucco P, Sperti E, Capussotti L.](#)

Asymptomatic colorectal cancer with un-resectable liver metastases: immediate colorectal resection or up-front systemic chemotherapy?

Ann Surg Oncol. 2007 Feb;14(2):766-70.

[Capussotti L, Vigano' L, Ferrero A, Lo Tesoriere R, Ribero D, Polastri R.](#)

Timing of resection of liver metastases synchronous to colorectal tumor: proposal of prognosis-based decisional model.

Ann Surg Oncol. 2007 Mar;14(3):1143-50.

## **COLORECTAL CANCER MOLECULAR BIOLOGY**

[Huang ZH, Li LH, Yang F, Wang JF.](#)

Detection of aberrant methylation in fecal DNA as a molecular screening tool for colorectal cancer and precancerous lesions.

World J Gastroenterol. 2007 Feb 14;13(6):950-4.

[Popat S, Zhao D, Chen Z, Pan H, Shao Y, Chandler I, Houlston RS.](#)

Relationship between chromosome 18q status and colorectal cancer prognosis: a prospective, blinded analysis of 280 patients.

Anticancer Res. 2007 Jan-Feb;27(1B):627-33.

[Schmidt K, Diehl F.](#)

A blood-based DNA test for colorectal cancer screening.

Discov Med. 2007 Feb;7(37):7-12.

[Hong Y, Ho KS, Eu KW, Cheah PY.](#)

A susceptibility gene set for early onset colorectal cancer that integrates diverse signaling pathways: implication for tumorigenesis.

Clin Cancer Res. 2007 Feb 15;13(4):1107-14.

[Hansen JE, Fischer LK, Chan G, Chang SS, Baldwin SW, Aragon RJ, Carter JJ, Lilly M, Nishimura RN, Weisbart RH, Reeves ME.](#)

Antibody-mediated p53 protein therapy prevents liver metastasis in vivo.

Cancer Res. 2007 Feb 15;67(4):1769-74.

[Bautista CV, Felis CP, Espinet JM, Garcia JB, Salas JV.](#)

Telomerase Activity is a Prognostic Factor for Recurrence and Survival in Rectal Cancer.

Dis Colon Rectum. 2007 Feb 13;

[Kohonen-Corish MR, Sigglekow ND, Susanto J, Chapuis PH, Bokey EL, Dent OF, Chan C, Lin BP, Seng TJ, Laird PW, Young J, Leggett BA, Jass JR, Sutherland RL.](#)

Promoter methylation of the mutated in colorectal cancer gene is a frequent early event in colorectal cancer.

Oncogene. 2007 Jan 29;

[Mollevi DG, Serrano T, Ginesta MM, Valls J, Torras J, Navarro M, Ramos E, Germa JR, Jaurrieta E, Moreno V, Figueras J, Capella G, Villanueva A.](#)

Mutations in TP53 are a prognostic factor in colorectal hepatic metastases undergoing surgical resection.

Carcinogenesis. 2007 Jan 27;

[Gao XQ, Han JX, Xu ZF, Zhang WD, Zhang HN, Huang HY.](#)

Identification of the differential expressive tumor associated genes in rectal cancers by cDNA microarray.

World J Gastroenterol. 2007 Jan 21;13(3):341-8.

[Kim GP, Colangelo LH, Wieand HS, Paik S, Kirsch IR, Wolmark N, Allegra CJ; National Cancer Institute.](#)

Prognostic and predictive roles of high-degree microsatellite instability in colon cancer: a National Cancer Institute-National Surgical Adjuvant Breast and Bowel Project Collaborative Study.

J Clin Oncol. 2007 Mar 1;25(7):767-72.

[Lu H, Goodell V, Disis ML.](#)

Targeting serum antibody for cancer diagnosis: a focus on colorectal cancer.  
Expert Opin Ther Targets. 2007 Feb;11(2):235-44. Review.

[Altomare DF, Rotelli MT, Pentimone A, Rossiello MR, Martinelli E, Guglielmi A, De Fazio M, Marino F, Memeo V, Colucci M, Semeraro N.](#)

Tissue factor and vascular endothelial growth factor expression in colorectal cancer: relation with cancer recurrence.  
Colorectal Dis. 2007 Feb;9(2):133-8.

[Martensson A, Oberg A, Jung A, Cederquist K, Stenling R, Palmqvist R.](#)

Beta-catenin expression in relation to genetic instability and prognosis in colorectal cancer.  
Oncol Rep. 2007 Feb;17(2):447-52.

[Sadahiro S, Suzuki T, Maeda Y, Yurimoto S, Yasuda S, Makuuchi H, Kamijo A, Murayama C.](#)

Detection of Carcinoembryonic Antigen Messenger RNA-Expressing Cells in Peripheral Blood 7 Days After Curative Surgery is a Novel Prognostic Factor in Colorectal Cancer.  
Ann Surg Oncol. 2007 Mar;14(3):1092-8.

[Wallner M, Herbst A, Behrens A, Crispin A, Stieber P, Goke B, Lamerz R, Kolligs FT.](#)

Methylation of serum DNA is an independent prognostic marker in colorectal cancer.  
Clin Cancer Res. 2006 Dec 15;12(24):7347-52.

[Rmali KA, Puntis MC, Jiang WG.](#)

Tumour-associated angiogenesis in human colorectal cancer.  
Colorectal Dis. 2007 Jan;9(1):3-14. Review.

[Kurer MA.](#)

Protein and mRNA expression of tissue factor pathway inhibitor-1 (TFPI-1) in breast, pancreatic and colorectal cancer cells.  
Mol Biol Rep. 2006 Dec 19;

[Itzkowitz SH, Jandorf L, Brand R, Rabeneck L, Schroy PC 3rd, Sontag S, Johnson D, Skoletsky J, Durkee K, Markowitz S, Shuber A.](#)

Improved fecal DNA test for colorectal cancer screening.  
Clin Gastroenterol Hepatol. 2007 Jan;5(1):111-7.

[Flamini E, Mercatali L, Nanni O, Calistri D, Nunziatini R, Zoli W, Rosetti P, Gardini N, Lattuneddu A, Verdecchia GM, Amadori D.](#)

Free DNA and carcinoembryonic antigen serum levels: an important combination for diagnosis of colorectal cancer.  
Clin Cancer Res. 2006 Dec 1;12(23):6985-8.

[Ragazzi E, Pucciarelli S, Seraglia R, Molin L, Agostini M, Lise M, Traldi P, Nitti D.](#)

Multivariate analysis approach to the plasma protein profile of patients with advanced colorectal cancer.  
J Mass Spectrom. 2006 Dec;41(12):1546-53.

[Allen-Mersh TG, McCullough TK, Patel H, Wharton RQ, Glover C, Jonas SK.](#)

Role of circulating tumour cells in predicting recurrence after excision of primary colorectal carcinoma.  
Br J Surg. 2007 Jan;94(1):96-105.

[Azzoni C, Bottarelli L, Campanini N, Di Cola G, Bader G, Mazzeo A, Salvemini C, Morari S, Di Mauro D, Donadei E, Roncoroni L, Bordi C, Sarli L.](#)

**Distinct molecular patterns based on proximal and distal sporadic colorectal cancer: arguments for different mechanisms in the tumorigenesis.**  
**Int J Colorectal Dis. 2007 Feb;22(2):115-26.**

**[Zitt M, Zitt M, Muller HM.](#)**

**DNA methylation in colorectal cancer - Impact on screening and therapy monitoring modalities?**  
**Dis Markers. 2007;23(1-2):51-71.**

**[Chen WC, Lin MS, Zhang BF, Fang J, Zhou Q, Hu Y, Gao HJ.](#)**

**Survey of molecular profiling during human colon cancer development and progression by immunohistochemical staining on tissue microarray.**  
**World J Gastroenterol. 2007 Feb 7;13(5):699-708.**