

# Overview of Colorectal papers

Volume 6 Number 04 April 2007

A ProctoSite's e-publication  
www.proctosite.com

January, February, March 2007

## Ulcerative Colitis Surgical treatment

[Scarpa M, Ruffolo C, Polese L, Martin A, D'Inca R, Sturniolo GC, D'Amico DF, Angriman I.](#)

Quality of life after restorative proctocolectomy for ulcerative colitis: different questionnaires lead to different interpretations.

Arch Surg. 2007 Feb;142(2):158-65.

[Schaus BJ, Fazio VW, Remzi FH, Bennett AE, Lashner BA, Shen B.](#)

Clinical Features of Ileal Pouch Polyps in Patients with Underlying Ulcerative Colitis.

Dis Colon Rectum. 2007 Feb 15;

[Brady RR, Collie MH, Ho GT, Bartolo DC, Wilson RG, Dunlop MG.](#)

Outcomes of the rectal remnant following colectomy for ulcerative colitis.

Colorectal Dis. 2007 Feb 14;

[Hoie O, Wolters FL, Riis L, Bernklev T, Aamodt G, Clofent J, Tsianos E, Beltrami M, Odes S, Munkholm P, Vatn M, Stockbrugger RW, Moum B; European Collaborative Study Group of Inflammatory Bowel Disease.](#)

Low colectomy rates in ulcerative colitis in an unselected European cohort followed for 10 years.

Gastroenterology. 2007 Feb;132(2):507-15.

[Hahnloser D, Pemberton JH, Wolff BG, Larson DR, Crownhart BS, Dozois RR.](#)

Results at up to 20 years after ileal pouch-anal anastomosis for chronic ulcerative colitis.

Br J Surg. 2007 Mar;94(3):333-40.

[Bengtsson J, Borjesson L, Lundstam U, Oresland T.](#)

Long-term function and manovolumetric characteristics after ileal pouch-anal anastomosis for ulcerative colitis.

Br J Surg. 2007 Mar;94(3):327-32.

[Rickard MJ, Young CJ, Bissett IP, Stitz R, Solomon MJ; Research Committee of the Colorectal Surgical Society of Australasia.](#)

Ileal pouch-anal anastomosis: the Australasian experience.

Colorectal Dis. 2007 Feb;9(2):139-45.

[Davies M, Hawley PR.](#)

Ten years experience of one-stage restorative proctocolectomy for ulcerative colitis.

Int J Colorectal Dis. 2007 Jan 10;

[Tomita R, Igarashi S.](#)

Assessments of anal canal sensitivity in patients with soiling 5 years or more after colectomy, mucosal proctectomy, and ileal J pouch-anal anastomosis for ulcerative colitis.

World J Surg. 2007 Jan;31(1):210-6.

[Zmora O, Khaikin M, Pishori T, Pikarsky A, Dinnewitzer A, Weiss EG, Noguera JJ, Wexner SD.](#)

Should ileoanal pouch surgery be staged for patients with mucosal ulcerative colitis on immunosuppressives?

Int J Colorectal Dis. 2007 Mar;22(3):289-92.

[Bohm G, O'dwyer ST.](#)

The fate of the rectal stump after subtotal colectomy for ulcerative colitis.

Int J Colorectal Dis. 2007 Mar;22(3):277-82.

[Actis GC, Fadda M, David E, Sapino A.](#)

Colectomy rate in steroid-refractory colitis initially responsive to cyclosporin: a long-term retrospective cohort study.

BMC Gastroenterol. 2007 Mar 27;7:13.

## Ulcerative Colitis

### Medical treatment

[Jiang L, Xia B, Li J, Ye M, Deng C, Ding Y, Luo H, Ren H, Hou X, Liu H, Xu H, Cheng H, Yang H.](#)

Risk factors for ulcerative colitis in a Chinese population: an age-matched and sex-matched case-control study.

J Clin Gastroenterol. 2007 Mar;41(3):280-4.

[Meisner RS, Spier BJ, Einarsson S, Roberson EN, Perlman SB, Bianco JA, Taylor AJ, Einstein M, Jaskowiak CJ, Massoth KM, Reichelderfer M.](#)

Pilot study using PET/CT as a novel, noninvasive assessment of disease activity in inflammatory bowel disease.

Inflamm Bowel Dis. 2007 Mar 29;

[McHugh JB, Appelman HD, McKenna BJ.](#)

The Diagnostic Value of Endoscopic Terminal Ileum Biopsies.

Am J Gastroenterol. 2007 Mar 27;

[Bresci G, Parisi G, Mazzoni A, Scatena F, Capria A.](#)

Treatment of patients with acute ulcerative colitis: Conventional corticosteroid therapy (MP) versus granulocytapheresis (GMA): A pilot study.

Dig Liver Dis. 2007 May;39(5):430-4.

[Takemoto K, Kato J, Kuriyama M, Nawa T, Kurome M, Okada H, Sakaguchi K, Shiratori Y.](#)

Predictive factors of efficacy of leukocytapheresis for steroid-resistant ulcerative colitis patients.

Dig Liver Dis. 2007 May;39(5):422-9.

[Hookey LC, Hurlbut DJ, Day AG, Manley PN, Depew WT.](#)

One bite or two? A prospective trial comparing colonoscopy biopsy technique in patients with chronic ulcerative colitis.

Can J Gastroenterol. 2007 Mar;21(3):164-8.

[Angriman I, Scarpa M, D'Inca R, Basso D, Ruffolo C, Polese L, Sturniolo GC, D'Amico DF, Plebani M.](#)

Enzymes in feces: Useful markers of chronic inflammatory bowel disease.

Clin Chim Acta. 2007 Feb 21;

[Komanduri S, Gillevet PM, Sikaroodi M, Mutlu E, Keshavarzian A.](#)

Dysbiosis in pouchitis: evidence of unique microfloral patterns in pouch inflammation.  
Clin Gastroenterol Hepatol. 2007 Mar;5(3):352-60.

[Biancone L, Gionchetti P, Blanco Gdel V, Orlando A, Annese V, Papi C, Sostegni R, D'Inca R, Petruzzello C, Casa A, Sica G, Calabrese E, Campieri M, Pallone F.](#)

Beclomethasone dipropionate versus mesalazine in distal ulcerative colitis: A multicenter, randomized, double-blind study.  
Dig Liver Dis. 2007 Apr;39(4):329-37.

[Tuvlin JA, Raza SS, Bracamonte S, Julian C, Hanauer SB, Nicolae DL, King AC, Cho JH.](#)

Smoking and inflammatory bowel disease: Trends in familial and sporadic cohorts.  
Inflamm Bowel Dis. 2007 Mar 7;13(5):573-579

[Aldhous MC, Drummond HE, Anderson N, Baneshi MR, Smith LA, Arnott ID, Satsangi J.](#)

Smoking habit and load influence age at diagnosis and disease extent in ulcerative colitis.  
Am J Gastroenterol. 2007 Mar;102(3):589-97.

[Miki C, Ohmori Y, Yoshiyama S, Toiyama Y, Araki T, Uchida K, Kusunoki M.](#)

Factors predicting postoperative infectious complications and early induction of inflammatory mediators in ulcerative colitis patients.  
World J Surg. 2007 Mar;31(3):522-9.

[Strober W, Fuss I, Mannon P.](#)

The fundamental basis of inflammatory bowel disease.  
J Clin Invest. 2007 Mar;117(3):514-21. Review.

[Ljung T, Thomsen OO, Vatn M, Karlen P, Karlsen LN, Tysk C, Nilsson SU, Kilander A, Gillberg R, Grip O, Lindgren S, Befrits R, Lofberg R.](#)

Granulocyte, monocyte/macrophage apheresis for inflammatory bowel disease: the first 100 patients treated in Scandinavia.  
Scand J Gastroenterol. 2007 Feb;42(2):221-7.

[Feagan BG, Reinisch W, Rutgeerts P, Sandborn WJ, Yan S, Eisenberg D, Bala M, Johanns J, Olson A, Hanauer SB.](#)

The effects of infliximab therapy on health-related quality of life in ulcerative colitis patients.  
Am J Gastroenterol. 2007 Apr;102(4):794-802.

[Yantiss RK, Odze RD.](#)

Pitfalls in the interpretation of nonneoplastic mucosal biopsies in inflammatory bowel disease.  
Am J Gastroenterol. 2007 Apr;102(4):890-904

[Thomas T, Abrams KA, Robinson RJ, Mayberry JF.](#)

Meta-analysis: cancer risk of low-grade dysplasia in chronic ulcerative colitis.  
Aliment Pharmacol Ther. 2007 Mar 15;25(6):657-68.

[Subramanian V, Banerjee A, Beharry N, Farthing MJ, Pollok RC.](#)

Determining the proximal extent of ulcerative colitis: white cell scan correlates well with histological assessment.  
Aliment Pharmacol Ther. 2007 Feb 15;25(4):441-6.

[de Bievre MA, Vrij AA, Schoon EJ, Dijkstra G, de Jong AE, Oberndorff-Klein Woolthuis AH, Hemker HC, Stockbrugger RW.](#)

Randomized, placebo-controlled trial of low molecular weight heparin in active ulcerative colitis.

Inflamm Bowel Dis. 2007 Jan 26;13(6):753-758

[Su C, Lewis JD, Goldberg B, Brensinger C, Lichtenstein GR.](#)

A meta-analysis of the placebo rates of remission and response in clinical trials of active ulcerative colitis.

Gastroenterology. 2007 Feb;132(2):516-26.

[Timmer A, McDonald JW, Macdonald JK.](#)

Azathioprine and 6-mercaptopurine for maintenance of remission in ulcerative colitis.

Cochrane Database Syst Rev. 2007 Jan 24;(1):CD000478. Review.

[Gisbert JP, Gonzalez-Lama Y, Mate J.](#)

Systematic review: Infliximab therapy in ulcerative colitis.

Aliment Pharmacol Ther. 2007 Jan 1;25(1):19-37.

[Ng SC, Arebi N, Kamm MA.](#)

Medium-term results of oral tacrolimus treatment in refractory inflammatory bowel disease.

Inflamm Bowel Dis. 2007 Feb;13(2):129-34.

[Menees S, Higgins P, Korsnes S, Elta G.](#)

Does colonoscopy cause increased ulcerative colitis symptoms?

Inflamm Bowel Dis. 2007 Jan;13(1):12-8.

[Masunaga Y, Ohno K, Ogawa R, Hashiguchi M, Echizen H, Ogata H.](#)

Meta-analysis of risk of malignancy with immunosuppressive drugs in inflammatory bowel disease.

Ann Pharmacother. 2007 Jan;41(1):21-8.

[Makharia GK, Sachdev V, Gupta R, Lal S, Pandey RM.](#)

Anti-Saccharomyces cerevisiae antibody does not differentiate between Crohn's disease and intestinal tuberculosis.

Dig Dis Sci. 2007 Jan;52(1):33-9.

[Jess T, Gomborg M, Munkholm P, Sorensen TI.](#)

Overall and cause-specific mortality in ulcerative colitis: meta-analysis of population-based inception cohort studies.

Am J Gastroenterol. 2007 Mar;102(3):609-17.

[Bossa F, Fiorella S, Caruso N, Accadia L, Napolitano G, Valvano MR, Andriulli A, Annese V.](#)

Continuous infusion versus bolus administration of steroids in severe attacks of ulcerative colitis: a randomized, double-blind trial.

Am J Gastroenterol. 2007 Mar;102(3):601-8.

[Turner D, Walsh CM, Steinhart AH, Griffiths AM.](#)

Response to corticosteroids in severe ulcerative colitis: a systematic review of the literature and a meta-regression.

Clin Gastroenterol Hepatol. 2007 Jan;5(1):103-10.

[Brunner B, Scheurer U, Seibold F.](#)

Differences in yeast intolerance between patients with Crohn's disease and ulcerative colitis.

Dis Colon Rectum. 2007 Jan;50(1):83-8.

[Castro M, Papadatou B, Ceriati E, Knafelz D, De Angelis P, Ferretti F, Gambarara M, Diamanti A, De Peppo F, Rivosecchi M.](#)

Role of cyclosporin in preventing or delaying colectomy in children with severe ulcerative colitis.  
Langenbecks Arch Surg. 2007 Mar;392(2):161-4.

## **COLONOSCOPY**

[Hendry PO, Jenkins JT, Diament RH.](#)

The impact of poor bowel preparation on colonoscopy: a prospective single centre study of 10 571 colonoscopies.  
Colorectal Dis. 2007 Mar 7;

[Fatima H, Rex DK.](#)

Minimizing endoscopic complications: colonoscopic polypectomy.  
Gastrointest Endosc Clin N Am. 2007 Jan;17(1):145-56.

[Martinez J, Casellas JA, Aparicio JR, Garmendia M, Amoros A.](#)

[Safety of propofol administration by the staff of a gastrointestinal endoscopy unit.]  
Gastroenterol Hepatol. 2007 Mar;30(3):105-9. Spanish.

[Kossi J, Krekela I, Patrikainen H, Vuorinen T, Luostarinen M, Laato M.](#)

The cleansing result of oral sodium phosphate is inversely correlated with time between the last administration and colonoscopy.  
Tech Coloproctol. 2007 Mar;11(1):51-4.

[Zerey M, Paton BL, Khan PD, Lincourt AE, Kercher KW, Greene FL, Heniford BT.](#)

Colonoscopy in the very elderly: a review of 157 cases.  
Surg Endosc. 2007 Mar 13;

[Rosman AS, Korsten MA.](#)

Meta-analysis comparing CT colonography, air contrast barium enema, and colonoscopy.  
Am J Med. 2007 Mar;120(3):203-210.e4.

[Spencer HL, Lobo AJ, Riley SA.](#)

Variations in the reporting of endoscopies by different endoscopists.  
Clin Med. 2007 Jan-Feb;7(1):23-7.

[Pasha SF, Harrison ME, Das A, Corrado CM, Arnell KN, Leighton JA.](#)

Utility of double-balloon colonoscopy for completion of colon examination after incomplete colonoscopy with conventional colonoscope.  
Gastrointest Endosc. 2007 May;65(6):848-53.

[Raju GS, Ahmed I, Shibukawa G, Poussard A, Brining D.](#)

Endoluminal clip closure of a circular full-thickness colon resection in a porcine model (with videos).  
Gastrointest Endosc. 2007 Mar;65(3):503-9.

[Lee DW, Li AC, Ko CW, Chu DW, Chan KC, Poon CM, Sin KS, Leung KF, Sze TS, Chan AC, Chung SC.](#)

Use of a variable-stiffness colonoscope decreases the dose of patient-controlled sedation during colonoscopy: a randomized comparison of 3 colonoscopes.  
Gastrointest Endosc. 2007 Mar;65(3):424-9.

[Franklin ME Jr, Leyva-Alvizo A, Abrego-Medina D, Glass JL, Trevino J, Arellano PP, Portillo G.](#)

Laparoscopically monitored colonoscopic polypectomy: an established form of endoluminal therapy for colorectal polyps.  
Surg Endosc. 2007 Feb 23;

[Waye JD.](#)

Quo vadis: another new colonoscope.  
Am J Gastroenterol. 2007 Feb;102(2):267-8.

[Thorlacius H, Toth E.](#)

Role of chromoendoscopy in colon cancer surveillance in inflammatory bowel disease.  
Inflamm Bowel Dis. 2007 Feb 16;

[Hookey LC, Vanner S.](#)

A review of current issues underlying colon cleansing before colonoscopy.  
Can J Gastroenterol. 2007 Feb;21(2):105-11. Review.

[Beckly JB, Douie WJ, Hayward CM, Oppong CF, Coleman MG, Beckly DE, Hosie KB.](#)

Artificial Bowel Markers: A Novel Method for Measuring the Accuracy of Colonoscopy.  
Dis Colon Rectum. 2007 Feb 7;

[Imperiali G, Minoli G, Meucci GM, Spinzi G, Strocchi E, Terruzzi V, Radaelli F.](#)

Effectiveness of a continuous quality improvement program on colonoscopy practice.  
Endoscopy. 2007 Apr;39(4):314-8.

[Belsey J, Epstein O, Heresbach D.](#)

Systematic review: oral bowel preparation for colonoscopy.  
Aliment Pharmacol Ther. 2007 Feb 15;25(4):373-84.

[Chorev N, Chadad B, Segal N, Shemesh I, Mor M, Plaut S, Fraser G, Geller A, Gal E, Niv Y.](#)

Preparation for colonoscopy in hospitalized patients.  
Dig Dis Sci. 2007 Mar;52(3):835-9.

[Boix J, Lorenzo-Zuniga V, Moreno de Vega V, Ananos FE, Domenech E, Ojanguren I, Gassull MA.](#)

Endoscopic removal of large sessile colorectal adenomas: is it safe and effective?  
Dig Dis Sci. 2007 Mar;52(3):840-4.

[Taylor JC, Kendall CA, Stone N, Cook TA.](#)

Optical adjuncts for enhanced colonoscopic diagnosis.  
Br J Surg. 2007 Jan;94(1):6-16. Review.

[Triadafilopoulos G, Watts HD, Higgins J, Van Dam J.](#)

A novel retrograde-viewing auxiliary imaging device (Third Eye Retroscope) improves the detection of simulated polyps in anatomic models of the colon.  
Gastrointest Endosc. 2007 Jan;65(1):139-44.

[East JE, Suzuki N, Arebi N, Bassett P, Saunders BP.](#)

Position changes improve visibility during colonoscope withdrawal: a randomized, blinded, crossover trial.  
Gastrointest Endosc. 2007 Feb;65(2):263-9.

[Kondo S, Yamaji Y, Watabe H, Yamada A, Sugimoto T, Ohta M, Ogura K, Okamoto M, Yoshida H, Kawabe T, Omata M.](#)

A randomized controlled trial evaluating the usefulness of a transparent hood attached to the tip of the colonoscope.  
Am J Gastroenterol. 2007 Jan;102(1):75-81.

[Chiu HM, Chang CY, Chen CC, Lee YC, Wu MS, Lin JT, Shun CT, Wang HP.](#)

A prospective comparative study of narrow-band imaging, chromoendoscopy, and conventional colonoscopy in the diagnosis of colorectal neoplasia. *Gut*. 2007 Mar;56(3):373-9.

## **CONSTIPATION**

[Dipalma JA, Cleveland MV, McGowan J, Herrera JL.](#)

A Randomized, Multicenter, Placebo-Controlled Trial of Polyethylene Glycol Laxative for Chronic Treatment of Chronic Constipation. *Am J Gastroenterol*. 2007 Mar 31;

[Hernando-Harder AC, Franke A, Wedel T, Bottner M, Krammer HJ, Singer MV, Harder H.](#)

Intestinal Gas Retention in Patients with Idiopathic Slow-Transit Constipation. *Dig Dis Sci*. 2007 Mar 24;

[Liebregts T, Adam B, Bredack C, Roth A, Heinzel S, Lester S, Downie-Doyle S, Smith E, Drew P, Talley NJ, Holtmann G.](#)

Immune activation in patients with irritable bowel syndrome. *Gastroenterology*. 2007 Mar;132(3):913-20.

[Jiang J, Li N, Zhu WM, Li JS.](#)

[Efficacy and safety of combined use of subtotal colectomy and modified Duhamel procedure in the surgical treatment of severe functional constipation] *Zhonghua Wei Chang Wai Ke Za Zhi*. 2007 Mar;10(2):115-8. Chinese.

[Rao SS, Seaton K, Miller M, Brown K, Nygaard I, Stumbo P, Zimmerman B, Schulze K.](#)

Randomized controlled trial of biofeedback, sham feedback, and standard therapy for dyssynergic defecation. *Clin Gastroenterol Hepatol*. 2007 Mar;5(3):331-8.

[Brusciano L, Limongelli P, del Genio G, Sansone S, Rossetti G, Maffettone V, Napoletano V, Sagnelli C, Amoroso A, Russo G, Pizza F, Del Genio A.](#)

Useful parameters helping proctologists to identify patients with defaecatory disorders that may be treated with pelvic floor rehabilitation. *Tech Coloproctol*. 2007 Mar;11(1):45-50.

[Shafik A, Shafik I, El Sibai O, Shafik AA.](#)

Rectal cooling test in the differentiation between constipation due to rectal inertia and anismus. *Tech Coloproctol*. 2007 Mar;11(1):39-43.

[Iantorno G, Bassotti G, Kogan Z, Lumi CM, Cabanne AM, Fisogni S, Varrica LM, Bilder CR, Munoz JP, Liserre B, Morelli A, Villanacci V.](#)

The enteric nervous system in chagasic and idiopathic megacolon. *Am J Surg Pathol*. 2007 Mar;31(3):460-8.

[Di Palma JA, Cleveland MV, McGowan J, Herrera JL.](#)

An open-label study of chronic polyethylene glycol laxative use in chronic constipation. *Aliment Pharmacol Ther*. 2007 Mar 15;25(6):703-8.

[Altomare DF, Rinaldi M, Rubini D, Rubini G, Portincasa P, Vacca M, Artor NA, Romano G, Memeo V.](#)

Long-Term Functional Assessment of Antegrade Colonic Enema for Combined Incontinence and Constipation Using a Modified Marsh and Kiff Technique.  
Dis Colon Rectum. 2007 Feb 15;

[Sairanen U, Piirainen L, Nevala R, Korpela R.](#)

Yoghurt containing galacto-oligosaccharides, prunes and linseed reduces the severity of mild constipation in elderly subjects.  
Eur J Clin Nutr. 2007 Feb 14;

[Lin SR, Ke MY, Luo JY, Yuan YZ, Wang JY, diTommaso S, Walter V, Huang J.](#)

A randomized, double-blind, placebo-controlled trial assessing the efficacy and safety of tegaserod in patients from China with chronic constipation.  
World J Gastroenterol. 2007 Feb 7;13(5):732-9.

[Bassotti G, Villanacci V, Nascimbeni R, Asteria CR, Fisogni S, Nesi G, Legrenzi L, Mariano M, Tonelli F, Morelli A, Salerni B.](#)

Colonic neuropathological aspects in patients with intractable constipation due to obstructed defecation.  
Mod Pathol. 2007 Mar;20(3):367-74.

[Holzer P.](#)

Treatment of opioid-induced gut dysfunction.  
Expert Opin Investig Drugs. 2007 Feb;16(2):181-94. Review.

[Gershon MD, Tack J.](#)

The serotonin signaling system: from basic understanding to drug development for functional GI disorders.  
Gastroenterology. 2007 Jan;132(1):397-414. Review.

[Hunt RH, Dhaliwal S, Tougas G, Pedro C, Labbe JF, Paul H, Ennamorato M.](#)

Prevalence, impact and attitudes toward lower gastrointestinal dysmotility and sensory symptoms, and their treatment in Canada: A descriptive study.  
Can J Gastroenterol. 2007 Jan;21(1):31-7.

[Murad-Regadas SM, Regadas FS, Rodrigues LV, Souza MH, Lima DM, Silva FR, Filho FS.](#)

A novel procedure to assess anismus using three-dimensional dynamic anal ultrasonography.  
Colorectal Dis. 2007 Feb;9(2):159-65.

[Dinning PG, Fuentealba SE, Kennedy ML, Lubowski DZ, Cook IJ.](#)

Sacral nerve stimulation induces pan-colonic propagating pressure waves and increases defecation frequency in patients with slow-transit constipation.  
Colorectal Dis. 2007 Feb;9(2):123-32.

[Leung FW.](#)

Etiologic factors of chronic constipation: review of the scientific evidence.  
Dig Dis Sci. 2007 Feb;52(2):313-6.

[Villanacci V, Bassotti G, Nascimbeni R, Cathomas G, Maurer CA, Fisogni S, Salerni B.](#)

Colonic lymphoid aggregates in slow transit constipation.  
Dig Dis Sci. 2007 Feb;52(2):321-3.

[Costedio MM, Hyman N, Mawe GM.](#)

Serotonin and its role in colonic function and in gastrointestinal disorders.  
Dis Colon Rectum. 2007 Mar;50(3):376-88.

[Wald A.](#)

Chronic constipation: advances in management.  
Neurogastroenterol Motil. 2007 Jan;19(1):4-10. Review.

[Fried M, Johanson JF, Gwee KA, Wagner A, Pecher E, Rueegg P.](#)

Efficacy of tegaserod in chronic constipation in men.  
Am J Gastroenterol. 2007 Feb;102(2):362-70.

[Poirier M, Abcarian H, Nelson R.](#)

Malone antegrade continent enema: an alternative to resection in severe defecation disorders.  
Dis Colon Rectum. 2007 Jan;50(1):22-8.

[Chan AO, Hui WM, Lam KF, Leung G, Yuen MF, Lam SK, Wong BC.](#)

Familial aggregation in constipated subjects in a tertiary referral center.  
Am J Gastroenterol. 2007 Jan;102(1):149-52.

[Zutshi M, Hull TL, Trzcinski R, Arvelakis A, Xu M.](#)

Surgery for slow transit constipation: are we helping patients?  
Int J Colorectal Dis. 2007 Mar;22(3):265-9.

## HEMORRHOIDS

[Kekez T, Bulic K, Smudj D, Majerovic M.](#)

Is stapled hemorrhoidopexy safe for the male homosexual patient? Report of a case.  
Surg Today. 2007;37(4):335-7.

[Tjandra JJ, Chan MK.](#)

Systematic Review on the Procedure for Prolapse and Hemorrhoids (Stapled Hemorrhoidopexy).  
Dis Colon Rectum. 2007 Mar 12;

[Chauhan A, Thomas S, Bishnoi PK, Hadke NS.](#)

Randomized controlled trial to assess the role of raised anal pressures in the pathogenesis of symptomatic early hemorrhoids.  
Dig Surg. 2007;24(1):28-32.

[Pescatori M, Aigner F.](#)

Stapled transanal rectal mucosectomy ten years after.  
Tech Coloproctol. 2007 Mar;11(1):1-6.

[Zaragoza C, Garcia Fadrique A, Castano S, Villalba R, Bruna Esteban M, Redondo Cano C.](#)

[Results of Longo's stapled hemorrhoidectomy in ambulatory surgery for grade III-IV hemorrhoids]  
Cir Esp. 2007 Mar;81(3):130-3. Spanish.

[Blouhos K, Vasiliadis K, Tsalis K, Botsios D, Vrakas X.](#)

Uncontrollable intra-abdominal bleeding necessitating low anterior resection of the rectum after stapled hemorrhoidopexy: report of a case.  
Surg Today. 2007;37(3):254-7.

[Lomanto D, Katara AN.](#)

Stapled haemorrhoidopexy for prolapsed haemorrhoids: short- and long-term experience.  
Asian J Surg. 2007 Jan;30(1):29-33.

[Berczi V, Gopalan D, Cleveland TJ.](#)

Embolization of a Hemorrhoid Following 18 Hours of Life-Threatening Bleeding.  
Cardiovasc Intervent Radiol. 2007 Feb 26;

[Huang WS, Lin PY, Chin CC, Yeh CH, Hsieh CC, Chang TS, Wang JY.](#)

Stapled hemorrhoidopexy for prolapsed hemorrhoids in patients with liver cirrhosis; a preliminary outcome for 8-case experience.  
Int J Colorectal Dis. 2007 Mar 2;

[Williams R, Kondylis L, Geisler D, Kondylis P.](#)

Stapled hemorrhoidopexy height as outcome indicator.  
Am J Surg. 2007 Mar;193(3):336-9; discussion 339-40.

[Cazemier M, Felt-Bersma RJ, Cuesta MA, Mulder CJ.](#)

Elastic band ligation of hemorrhoids: flexible gastroscop or rigid proctoscope?  
World J Gastroenterol. 2007 Jan 28;13(4):585-7.

[Bozdaq AD, Nazli O, Tansug T, Derici H, Deniz V.](#)

Special Anoscope for Easy Purse-string Suture Application in Stapled Hemorrhoidopexy.  
World J Surg. 2007 Mar;31(3):538-41.

[Fueglistaler P, Guenin MO, Montali I, Kern B, Peterli R, von Flue M, Ackermann C.](#)

Long-term results after stapled hemorrhoidopexy: high patient satisfaction despite frequent postoperative symptoms.  
Dis Colon Rectum. 2007 Feb;50(2):204-12.

[Boccasanta P, Venturi M, Roviato G.](#)

Stapled transanal rectal resection versus stapled anopexy in the cure of hemorrhoids associated with rectal prolapse. A randomized controlled trial.  
Int J Colorectal Dis. 2007 Mar;22(3):245-51.

[Patti R, Almasio PL, Arcara M, Sparacello M, Termine S, Bonventre S, Di Vita G.](#)

Long-term manometric study of anal sphincter function after hemorrhoidectomy.  
Int J Colorectal Dis. 2007 Mar;22(3):253-7.

## **DIVERTICULAR DISEASE**

[Comparato G, Pilotto A, Franze A, Franceschi M, Di Mario F.](#)

Diverticular disease in the elderly.  
Dig Dis. 2007;25(2):151-9.

[Weber WP, Guller U, Jain NB, Pietrobon R, Oertli D.](#)

Impact of surgeon and hospital caseload on the likelihood of performing laparoscopic vs open sigmoid resection for diverticular disease: a study based on 55,949 patients.  
Arch Surg. 2007 Mar;142(3):253-9;

[Bottger TC, Muller M, Terzic A, Hermeneit S, Rodehorst A.](#)

[Laparoscopic resection with primary anastomosis in Hinchey stages I and II without previous abscess drainage.]  
Chirurg. 2007 Mar 7;

[Anderson J, Luchtefeld M, Dujovny N, Hoedema R, Kim D, Butcher J.](#)

A comparison of laparoscopic, hand-assist and open sigmoid resection in the treatment of diverticular disease.

Am J Surg. 2007 Mar;193(3):400-3;

[Warner E, Crighton EJ, Moineddin R, Mamdani M, Upshur R.](#)

Fourteen-year study of hospital admissions for diverticular disease in Ontario.

Can J Gastroenterol. 2007 Feb;21(2):97-9.

[Golder M, Burleigh DE, Ghali L, Feakins RM, Lunniss PJ, Williams NS, Navsaria HA.](#)

Longitudinal muscle shows abnormal relaxation responses to nitric oxide and contains altered levels of NOS1 and elastin in uncomplicated diverticular disease.

Colorectal Dis. 2007 Mar;9(3):218-28.

[Goh V, Halligan S, Taylor SA, Burling D, Bassett P, Bartram CI.](#)

Differentiation between diverticulitis and colorectal cancer: quantitative CT perfusion measurements versus morphologic criteria--initial experience.

Radiology. 2007 Feb;242(2):456-62.

[Tursi A, Brandimarte G, Giorgetti GM, Elisei W.](#)

Continuous versus cyclic mesalazine therapy for patients affected by recurrent symptomatic uncomplicated diverticular disease of the colon.

Dig Dis Sci. 2007 Mar;52(3):671-4.

[Lamps LW, Knapple WL.](#)

Diverticular disease-associated segmental colitis.

Clin Gastroenterol Hepatol. 2007 Jan;5(1):27-31.

[Colecchia A, Vestito A, Pasqui F, Mazzella G, Roda E, Pistoia F, Brandimarte G, Festi D.](#)

Efficacy of long term cyclic administration of the poorly absorbed antibiotic Rifaximin in symptomatic, uncomplicated colonic diverticular disease.

World J Gastroenterol. 2007 Jan 14;13(2):264-9.

[Hildebrand P, Kropp M, Stellmacher F, Roblick UJ, Bruch HP, Schwandner O.](#)

Surgery for right-sided colonic diverticulitis: results of a 10-year-observation period.

Langenbecks Arch Surg. 2007 Mar;392(2):143-7.