

Overview of Colorectal papers

Volume 6 Number 6 June 2007

A ProctoSite's e-publication
www.proctosite.com

March, April, May 2007

COLORECTAL CANCER SURGICAL TREATMENT

[Costi R, Mazzeo A, Di Mauro D, Veronesi L, Sansebastiano G, Violi V, Roncoroni L, Sarli L.](#)

Palliative Resection of Colorectal Cancer: Does It Prolong Survival?

Ann Surg Oncol. 2007 May 31;

[Lidder PG, Sanders G, Whitehead E, Douie WJ, Mellor N, Lewis SJ, Hosie KB.](#)

Pre-operative oral iron supplementation reduces blood transfusion in colorectal surgery - a prospective, randomised, controlled trial.

Ann R Coll Surg Engl. 2007 May;89(4):418-21.

[Law WL, Choi HK, Lee YM, Ho JW.](#)

The Impact of Postoperative Complications on Long-Term Outcomes Following Curative Resection for Colorectal Cancer.

Ann Surg Oncol. 2007 May 24;

[Ringley C, Lee YK, Iqbal A, Bocharov V, Sasson A, McBride CL, Thompson JS, Vitamvas ML, Oleynikov D.](#)

Comparison of conventional laparoscopic and hand-assisted oncologic segmental colonic resection.

Surg Endosc. 2007 May 24;

[Ostadi MA, Harnish JL, Stegjenko S, Urbach DR.](#)

Factors affecting the number of lymph nodes retrieved in colorectal cancer specimens.

Surg Endosc. 2007 May 24;

[Chok KS, Law WL.](#)

Prognostic Factors Affecting Survival and Recurrence of Patients with pT1 and pT2 Colorectal Cancer.

World J Surg. 2007 May 18;

[Thomson WH, Foy CJ, Longman RJ.](#)

The nature of local recurrence after colorectal cancer resection.

Colorectal Dis. 2007 May 17;

[Katory M, Tang CL, Koh WL, Fook-Chong SM, Loi TT, Ooi BS, Ho KS, Eu KW.](#)

A 6-year review of surgical morbidity and oncological outcome after high anterior resection for colorectal malignancy with and without splenic flexure mobilization.

Colorectal Dis. 2007 May 16

[Yang SM, Franz R, Morrissey D.](#)

Anastomotic leak rates for colorectal cancer resection in a regional base hospital.

ANZ J Surg. 2007 May;77 Suppl 1:A27.

[Yeo AW, Heriot AG, McCombe DB, Morrison W, Mackay J.](#)

Perineal flap reconstruction following extended resection for pelvic malignancy.
ANZ J Surg. 2007 May;77(s1):A19.

[Yan TD, Morris DL.](#)

efficacy of peritonectomy for peritoneal carcinomatosis from colorectal cancer.
ANZ J Surg. 2007 May;77 Suppl 1:A18.

[Young-Fadok TM, Fanelli RD, Price RR, Earle DB.](#)

Laparoscopic resection of curable colon and rectal cancer: an evidence-based review.
Surg Endosc. 2007 May 5

[Jones OM, John SK, Horseman N, Lawrance RJ, Fozard JB.](#)

Low anastomotic leak rate after colorectal surgery: a single-centre study.
Colorectal Dis. 2007 Mar 7;

[Evans MD, Barton K, Rees A, Stamatakis JD, Karandikar SS.](#)

The impact of surgeon and pathologist on lymph node retrieval in colorectal cancer and its impact on survival for patients with Dukes' stage B disease.
Colorectal Dis. 2007 Mar 7;

[Kobayashi M, Mohri Y, Tonouchi H, Miki C, Nakai K, Kusunoki M; Mie Surgical Infection Research Group.](#)

Randomized clinical trial comparing intravenous antimicrobial prophylaxis alone with oral and intravenous antimicrobial prophylaxis for the prevention of a surgical site infection in colorectal cancer surgery.
Surg Today. 2007;37(5):383-8.

[Piso P, Dahlke MH, Ghali N, Iesalnieks I, Loss M, Popp F, von Breitenbuch P, Agha A, Lang SA, Kullmann F, Schlitt HJ.](#)

Multimodality treatment of peritoneal carcinomatosis from colorectal cancer: first results of a new German centre for peritoneal surface malignancies.
Int J Colorectal Dis. 2007 Apr 26;

[Wang JY, Lu CY, Chu KS, Ma CJ, Wu DC, Tsai HL, Yu FJ, Hsieh JS.](#)

Prognostic Significance of Pre- and Postoperative Serum Carcinoembryonic Antigen Levels in Patients with Colorectal Cancer.
Eur Surg Res. 2007 Apr 23;39(4):245-250

[Engholm G, Kejs AM, Brewster DH, Gaard M, Holmberg L, Hartley R, Iddenden R, Moller H, Sankila R, Thomson CS, Storm HH.](#)

Colorectal cancer survival in the Nordic countries and the United Kingdom: Excess mortality risk analysis of 5 year relative period survival in the period 1999 to 2000.
Int J Cancer. 2007 Apr 23;

[Scheidbach H, Schubert D, Hugel O, van den Hoogen A, Rose J, Pross M, Kose D, Kockerling F, Lippert H.](#)

Results of laparoscopic surgery for colorectal cancer in palliative intent: short-term end points in 331 patients in comparison with procedures in benign indications.
Surg Laparosc Endosc Percutan Tech. 2007 Apr;17(2):79-82.

[Crozier JE, McKee RF, McArdle CS, Angerson WJ, Anderson JH, Horgan PG, McMillan DC.](#)

Preoperative but not postoperative systemic inflammatory response correlates with survival in colorectal cancer.
Br J Surg. 2007 Apr 16

[Orrom WJ, Hayashi AH, Kuechler D, Ross AC, Kuechler PM, Larsson S, Rusnak CH, Weinerman B.](#)

The surgical management of rectal cancer: a comparison of treatment methods and outcomes over 2 time periods in the same geographic region.
Am J Surg. 2007 May;193(5):623-6; discussion 626.

[Bax TW, McNevin MS.](#)

The value of diverting loop ileostomy on the high-risk colon and rectal anastomosis.
Am J Surg. 2007 May;193(5):585-7; discussion 587-8.

[Cianchi F, Messerini L, Comin CE, Boddi V, Perna F, Perigli G, Cortesini C.](#)

Pathologic Determinants of Survival After Resection of T3N0 (Stage IIA) Colorectal Cancer: Proposal for a New Prognostic Model.
Dis Colon Rectum. 2007 Apr 9;

[Baxter NN, Hartman LK, Tepper JE, Ricciardi R, Durham SB, Virnig BA.](#)

Postoperative irradiation for rectal cancer increases the risk of small bowel obstruction after surgery.
Ann Surg. 2007 Apr;245(4):553-9.

[Borowski DW, Kelly SB, Bradburn DM, Wilson RG, Gunn A, Ratcliffe AA.](#)

Impact of surgeon volume and specialization on short-term outcomes in colorectal cancer surgery.
Br J Surg. 2007 Apr 5

[den Dulk M, Smit M, Peeters KC, Kranenbarg EM, Rutten HJ, Wiggers T, Putter H, van de Velde CJ; Dutch Colorectal Cancer Group.](#)

A multivariate analysis of limiting factors for stoma reversal in patients with rectal cancer entered into the total mesorectal excision (TME) trial: a retrospective study.
Lancet Oncol. 2007 Apr;8(4):297-303.

[Chang GJ, Rodriguez-Bigas MA, Skibber JM, Moyer VA.](#)

Lymph node evaluation and survival after curative resection of colon cancer: systematic review.
J Natl Cancer Inst. 2007 Mar 21;99(6):433-41. Review.

[Shrikhande SV, Saoji RR, Barreto SG, Kakade AC, Waterford SD, Ahire SB, Goliwale FM, Shukla PJ.](#)

Outcomes of resection for rectal cancer in India: The impact of the double stapling technique.
World J Surg Oncol. 2007 Mar 21;5:35.

[Bonjer HJ, Hop WC, Nelson H, Sargent DJ, Lacy AM, Castells A, Guillou PJ, Thorpe H, Brown J, Delgado S, Kuhrij E, Haglund E, Pahlman L; Transatlantic Laparoscopically Assisted vs Open Colectomy Trials Study Group.](#)

Laparoscopically assisted vs open colectomy for colon cancer: a meta-analysis.
Arch Surg. 2007 Mar;142(3):298-303.

[Assenat E, Thezenas S, Samalin E, Bibeau F, Portales F, Azria D, Quenet F, Rouanet P, Saint Aubert B, Senesse P.](#)

The value of endoscopic rectal ultrasound in predicting the lateral clearance and outcome in patients with lower-third rectal adenocarcinoma.
Endoscopy. 2007 Apr;39(4):309-13

[Tilney HS, Sains PS, Lovegrove RE, Reese GE, Heriot AG, Tekkis PP.](#)

Comparison of Outcomes Following Ileostomy versus Colostomy for Defunctioning Colorectal Anastomoses.
World J Surg. 2007 May;31(5):1143-52.

[Janson M, Lindholm E, Anderberg B, Haglund E.](#)

Randomized trial of health-related quality of life after open and laparoscopic surgery for colon cancer.
Surg Endosc. 2007 May;21(5):747-53

[Bretagnol F, Rullier E, George B, Warren BF, Mortensen NJ.](#)

Local therapy for rectal cancer: still controversial?
Dis Colon Rectum. 2007 Apr;50(4):523-33. Review.

[Abou-Zeid AA, Makki MT.](#)

Combined abdominal and perineal approach for delayed restoration of bowel continuity after low anterior resection in females.
Dis Colon Rectum. 2007 Apr;50(4):544-7.

[Hubner M, Hahnloser D, Hetzer F, Muller MK, Clavien PA, Demartines N.](#)

A prospective randomized comparison of two instruments for dissection and vessel sealing in laparoscopic colorectal surgery.
Surg Endosc. 2007 Apr;21(4):592-4.

[Jass JR, O'Brien MJ, Riddell RH, Snover DC; Association of Directors of Anatomic and Surgical Pathology.](#)

Recommendations for the reporting of surgically resected specimens of colorectal carcinoma.
Hum Pathol. 2007 Apr;38(4):537-545.

[Luo R, Giordano SH, Zhang DD, Freeman J, Goodwin JS.](#)

The role of the surgeon in whether patients with lymph node-positive colon cancer see a medical oncologist.
Cancer. 2007 Mar 1;109(5):975-82.

[Borschitz T, Heintz A, Junginger T.](#)

Transanal endoscopic microsurgical excision of pT2 rectal cancer: results and possible indications.
Dis Colon Rectum. 2007 Mar;50(3):292-301.

[Chin KF, Kallam R, O'Boyle C, MacFie J.](#)

Bacterial translocation may influence the long-term survival in colorectal cancer patients.
Dis Colon Rectum. 2007 Mar;50(3):323-30.

[Sigurdsson HK, Korner H, Dahl O, Skarstein A, Soreide JA; The Norwegian Rectal Cancer Group.](#)

Clinical characteristics and outcomes in patients with advanced rectal cancer: a national prospective cohort study.
Dis Colon Rectum. 2007 Mar;50(3):285-91.

[Brennan DJ, Moynagh M, Brannigan AE, Gleeson F, Rowland M, O'Connell PR.](#)

Routine mobilization of the splenic flexure is not necessary during anterior resection for rectal cancer.
Dis Colon Rectum. 2007 Mar;50(3):302-7

[Braga M, Frasson M, Vignali A, Zuliani W, Capretti G, Di Carlo V.](#)

Laparoscopic resection in rectal cancer patients: outcome and cost-benefit analysis.
Dis Colon Rectum. 2007 Apr;50(4):464-71.

[Fleischmann E, Kugener A, Kabon B, Kimberger O, Herbst F, Kurz A.](#)

Laparoscopic surgery impairs tissue oxygen tension more than open surgery.
Br J Surg. 2007 Mar;94(3):362-8.

[Schlachta CM, Mamazza J, Poulin EC.](#)

Are transverse colon cancers suitable for laparoscopic resection?
Surg Endosc. 2007 Mar;21(3):396-9.

[Visser O, Bakx R, Zoetmulder FA, Levering CC, Meijer S, Slors JF, van Lanschot JJ.](#)

The influence of total mesorectal excision on local recurrence and survival in rectal cancer patients: a population-based study in Greater Amsterdam.
J Surg Oncol. 2007 May 1;95(6):447-54

[Lee IK, Sung NY, Lee YS, Lee SC, Kang WK, Cho HM, Ahn CH, Lee DS, Oh ST, Kim JG, Jeon HM, Chang SK.](#)

The survival rate and prognostic factors in 26 perforated colorectal cancer patients.
Int J Colorectal Dis. 2007 May;22(5):467-473.

[Bijelic L, Yan TD, Sugarbaker PH.](#)

Failure Analysis of Recurrent Disease Following Complete Cytoreduction and Perioperative Intraperitoneal Chemotherapy in Patients with Peritoneal Carcinomatosis from Colorectal Cancer.

Ann Surg Oncol. 2007 May 15;

[Tsai HL, Lu CY, Hsieh JS, Wu DC, Jan CM, Chai CY, Chu KS, Chan HM, Wang JY.](#)

The prognostic significance of total lymph node harvest in patients with t(2-4)n(0)m(0) colorectal cancer.

J Gastrointest Surg. 2007 May;11(5):660-5.

[Smith RA, Oshin O, McCallum J, Randles J, Kennedy S, Delamere S, Rooney PS, Carter PS.](#)

Outcomes in 2748 patients referred to a colorectal two-week rule clinic.
Colorectal Dis. 2007 May;9(4):340-3.

[Portier G, Ghouti L, Kirzin S, Guimbaud R, Rives M, Lazorthes F.](#)

Oncological outcome of ultra-low coloanal anastomosis with and without intersphincteric resection for low rectal adenocarcinoma.

Br J Surg. 2007 Mar;94(3):341-5.

[Sjovall A, Holm T, Singnomklao T, Granath F, Glimelius B, Cedermark B.](#)

Colon cancer management and outcome in relation to individual hospitals in a defined population.

Br J Surg. 2007 Apr;94(4):491-9.

COLORECTAL CANCER ADJUVANT THERAPY

[Rankovic VI, Masirevic VP, Pavlov MJ, Ceranic MS, Milenkovic MG, Simic AP, Kecmanovic DM.](#)

Hemodynamic and cardiovascular problems during modified hyperthermic intraperitoneal perioperative chemotherapy.

Hepatogastroenterology. 2007 Mar;54(74):364-6.

[Yoo J, Lee YJ.](#)

Effect of hyperthermia and chemotherapeutic agents on TRAIL-induced cell death in human colon cancer cells.

J Cell Biochem. 2007 May 22;

[Morris E, Maughan NJ, Forman D, Quirke P.](#)

Who to treat with adjuvant therapy in Dukes B/Stage II colorectal cancer? - The need for high quality pathology.

Gut. 2007 May 9;

[Muss HB, Biganzoli L, Sargent DJ, Aapro M.](#)

Adjuvant therapy in the elderly: making the right decision.

J Clin Oncol. 2007 May 10;25(14):1870-5. Review.

[Falcone A, Ricci S, Brunetti I, Pfanner E, Allegrini G, Barbara C, Crino L, Benedetti G, Evangelista W, Fanchini L, Cortesi E, Picone V, Vitello S, Chiara S, Granetto C, Porcile G, Fioretto L, Orlandini C, Andreuccetti M, Masi G; Gruppo Oncologico Nord Ovest.](#)

Phase III trial of infusional fluorouracil, leucovorin, oxaliplatin, and irinotecan (FOLFOXIRI) compared with infusional fluorouracil, leucovorin, and irinotecan (FOLFIRI) as first-line treatment for metastatic colorectal cancer: the Gruppo Oncologico Nord Ovest.

J Clin Oncol. 2007 May 1;25(13):1670-6.

[Los M, Roodhart JM, Voest EE.](#)

Target practice: lessons from phase III trials with bevacizumab and vatalanib in the treatment of advanced colorectal cancer.

Oncologist. 2007 Apr;12(4):443-50.

[Kinoshita M, Kodera Y, Hibi K, Nakayama G, Inoue T, Ohashi N, Ito Y, Koike M, Fujiwara M, Nakao A.](#)

Gene expression profile of 5-fluorouracil metabolic enzymes in primary colorectal cancer: potential as predictive parameters for response to fluorouracil-based chemotherapy.

Anticancer Res. 2007 Mar-Apr;27(2):851-6.

[Cohen MH, Gootenberg J, Keegan P, Pazdur R.](#)

FDA drug approval summary: bevacizumab plus FOLFOX4 as second-line treatment of colorectal cancer.

Oncologist. 2007 Mar;12(3):356-61.

[Mukai M, Sato S, Ninomiya H, Wakui K, Komatsu N, Matsui N, Nakamura M, Nakasaki H, Makuuchi H.](#)

Sensitivity to CPT-11 and platinum derivatives of stage III/Dukes' C colorectal cancer with occult neoplastic cells in lymph node sinuses.

Oncol Rep. 2007 May;17(5):1027-32

[Sakamoto J, Hamada C, Yoshida S, Kodaira S, Yasutomi M, Kato T, Oba K, Nakazato H, Saji S, Ohashi Y.](#)

An individual patient data meta-analysis of adjuvant therapy with uracil-tegafur (UFT) in patients with curatively resected rectal cancer.
Br J Cancer. 2007 Apr 23;96(8):1170-7.

[Tappenden P, Jones R, Paisley S, Carroll C.](#)

Systematic review and economic evaluation of bevacizumab and cetuximab for the treatment of metastatic colorectal cancer.
Health Technol Assess. 2007 Mar;11(12):1-146.

[Shivnani AT, Small W Jr, Stryker SJ, Kiel KD, Lim S, Halverson AL, Talamonti MS.](#)

Preoperative chemoradiation for rectal cancer: results of multimodality management and analysis of prognostic factors.
Am J Surg. 2007 Mar;193(3):389-93

[Aballea S, Chancellor JV, Raikou M, Drummond MF, Weinstein MC, Jourdan S, Bridgewater J.](#)

Cost-effectiveness analysis of oxaliplatin compared with 5-fluorouracil/leucovorin in adjuvant treatment of stage III colon cancer in the US.
Cancer. 2007 Mar 15;109(6):1082-9.

COLORECTAL CANCER RISK FACTORS, STAGING, FOLLOW-UP AND SCREENING.

[Nawa T, Kato J, Kawamoto H, Okada H, Yamamoto H, Kohno H, Endo H, Shiratori Y.](#)

Differences between right- and left-sided colon cancer in patient characteristics, cancer morphology and histology.
J Gastroenterol Hepatol. 2007 May 27;

[Araujo SE, de Paris Caravatto PP, de Campos FG, da Silva e Sousa AH Jr, Nahas SC, Kiss DR, Ceconello I.](#)

Colorectal cancer among patients aged 75 years or over.
Hepatogastroenterology. 2007 Mar;54(74):427-30.

[Spinzi G, Fante MD, Masci E, Buffoli F, Colombo E, Fiori G, Ravelli P, Ceretti E, Minoli G; SIED Lombardia Working Group, Italy.](#)

Lack of Colonic Neoplastic Lesions in Patients Under 50 Yr of Age With Hematochezia: A Multicenter Prospective Study.
Am J Gastroenterol. 2007 May 23;

[Duffy MJ, van Dalen A, Haglund C, Hansson L, Holinski-Feder E, Klapdor R, Lamerz R, Peltomaki P, Sturgeon C, Topolcan O.](#)

Tumour markers in colorectal cancer: European Group on Tumour Markers (EGTM) guidelines for clinical use.
Eur J Cancer. 2007 May 17;

[Bijelic L, Yan TD, Sugarbaker PH.](#)

Failure Analysis of Recurrent Disease Following Complete Cytoreduction and Perioperative Intraperitoneal Chemotherapy in Patients with Peritoneal Carcinomatosis from Colorectal Cancer.
Ann Surg Oncol. 2007 May 15;

[Flossmann E, Rothwell PM; British Doctors Aspirin Trial and the UK-TIA Aspirin Trial.](#)

Effect of aspirin on long-term risk of colorectal cancer: consistent evidence from randomised and observational studies.
Lancet. 2007 May 12;369(9573):1603-13. Review.

[Jones M, Helliwell P, Pritchard C, Tharakan J, Mathew J.](#)

Helicobacter pylori in colorectal neoplasms: is there an aetiological relationship?
World J Surg Oncol. 2007 May 12;5:51.

[Jones R, Latinovic R, Charlton J, Gulliford MC.](#)

Alarm symptoms in early diagnosis of cancer in primary care: cohort study using General Practice Research Database.
BMJ. 2007 May 19;334(7602):1040

[Theodoratou E, McNeill G, Cetnarskyj R, Farrington SM, Tenesa A, Barnetson R, Porteous M, Dunlop M, Campbell H.](#)

Dietary Fatty Acids and Colorectal Cancer: A Case-Control Study.
Am J Epidemiol. 2007 May 9;

[Hoffmeister M, Chang-Claude J, Brenner H.](#)

Individual and joint use of statins and low-dose aspirin and risk of colorectal cancer: A population-based case-control study.
Int J Cancer. 2007 May 8;

[Yun HR, Lee WY, Lee OS, Cho YB, Yun SH, Chun HK.](#)

The prognostic factors of stage IV colorectal cancer and assessment of proper treatment according to the patient's status.
Int J Colorectal Dis. 2007 May 8;

[Balleste B, Bessa X, Pinol V, Castellvi-Bel S, Castells A, Alenda C, Paya A, Jover R, Xicola RM, Pons E, Llor X, Cordero C, Fernandez-Banares F, de Castro L, Rene JM, Andreu M; For the Gastrointestinal Oncology Group of the Spanish Gastroenterological Association.](#)

Detection of Metachronous Neoplasms in Colorectal Cancer Patients: Identification of Risk Factors.
Dis Colon Rectum. 2007 Apr 27;

[Stephens JH, Moore JW.](#)

Can targeted intervention in CRC patients' relatives influence screening behaviour? A pilot study.
Colorectal Dis. 2007 Apr 25

[Rubin DT, Rothe JA, Hetzel JT, Cohen RD, Hanauer SB.](#)

Are dysplasia and colorectal cancer endoscopically visible in patients with ulcerative colitis?
Gastrointest Endosc. 2007 Jun;65(7):998-1004.

[Lee KJ, Inoue M, Otani T, Iwasaki M, Sasazuki S, Tsugane S.](#)

Coffee consumption and risk of colorectal cancer in a population-based prospective cohort of Japanese men and women.
Int J Cancer. 2007 Apr 20;

[Adams KF, Leitzmann MF, Albanes D, Kipnis V, Mouw T, Hollenbeck A, Schatzkin A.](#)

Body Mass and Colorectal Cancer Risk in the NIH-AARP Cohort.
Am J Epidemiol. 2007 Apr 21;

[Jacobs EJ, Thun MJ, Bain EB, Rodriguez C, Henley SJ, Calle EE.](#)

The aspirin and cancer incidence.
J Natl Cancer Inst. 2007 Apr 18;99(8):608-15.

[Khair G, Monson JR, Greenman J.](#)

Epithelial Molecular Markers in the Peripheral Blood of Patients with Colorectal Cancer.
Dis Colon Rectum. 2007 Apr 9

[Kimura Y, Kono S, Toyomura K, Nagano J, Mizoue T, Moore MA, Mibu R, Tanaka M, Kakeji Y, Maehara Y, Okamura T, Ikejiri K, Futami K, Yasunami Y, Maekawa T, Takenaka K, Ichimiya H, Imaizumi N.](#)

Meat, fish and fat intake in relation to subsite-specific risk of colorectal cancer: The Fukuoka Colorectal Cancer Study.
Cancer Sci. 2007 Apr;98(4):590-7.

[Gunter MJ, Hayes RB, Chatterjee N, Yeager M, Welch R, Schoen RE, Yakochi L, Schatzkin A, Peters U.](#)

Insulin resistance-related genes and advanced left-sided colorectal adenoma.
Cancer Epidemiol Biomarkers Prev. 2007 Apr;16(4):703-8.

[Kianmanesh R, Scaringi S, Sabate JM, Castel B, Pons-Kerjean N, Coffin B, Hay JM, Flamant Y, Msika S.](#)

Iterative cytoreductive surgery associated with hyperthermic intraperitoneal chemotherapy for treatment of peritoneal carcinomatosis of colorectal origin with or without liver metastases.
Ann Surg. 2007 Apr;245(4):597-603

[Ferjani AM, Griffin D, Stallard N, Wong LS.](#)

A newly devised scoring system for prediction of mortality in patients with colorectal cancer: a prospective study.
Lancet Oncol. 2007 Apr;8(4):317-22.

[Ju JH, Chang SC, Wang HS, Yang SH, Jiang JK, Chen WC, Lin TC, Hung Hsu, Wang FM, Lin JK.](#)

Changes in disease pattern and treatment outcome of colorectal cancer: a review of 5,474 cases in 20 years.
Int J Colorectal Dis. 2007 Mar 28;

[Stang A, Stabenow R, Stegmaier C, Eisinger B, Bischof-Hammes E, Jockel KH.](#)

Unexplained inversion of the incidence ratio of colon and rectal cancer among men in East Germany. A time trend analysis including 147,790 cases.
Eur J Epidemiol. 2007;22(4):245-55.

[Williams GL, Gray J, Beynon J.](#)

Cancer genetics clinics and the surgeon: a valuable role for family history screening.
Ann R Coll Surg Engl. 2007 Mar;89(2):127-9.

[Dube C, Rostom A, Lewin G, Tsertsvadze A, Barrowman N, Code C, Sampson M, Moher D; U.S. Preventive Services Task Force.](#)

The use of aspirin for primary prevention of colorectal cancer: a systematic review prepared for the U.S. Preventive Services Task Force.
Ann Intern Med. 2007 Mar 6;146(5):365-75. Review

[Brenner H, Chang-Claude J, Seiler CM, Sturmer T, Hoffmeister M.](#)

Potential for colorectal cancer prevention of sigmoidoscopy versus colonoscopy: population-based case control study.
Cancer Epidemiol Biomarkers Prev. 2007 Mar;16(3):494-9.

[Forssell J, Oberg A, Henriksson ML, Stenling R, Jung A, Palmqvist R.](#)

High macrophage infiltration along the tumor front correlates with improved survival in colon cancer.
Clin Cancer Res. 2007 Mar 1;13(5):1472-9.

[Jones OM, John SK, Horseman N, Lawrance RJ, Fozard JB.](#)
Cause and place of death in patients dying with colorectal cancer.
Colorectal Dis. 2007 Mar;9(3):253-7.

[Akhter M, Nishino Y, Nakaya N, Kurashima K, Sato Y, Kuriyama S, Tsubono Y, Tsuji I.](#)
Cigarette smoking and the risk of colorectal cancer among men: a prospective study in Japan.
Eur J Cancer Prev. 2007 Apr;16(2):102-7.

[Booth RA.](#)
Minimally invasive biomarkers for detection and staging of colorectal cancer.
Cancer Lett. 2007 Apr 28;249(1):87-96.

[Rulyak SJ, Lieberman DA, Wagner EH, Mandelson MT.](#)
Outcome of follow-up colon examination among a population-based cohort of colorectal cancer patients.
Clin Gastroenterol Hepatol. 2007 Apr;5(4):470-6;

[Helyer LK, Law CH, Butler M, Last LD, Smith AJ, Wright FC.](#)
Surgery as a Bridge to Palliative Chemotherapy in Patients with Malignant Bowel Obstruction from Colorectal Cancer.
Ann Surg Oncol. 2007 Apr;14(4):1264-1271.

[Park SY, Murphy SP, Wilkens LR, Nomura AM, Henderson BE, Kolonel LN.](#)
Calcium and vitamin D intake and risk of colorectal cancer: the Multiethnic Cohort Study.
Am J Epidemiol. 2007 Apr 1;165(7):784-93.

[Gasser M, Gerstlauer C, Grimm M, Bueter M, Lebedeva T, Lutz J, Maeder U, Ribas C, Ribas C, Nichiporuk E, Thalheimer A, Heemann U, Thiede A, Meyer D, Waaga-Gasser AM.](#)
Comparative analysis of predictive biomarkers for therapeutical strategies in colorectal cancer.
Ann Surg Oncol. 2007 Apr;14(4):1272-84.

[Sadahiro S, Suzuki T, Maeda Y, Yurimoto S, Yasuda S, Makuuchi H, Kamijo A, Murayama C.](#)
Detection of carcinoembryonic antigen messenger RNA-expressing cells in peripheral blood 7 days after curative surgery is a novel prognostic factor in colorectal cancer.
Ann Surg Oncol. 2007 Mar;14(3):1092-8.

[Grossmann I, de Bock GH, Meershoek-Klein Kranenbarg WM, van de Velde CJ, Wiggers T.](#)
Carcinoembryonic antigen (CEA) measurement during follow-up for rectal carcinoma is useful even if normal levels exist before surgery. A retrospective study of CEA values in the TME trial.
Eur J Surg Oncol. 2007 Mar;33(2):183-7.

[Barrier A, Roser F, Boelle PY, Franc B, Tse C, Brault D, Lacaine F, Houry S, Callard P, Penna C, Debuire B, Flahault A, Dudoit S, Lemoine A.](#)
Prognosis of stage II colon cancer by non-neoplastic mucosa gene expression profiling.
Oncogene. 2007 Apr 19;26(18):2642-8.

COLORECTAL CANCER METASTATIC DISEASE

[Yan TD, Chu F, Black D, King DW, Morris DL.](#)

Synchronous Resection of Colorectal Primary Cancer and Liver Metastases.
World J Surg. 2007 May 30;

[Bodingbauer M, Tamandl D, Schmid K, Plank C, Schima W, Gruenberger T.](#)

Size of surgical margin does not influence recurrence rates after curative liver resection for colorectal cancer liver metastases.

Br J Surg. 2007 May 18;

[Malik HZ, Gomez D, Wong V, Al-Mukthar A, Toogood GJ, Lodge JP, Prasad KR.](#)

Predictors of early disease recurrence following hepatic resection for colorectal cancer metastasis.

Eur J Surg Oncol. 2007 Mar 8;

[Jovine E, Biolchini F, Talarico F, Lerro FM, Mastrangelo L, Selleri S, Landolfo G, Martuzzi F, Iusco DR, Lazzari A.](#)

Major hepatectomy in patients with synchronous colorectal liver metastases: whether or not a contraindication to simultaneous colorectal and liver resection?

Colorectal Dis. 2007 Mar;9(3):245-52.

[Figueras J, Torras J, Valls C, Llado L, Ramos E, Marti-Rague J, Serrano T, Fabregat J.](#)

Surgical resection of colorectal liver metastases in patients with expanded indications: a single-center experience with 501 patients.

Dis Colon Rectum. 2007 Apr;50(4):478-88.

[Tanaka K, Shimada H, Ueda M, Matsuo K, Endo I, Togo S.](#)

Long-term characteristics of 5-year survivors after liver resection for colorectal metastases.

Ann Surg Oncol. 2007 Apr;14(4):1336-46.

[Ruers TJ, Joosten JJ, Wiering B, Langenhoff BS, Dekker HM, Wobbles T, Oyen WJ, Krabbe PF, Punt CJ.](#)

Comparison between local ablative therapy and chemotherapy for non-resectable colorectal liver metastases: a prospective study.

Ann Surg Oncol. 2007 Mar;14(3):1161-9

[Thelen A, Jonas S, Benckert C, Schumacher G, Lopez-Hanninen E, Rudolph B, Neumann U, Neuhaus P.](#)

Repeat liver resection for recurrent liver metastases from colorectal cancer.

Eur J Surg Oncol. 2007 Apr;33(3):324-8.

[Lopez Andujar R, Montalva Oron E, Moya Herraiz A, Redondo Cano C, San Juan Rodriguez F, Pareja Ibars E, De Juan Burgueno M, Orbis Castellanos F, Mir Pallardo J.](#)

[Reflections on 250 interventions for colorectal carcinoma metastases to the liver.]

Cir Esp. 2007 May;81(5):269-75. Spanish.

COLORECTAL CANCER MOLECULAR BIOLOGY

[Collins VR, Meiser B, Ukoumunne OC, Gaff C, St John DJ, Halliday JL.](#)

The impact of predictive genetic testing for hereditary nonpolyposis colorectal cancer: three years after testing.
Genet Med. 2007 May;9(5):290-297.

[Hara M, Nakanishi H, Jun Q, Kanemitsu Y, Ito S, Mochizuki Y, Yamamura Y, Kodera Y, Tatematsu M, Hirai T, Kato T.](#)

Comparative analysis of intraperitoneal minimal free cancer cells between colorectal and gastric cancer patients using quantitative RT-PCR: possible reason for rare peritoneal recurrence in colorectal cancer.
Clin Exp Metastasis. 2007;24(3):179-89.

[Zumkeller N, Brenner H, Chang-Claude J, Hoffmeister M, Nieters A, Rothenbacher D.](#)
Helicobacter pylori infection, interleukin-1 gene polymorphisms and the risk of colorectal cancer: Evidence from a case-control study in Germany.
Eur J Cancer. 2007 May;43(8):1283-9.

[Ewald J, Rodrigue CM, Mourra N, Lefevre JH, Flejou JF, Tiret E, Gespach C, Parc YR.](#)
Immunohistochemical staining for mismatch repair proteins, and its relevance in the diagnosis of hereditary non-polyposis colorectal cancer.
Br J Surg. 2007 Apr 17;

[Guillem JG, Glogowski E, Moore HG, Nafa K, Markowitz AJ, Shia J, Offit K, Ellis NA.](#)
Single-amplicon MSH2 A636P mutation testing in Ashkenazi Jewish patients with colorectal cancer: role in presurgical management.
Ann Surg. 2007 Apr;245(4):560-5.

[Haug U, Rothenbacher D, Wente MN, Seiler CM, Stegmaier C, Brenner H.](#)
Tumour M2-PK as a stool marker for colorectal cancer: comparative analysis in a large sample of unselected older adults vs colorectal cancer patients.
Br J Cancer. 2007 May 7;96(9):1329-34

[Wang JY, Lin SR, Wu DC, Lu CY, Yu FJ, Hsieh JS, Cheng TL, Koay LB, Uen YH.](#)
Multiple molecular markers as predictors of colorectal cancer in patients with normal perioperative serum carcinoembryonic antigen levels.
Clin Cancer Res. 2007 Apr 15;13(8):2406-13.

[Saito N, Kameoka S, Furukawa R.](#)
Gene profile analysis of colorectal cancer cell lines by cDNA macroarray.
Oncol Rep. 2007 May;17(5):1061-5.