

Overview of Colorectal papers

Volume 6 Number 07 July 2007

A ProctoSite's e-publication
www.proctosite.com

April, May, June 2007

Ulcerative Colitis Surgical treatment

[Witte ME, Klaase JM, Gerritsen JJ, Kummer EW.](#)

Fibrin glue treatment for simple and complex anal fistulas.
HepatoGastroenterology. 2007 Jun;54(76):1071-3.

[M'koma AE, Wise PE, Muldoon RL, Schwartz DA, Washington MK, Herline AJ.](#)

Evolution of the restorative proctocolectomy and its effects on gastrointestinal hormones.
Int J Colorectal Dis. 2007 Jun 19

[Tariverdian M, Leowardi C, Hinz U, Welsch T, Schmidt J, Kienle P.](#)

Quality of life after restorative proctocolectomy for ulcerative colitis: Preoperative status and long-term results.
Inflamm Bowel Dis. 2007 Jun 13;

[Chambers WM, McC Mortensen NJ.](#)

Should ileal pouch-anal anastomosis include mucosectomy?
Colorectal Dis. 2007 Jun;9(5):384-92. Review.

[Selvasekar CR, Cima RR, Larson DW, Dozois EJ, Harrington JR, Harmsen WS, Loftus EV Jr, Sandborn WJ, Wolff BG, Pemberton JH.](#)

Effect of infliximab on short-term complications in patients undergoing operation for chronic ulcerative colitis.
J Am Coll Surg. 2007 May;204(5):956-62;

[Parente F, Pastore L, Bargiggia S, Cucino C, Greco S, Molteni M, Ardizzone S, Porro GB, Sampietro GM, Giorgi R, Moretti R, Gallus S.](#)

Incidence and risk factors for gallstones in patients with inflammatory bowel disease: a large case-control study.
Hepatology. 2007 May;45(5):1267-74.

[Bax TW, McNevin MS.](#)

The value of diverting loop ileostomy on the high-risk colon and rectal anastomosis.
Am J Surg. 2007 May;193(5):585-7;

[Coull DB, Lee FD, Anderson JH, McKee RF, Finlay IG, Dunlop MG.](#)

Long-term cancer risk of the anorectal cuff following restorative proctocolectomy assessed by p53 expression and cuff dysplasia.
Colorectal Dis. 2007 May;9(4):321-7.

[Nilubol N, Scherl E, Bub DS, Gorfine SR, Marion J, Harris MT, Kornbluth A, Lichtiger S, Rubin P, George J, Chapman M, Harpaz N, Present D, Bauer JJ.](#)

Mucosal dysplasia in ileal pelvic pouches after restorative proctocolectomy.
Dis Colon Rectum. 2007 Jun;50(6):825-31.

[Lepisto A, Sarna S, Tiitinen A, Jarvinen HJ.](#)

Female fertility and childbirth after ileal pouch-anal anastomosis for ulcerative colitis.
Br J Surg. 2007 Apr;94(4):478-82.

[Schaus BJ, Fazio VW, Remzi FH, Bennett AE, Lashner BA, Shen B.](#)

Clinical features of ileal pouch polyps in patients with underlying ulcerative colitis.
Dis Colon Rectum. 2007 Jun;50(6):832-8.

[Shen B, Fazio VW, Remzi FH, Bennett AE, Lopez R, Brzezinski A, Oikonomou I, Sherman KK, Lashner BA.](#)

Combined ciprofloxacin and tinidazole therapy in the treatment of chronic refractory pouchitis.
Dis Colon Rectum. 2007 Apr;50(4):498-508.

[Aberg H, Pahlman L, Karlbom U.](#)

Small-bowel obstruction after restorative proctocolectomy in patients with ulcerative colitis.
Int J Colorectal Dis. 2007 Jun;22(6):637-42.

[Sagayama K, Ikeuchi H, Nishigami T, Nakano H, Uchino M, Nakamura M, Noda M, Yanagi H, Yamamura T.](#)

Incidence of and risk factors for dysplasia in mucosectomy area in ulcerative colitis patients undergoing restorative proctocolectomy.
Int J Colorectal Dis. 2007 Apr;22(4):439-43.

Ulcerative Colitis

Medical treatment

[Gavalas E, Kountouras J, Stergiopoulos C, Zavos C, Gisakis D, Nikolaidis N, Giouleme O, Chatzopoulos D, Kapetanakis N.](#)

Efficacy and safety of infliximab in steroid-dependent ulcerative colitis patients.
Hepatogastroenterology. 2007 Jun;54(76):1074-9.

[Jones JL, Loftus EV Jr.](#)

Lymphoma risk in inflammatory bowel disease: Is it the disease or its treatment?
Inflamm Bowel Dis. 2007 Jun 28

[Katsanos KH, Vermeire S, Christodoulou DK, Riis L, Wolters F, Odes S, Freitas J, Hoie O, Beltrami M, Fornaciari G, Clofent J, Bodini P, Vatn M, Nunes PB, Moum B, Munkholm P, Limonard C, Stockbrugger R, Rutgeerts P, Tsianos EV.](#)

Dysplasia and Cancer in Inflammatory Bowel Disease 10 Years after Diagnosis: Results of a Population-Based European Collaborative Follow-Up Study.
Digestion. 2007 Jun 26;75(2-3):113-

[Cooney RM, Warren BF, Altman DG, Abreu MT, Travis SP.](#)

Outcome measurement in clinical trials for Ulcerative Colitis: towards standardisation.
Trials. 2007 Jun 25;8:17.

[Lorea Baroja M, Kirjavainen PV, Hekmat S, Reid G.](#)

Anti-inflammatory effects of probiotic yogurt in inflammatory bowel disease patients.
Clin Exp Immunol. 2007 Jun 22

[Hoie O, Wolters F, Riis L, Aamodt G, Solberg C, Bernklev T, Odes S, Mouzas IA, Beltrami M, Langholz E, Stockbrugger R, Vatn M, Moum B; on behalf of the European Collaborative Study Group of Inflammatory Bowel Disease \(EC-IBD\).](#)

Ulcerative Colitis: Patient Characteristics May Predict 10-Yr Disease Recurrence in a European-Wide Population-Based Cohort.
Am J Gastroenterol. 2007 Jun 7;

[Langhorst J, Mueller T, Luedtke R, Franken U, Paul A, Michalsen A, Schedlowski M, Dobos GJ, Eisenbruch S.](#)

Effects of a comprehensive lifestyle modification program on quality-of-life in patients with ulcerative colitis: a twelve-month follow-up.
Scand J Gastroenterol. 2007 Jun;42(6):734-45

[Nuding S, Fellermann K, Wehkamp J, Stange EF.](#)

Reduced mucosal antimicrobial activity in Crohn's disease of the colon.
Gut. 2007 Apr 24;

[Ferrante M, Henckaerts L, Joossens M, Pierik M, Joossens S, Dotan N, Norman G, Altstock R, Van Steen K, Rutgeerts P, Van Assche G, Vermeire S.](#)

New serological markers in inflammatory bowel disease are associated with complicated disease behaviour.
Gut. 2007 Apr 24;

[Yokoyama H, Takagi S, Kuriyama S, Takahashi S, Takahashi H, Iwabuchi M, Takahashi S, Kinouchi Y, Hiwatashi N, Tsuji I, Shimosegawa T.](#)

Effect of weekend 5-aminosalicylic acid (mesalazine) enema as maintenance therapy for ulcerative colitis: Results from a randomized controlled study.
Inflamm Bowel Dis. 2007 Apr 23;

[Rubin DT, Rothe JA, Hetzel JT, Cohen RD, Hanauer SB.](#)

Are dysplasia and colorectal cancer endoscopically visible in patients with ulcerative colitis?
Gastrointest Endosc. 2007 Jun;65(7):998-1004.

[Scarpa M, van Koperen PJ, Ubbink DT, Hommes DW, Ten Kate FJ, Bemelman WA.](#)

Systematic review of dysplasia after restorative proctocolectomy for ulcerative colitis.
Br J Surg. 2007 May;94(5):534-45.

[Jakobovits SL, Jewell DP, Travis SP.](#)

Infliximab for the treatment of ulcerative colitis: outcomes in Oxford from 2000 to 2006.
Aliment Pharmacol Ther. 2007 May 1;25(9):1055-60.

[Rodgers AD, Cummins AG.](#)

CRP Correlates with Clinical Score in Ulcerative Colitis but Not in Crohn's Disease.
Dig Dis Sci. 2007 Apr 11;

[Turk N, Kastelan D, Cukovic-Cavka S, Kraljevic I, Korsic M, Vucelic B.](#)

Discriminatory ability of calcaneal quantitative ultrasound in the assessment of bone status in patients with inflammatory bowel disease.
Ultrasound Med Biol. 2007 Jun;33(6):863-9.

[Rahimi R, Nikfar S, Rezaie A, Abdollahi M.](#)

A Meta-Analysis of Antibiotic Therapy for Active Ulcerative Colitis.
Dig Dis Sci. 2007 Apr 6;

[McHugh JB, Appelman HD, McKenna BJ.](#)

The diagnostic value of endoscopic terminal ileum biopsies.
Am J Gastroenterol. 2007 May;102(5):1084-9.

[Bortoli A, Saibeni S, Tatarella M, Prada A, Beretta L, Rivolta R, Politi P, Ravelli P, Imperiali G, Colombo E, Pera A, Daperno M, Carnovali M, de Franchis R, Vecchi M; the Study Group for Inflammatory Bowel Diseases GSMII. Angriman I, Scarpa M, D'Inca R, Basso D, Ruffolo C, Polese L, Sturniolo GC, D'Amico DF, Plebani M.](#)

Enzymes in feces: useful markers of chronic inflammatory bowel disease.
Clin Chim Acta. 2007 May;381(1):63-8.

[de Bievre MA, Vrij AA, Schoon EJ, Dijkstra G, de Jong AE, Oberndorff-Klein Woolthuis AH, Hemker HC, Stockbrugger RW.](#)

Randomized, placebo-controlled trial of low molecular weight heparin in active ulcerative colitis.
Inflamm Bowel Dis. 2007 Jun;13(6):753-8.

[Jess T, Riis L, Vind I, Winther KV, Borg S, Binder V, Langholz E, Thomsen OO, Munkholm P.](#)

Changes in clinical characteristics, course, and prognosis of inflammatory bowel disease during the last 5 decades: a population-based study from Copenhagen, Denmark.
Inflamm Bowel Dis. 2007 Apr;13(4):481-9.

[Terdiman JP, Steinbuch M, Blumentals WA, Ullman TA, Rubin DT.](#)

5-Aminosalicylic acid therapy and the risk of colorectal cancer among patients with inflammatory bowel disease.
Inflamm Bowel Dis. 2007 Apr;13(4):367-71.

[Cornish J, Tan E, Teare J, Teoh TG, Rai R, Clark SK, Tekkis PP.](#)

A meta-analysis on the influence of inflammatory bowel disease on pregnancy.
Gut. 2007 Jun;56(6):830-7. Epub 2006 Dec 21.

COLONOSCOPY

[Rex DK, Helbig CC.](#)

High yields of small and flat adenomas with high-definition colonoscopes using either white light or narrow band imaging.
Gastroenterology. 2007 Jul;133(1):42-7

[Jonas DE, Russell LB, Sandler RS, Chou J, Pignone M.](#)

Patient Time Requirements for Screening Colonoscopy.
Am J Gastroenterol. 2007 Jun 29;

[Bleier JI, Moon V, Feingold D, Whelan RL, Arnell T, Sonoda T, Milsom JW, Lee SW.](#)

Initial repair of iatrogenic colon perforation using laparoscopic methods.
Surg Endosc. 2007 Jun 26;

[Taku K, Sano Y, Fu KI, Saito Y, Matsuda T, Uraoka T, Yoshino T, Yamaguchi Y, Fujita M, Hattori S, Ishikawa T, Saito D, Fujii T, Kaneko E, Yoshida S.](#)

Iatrogenic perforation associated with therapeutic colonoscopy: A multicenter study in Japan.
J Gastroenterol Hepatol. 2007 Jun 25;

[Ratiu N, Gelbmann C, Rath HR, Herfarth H, Kullmann F, Scholmerich J, Messmann H.](#)

Chromoendoscopy with indigo carmine in flexible sigmoidoscopy screening: does it improve the detection of adenomas in the distal colon and rectum?
J Gastrointest Liver Dis. 2007 Jun;16(2):153-156.

[Gonvers JJ, Harris JK, Wietlisbach V, Burnand B, Vader JP, Froehlich F; EPAGE Study Group.](#)

A European view of diagnostic yield and appropriateness of colonoscopy. *Hepatogastroenterology*. 2007 Apr-May;54(75):729-35.

[Pilgrim CH, Nottle PD.](#)

Laparoscopic repair of iatrogenic colonic perforation. *Surg Laparosc Endosc Percutan Tech*. 2007 Jun;17(3):215-7.

[Zanoni EC, Cutait R, Averbach M, de Oliveira LA, Teixeira CR, Correa PA, Paccos JL, Rossini GF, Camara Lopes LH.](#)

Magnifying colonoscopy: interobserver agreement in the assessment of colonic pit patterns and its correlation with histopathological findings. *Int J Colorectal Dis*. 2007 Jun 20;

[Johanson JF, Popp JW Jr, Cohen LB, Lottes SR, Forbes WP, Walker K, Carter E, Zhang B, Rose M.](#)

A Randomized, Multicenter Study Comparing the Safety and Efficacy of Sodium Phosphate Tablets With 2L Polyethylene Glycol Solution Plus Bisacodyl Tablets for Colon Cleansing. *Am J Gastroenterol*. 2007 Jun 15

[Shah HA, Paszat LF, Saskin R, Stukel TA, Rabeneck L.](#)

Factors associated with incomplete colonoscopy: a population-based study. *Gastroenterology*. 2007 Jun;132(7):2297-303.

[Barbagallo F, Castello G, Latteri S, Grasso E, Gagliardo S, La Greca G, Di Blasi M.](#)

Successful endoscopic repair of an unusual colonic perforation following polypectomy using an endoclip device. *World J Gastroenterol*. 2007 May 28;13(20):2889-91.

[Wells CD, Heigh RI, Sharma VK, Crowell MD, Gurudu SR, Leighton JA, Mattek N, Fleischer DE.](#)

Comparison of morning versus afternoon cecal intubation rates. *BMC Gastroenterol*. 2007 Jun 8;7:19.

[Burling D, Moore A, Taylor S, La Porte S, Marshall M.](#)

Virtual colonoscopy training and accreditation: a national survey of radiologist experience and attitudes in the UK. *Clin Radiol*. 2007 Jul;62(7):651-9.

[Rex DK, Chen SC, Overhiser AJ.](#)

Colonoscopy technique in consecutive patients referred for prior incomplete colonoscopy. *Clin Gastroenterol Hepatol*. 2007 Jul;5(7):879-83.

[Arber N, Grinshpon R, Pfeffer J, Maor L, Bar-Meir S, Rex D.](#)

Proof-of-concept study of the Aer-O-Scope omnidirectional colonoscopic viewing system in ex vivo and in vivo porcine models. *Endoscopy*. 2007 May;39(5):412-7.

[Dobrow MJ, Cooper MA, Gayman K, Pennington J, Matthews J, Rabeneck L.](#)

Referring patients to nurses: outcomes and evaluation of a nurse flexible sigmoidoscopy training program for colorectal cancer screening. *Can J Gastroenterol*. 2007 May;21(5):301-8.

[Geboes K.](#)

The strategy for biopsies of the terminal ileum should be evidence based.
Am J Gastroenterol. 2007 May;102(5):1090-2.

[Sipe BW, Scheidler M, Baluyut A, Wright B.](#)

A prospective safety study of a low-dose propofol sedation protocol for colonoscopy.
Clin Gastroenterol Hepatol. 2007 May;5(5):563-566.e1.

[Manolaraki MM, Theodoropoulou A, Stroumpos C, Vardas E, Oustamanolakis P, Gritzali A, Chlouverakis G, Paspatis GA.](#)

Remifentanyl Compared with Midazolam and Pethidine Sedation During Colonoscopy: A Prospective, Randomized Study.
Dig Dis Sci. 2007 May 3;

[Hansen AJ, Tessier DJ, Anderson ML, Schlinkert RT.](#)

Laparoscopic repair of colonoscopic perforations: indications and guidelines.
J Gastrointest Surg. 2007 May;11(5):655-9.

[Fujishiro M, Yahagi N, Kakushima N, Kodashima S, Muraki Y, Ono S, Yamamichi N, Tateishi A, Oka M, Ogura K, Kawabe T, Ichinose M, Omata M.](#)

Outcomes of endoscopic submucosal dissection for colorectal epithelial neoplasms in 200 consecutive cases.
Clin Gastroenterol Hepatol. 2007 Jun;5(6):678-83

[Luning TH, Keemers-Gels ME, Barendregt WB, Tan AC, Rosman C.](#)

Colonoscopic perforations: a review of 30,366 patients.
Surg Endosc. 2007 Jun;21(6):994-7.

[Holubar S, Dwivedi A, Eisendorfer J, Levine R, Strauss R.](#)

Splenic rupture: an unusual complication of colonoscopy.
Am Surg. 2007 Apr;73(4):393-6.

[Harris JK, Froehlich F, Wietlisbach V, Burnand B, Gonvers JJ, Vader JP.](#)

Factors associated with the technical performance of colonoscopy: An EPAGE Study.
Dig Liver Dis. 2007 Jul;39(7):678-89.

[Abaskharoun R, Depew W, Vanner S.](#)

Changes in renal function following administration of oral sodium phosphate or polyethylene glycol for colon cleansing before colonoscopy.
Can J Gastroenterol. 2007 Apr;21(4):227-31.

[Rainis T, Keren D, Goldstein O, Stermer E, Lavy A.](#)

Diagnostic yield and safety of colonoscopy in Israeli patients in an open access referral system.
J Clin Gastroenterol. 2007 Apr;41(4):394-9.

[Schmilovitz-Weiss H, Weiss A, Boaz M, Levin I, Chervinski A, Shemesh E.](#)

Predictors of failed colonoscopy in nonagenarians: a single-center experience.
J Clin Gastroenterol. 2007 Apr;41(4):388-93.

[McHugh JB, Appelman HD, McKenna BJ.](#)

The diagnostic value of endoscopic terminal ileum biopsies.
Am J Gastroenterol. 2007 May;102(5):1084-9.

[Frimberger E, von Delius S, Rosch T, Schmid RM.](#)

Colonoscopy and polypectomy with a side-viewing endoscope.
Endoscopy. 2007 May;39(5):462-5.

[Harris JK, Froehlich F, Gonvers JJ, Wietlisbach V, Burnand B, Vader JP.](#)

The appropriateness of colonoscopy: a multi-center, international, observational study.
Int J Qual Health Care. 2007 Jun;19(3):150-7.

[Pasha SF, Harrison ME, Das A, Corrado CM, Arnell KN, Leighton JA.](#)

Utility of double-balloon colonoscopy for completion of colon examination after incomplete colonoscopy with conventional colonoscope.
Gastrointest Endosc. 2007 May;65(6):848-53.

[Imperiali G, Minoli G, Meucci GM, Spinzi G, Strocchi E, Terruzzi V, Radaelli F.](#)

Effectiveness of a continuous quality improvement program on colonoscopy practice.
Endoscopy. 2007 Apr;39(4):314-8.

[Ko CW, Riffle S, Shapiro JA, Saunders MD, Lee SD, Tung BY, Kuver R, Larson AM, Kowdley KV, Kimmey MB.](#)

Incidence of minor complications and time lost from normal activities after screening or surveillance colonoscopy.
Gastrointest Endosc. 2007 Apr;65(4):648-56.

[Arcovedo R, Larsen C, Reyes HS.](#)

Patient factors associated with a faster insertion of the colonoscope.
Surg Endosc. 2007 Jun;21(6):885-8.

CONSTIPATION

[Cazemier M, Felt-Bersma RJ, Mulder CJ.](#)

Anal plugs and retrograde colonic irrigation are helpful in fecal incontinence or constipation.

[Vierhout ME.](#)

[The end to the myth that hysterectomy has negative effects on the function of pelvic organs]

Ned Tijdschr Geneeskd. 2007 Jun 2;151(22):1214-6. Dutch.

[Di Palma JA, Cleveland MV, McGowan J, Herrera JL.](#)

A Randomized, Multicenter Comparison of Polyethylene Glycol Laxative and Tegaserod in Treatment of Patients With Chronic Constipation.
Am J Gastroenterol. 2007 Jun 15;

[Zangaglia R, Martignoni E, Glorioso M, Ossola M, Riboldazzi G, Calandrella D, Brunetti G, Pacchetti C.](#)

Macrogol for the treatment of constipation in Parkinson's disease. A randomized placebo-controlled study.
Mov Disord. 2007 Jun 12;22(9):1239-

[Iannelli A, Piche T, Dainese R, Fabiani P, Tran A, Mouiel J, Gugenheim J.](#)

Long-term results of subtotal colectomy with cecorectal anastomosis for isolated colonic inertia.

World J Gastroenterol. 2007 May 14;13(18):2590-5.

[Cowlam S, Watson C, Elltringham M, Bain I, Barrett P, Green S, Yiannakou Y.](#)

Percutaneous endoscopic colostomy of the left side of the colon.
Gastrointest Endosc. 2007 Jun;65(7):1007-14.

[Di Stefano M, Miceli E, Mazzocchi S, Tana P, Missanelli A, Corazza GR.](#)

Effect of Tegaserod on Recto-Sigmoid Tonic and Phasic Activity in Constipation-Predominant Irritable Bowel Syndrome.
Am J Gastroenterol. 2007 May 23;

[Evangelista S.](#)

Drug evaluation: Pumosetrag for the treatment of irritable bowel syndrome and gastroesophageal reflux disease.
Curr Opin Investig Drugs. 2007 May;8(5):416-22. Review.

[Ambizas EM, Ginzburg R.](#)

Lubiprostone: a chloride channel activator for treatment of chronic constipation.
Ann Pharmacother. 2007 Jun;41(6):957-64.

[Johanson JF, Ueno R.](#)

Lubiprostone, a locally acting chloride channel activator, in adult patients with chronic constipation: a double-blind, placebo-controlled, dose-ranging study to evaluate efficacy and safety.
Aliment Pharmacol Ther. 2007 Jun 1;25(11):1351-61.

[Wulkow R, Vix JM, Schuijt C, Peil H, Kamm MA, Jordan C.](#)

Randomised, placebo-controlled, double-blind study to investigate the efficacy and safety of the acute use of sodium picosulphate in patients with chronic constipation.
Int J Clin Pract. 2007 Jun;61(6):944-50.

[Pescatori M, Spyrou M, Pulvirenti d'Urso A.](#)

A prospective evaluation of occult disorders in obstructed defecation using the 'iceberg diagram'.
Colorectal Dis. 2007 Jun;9(5):452-6.

[Slawik S, Soulsby R, Carter H, Payne H, Dixon AR.](#)

Laparoscopic ventral rectopexy, posterior colporrhaphy and vaginal sacrocolpopexy for the treatment of recto-genital prolapse and mechanical outlet obstruction.
Colorectal Dis. 2007 May 10;

[Wong SW, Lubowski DZ.](#)

Slow-transit constipation: evaluation and treatment.
ANZ J Surg. 2007 May;77(5):320-8. Review.

[Zeng J, Zuo XL, Li YQ, Wei W, Lv GP.](#)

Tegaserod for dyspepsia and reflux symptoms in patients with chronic constipation: an exploratory open-label study.
Eur J Clin Pharmacol. 2007 Jun;63(6):529-536.

[Pare P, Bridges R, Champion MC, Ganguli SC, Gray JR, Irvine EJ, Plourde V, Poitras P, Turnbull GK, Moayyedi P, Flook N, Collins SM.](#)

Recommendations on chronic constipation (including constipation associated with irritable bowel syndrome) treatment.
Can J Gastroenterol. 2007 Apr;21 Suppl B:3B-22B.

[Altomare DF, Spazzafumo L, Rinaldi M, Dodi G, Ghiselli R, Piloni V.](#)

Set-up and statistical validation of a new scoring system for obstructed defaecation syndrome.
Colorectal Dis. 2007 Apr 18;

[Biyani D, Barrow E, Hodson P, Watson AJ, MacLennan I.](#)

Endoscopically placed caecostomy buttons: a trial ACE procedure.
Colorectal Dis. 2007 May;9(4):373-6.

[Lundin E, Graf W, Garske U, Nilsson S, Maripuu E, Karlbom U.](#)
Segmental colonic transit studies: comparison of a radiological and a scintigraphic method.
Colorectal Dis. 2007 May;9(4):344-51.

[Kienzle-Horn S, Vix JM, Schuijt C, Peil H, Jordan CC, Kamm MA.](#)
Comparison of bisacodyl and sodium picosulphate in the treatment of chronic constipation.
Curr Med Res Opin. 2007 Apr;23(4):691-9.

[Heymen S, Scarlett Y, Jones K, Ringel Y, Drossman D, Whitehead WE.](#)
Randomized, controlled trial shows biofeedback to be superior to alternative treatments for patients with pelvic floor dyssynergia-type constipation.
Dis Colon Rectum. 2007 Apr;50(4):428-41.

[Gladman MA, Dvorkin LS, Scott SM, Lunniss PJ, Williams NS.](#)
A novel technique to identify patients with megarectum.
Dis Colon Rectum. 2007 May;50(5):621-9.

[Murakami K, Sasaki S, Okubo H, Takahashi Y, Hosoi Y, Itabashi M; Freshmen in Dietetic Courses Study II Group.](#)
Association between dietary fiber, water and magnesium intake and functional constipation among young Japanese women.
Eur J Clin Nutr. 2007 May;61(5):616-22.

HEMORRHOIDS

[Paikos D, Gatopoulou A, Moschos J, Koulaouzidis A, Bhat S, Tzilves D, Soufleris K, Tragiannidis D, Katsos I, Tarpagos A.](#)
Banding hemorrhoids using the O'Regan disposable bander. Single center experience.
J Gastrointest Liver Dis. 2007 Jun;16(2):163-5.

[Candela G, Varriale S, Di Libero L, Manetta F, Maschio A, Giordano M, Pizza A, Sciascia V, Napolitano S, Santini L.](#)
The gold standard in the treatment of haemorrhoidal disease. Milligan-Morgan haemorrhoidectomy vs Longo mucoprolapsectomy: comparing techniques.
Minerva Chir. 2007 Jun;62(3):151-159.

[Ho YH, Buettner PG.](#)
Open compared with closed haemorrhoidectomy: meta-analysis of randomized controlled trials.
Tech Coloproctol. 2007 Jun;11(2):135-43.

[Zacharakis E, Kanellos D, Pramateftakis MG, Kanellos I, Angelopoulos S, Mantzoros I, Betsis D.](#)
Long-term results after stapled haemorrhoidopexy for fourth-degree haemorrhoids: a prospective study with median follow-up of 6 years.
Tech Coloproctol. 2007 Jun;11(2):144-7;

[Tjandra JJ, Tan JJ, Lim JF, Murray-Green C, Kennedy ML, Lubowski DZ.](#)
Rectogesic (glyceryl trinitrate 0.2%) ointment relieves symptoms of haemorrhoids associated with high resting anal canal pressures.
Colorectal Dis. 2007 Jun;9(5):457-63.

[Martinsons A, Narbutis Z, Bruneniaks I, Pavars M, Lebedkovs S, Gardovskis J.](#)

A comparison of quality of life and postoperative results from combined PPH and conventional haemorrhoidectomy in different cases of haemorrhoidal disease. *Colorectal Dis.* 2007 Jun;9(5):423-9.

[Magrill D, Sekaran P.](#)

Maimonides: an early but accurate view on the treatment of haemorrhoids. *Postgrad Med J.* 2007 May;83(979):352-4.

[Ohana G, Myslovaty B, Ariche A, Dreznik Z, Koren R, Rath-Wolfson L.](#)

Mid-term Results of Stapled Hemorrhoidopexy for Third- and Fourth-degree Hemorrhoids- Correlation with the Histological Features of the Resected Tissue. *World J Surg.* 2007 Jun;31(6):1338-44.

[Slawik S, Kenefick N, Greenslade GL, Dixon AR.](#)

A prospective evaluation of stapled haemorrhoidopexy/rectal mucosectomy in the management of 3rd and 4th degree haemorrhoids. *Colorectal Dis.* 2007 May;9(4):352-6.

[McCloud JM, Doucas H, Scott AD, Jameson JS.](#)

Delayed presentation of life-threatening perineal sepsis following stapled haemorrhoidectomy: a case report. *Ann R Coll Surg Engl.* 2007 Apr;89(3):301-2.

[Tjandra JJ, Chan MK.](#)

Systematic review on the procedure for prolapse and hemorrhoids (stapled hemorrhoidopexy). *Dis Colon Rectum.* 2007 Jun;50(6):878-92.

DIVERTICULAR DISEASE

[Choi CS, Choi SC, Seo GS, Cho EY, Cho HJ, Kim YS, Kim KH, Kim TH, Nah YH.](#)

[Association between diverticulosis and colonic Neoplasm in Koreans] *Korean J Gastroenterol.* 2007 Jun;49(6):364-8. Korean.

[Hjern F, Jonas E, Holmstrom B, Josephson T, Mellgren A, Johansson C.](#)

CT colonography versus colonoscopy in the follow-up of patients after diverticulitis - A prospective, comparative study. *Clin Radiol.* 2007 Jul;62(7):645-50.

[Hernandez Pinero Y, Martin Malagon AI, Diaz Romero F, Lopez-Tomassetti Fernandez EM, Arteaga Gonzalez IJ.](#)

[Localization of gastrointestinal bleeding from jejunal diverticuli by methylene blue dye.] *Cir Esp.* 2007 Jun;81(6):351-3. Spanish.

[Kassahun WT, Fangmann J, Harms J, Bartels M, Hauss J.](#)

Complicated small-bowel diverticulosis: A case report and review of the literature. *World J Gastroenterol.* 2007 Apr 21;13(15):2240-2.

[Koch AD, Schoon EJ.](#)

Extensive jejunal diverticulosis in a family, a matter of inheritance? *Neth J Med.* 2007 Apr;65(4):154-5.

[Banerjee S, Akbar N, Moorhead J, Rennie JA, Leather AJ, Cooper D, Papagrigroriadis S.](#)

Increased presence of serotonin-producing cells in colons with diverticular disease may indicate involvement in the pathophysiology of the condition. *Int J Colorectal Dis.* 2007 Jun;22(6):643-649.

