

Overview on Colorectal papers

N° 11 -- July 2003

A ProctoSite's e-publication

www.proctosite.com

April 2003 / June 2003

Ulcerative Colitis

Surgical treatment

[Nakagoe T, Sawai T, Tsuji T, Jibiki MA, Nanashima A, Yamaguchi H, Yasutake T, Ayabe H.](#)
The use of a mini-laparotomy in total abdominal colectomy for mucosal ulcerative colitis.
Hepatogastroenterology. 2003 May-Jun;50(51):704-8.

[Shen B, Achkar JP, Connor JT, Ormsby AH, Remzi FH, Bevins CL, Brzezinski A, Bambrick ML, Fazio VW, Lashner BA.](#)

Modified pouchitis disease activity index: a simplified approach to the diagnosis of pouchitis.
Dis Colon Rectum. 2003 Jun;46(6):748-53.

[Fichera A, Cicchiello LA, Mendelson DS, Greenstein AJ, Heimann TM.](#)

Superior mesenteric vein thrombosis after colectomy for inflammatory bowel disease: a not uncommon cause of postoperative acute abdominal pain.
Dis Colon Rectum. 2003 May;46(5):643-8.

[Carmon E, Keidar A, Ravid A, Goldman G, Rabau M.](#)

The correlation between quality of life and functional outcome in ulcerative colitis patients after proctocolectomy ileal pouch anal anastomosis.
Colorectal Dis. 2003 May;5(3):228-32.

[Stavlo PL, Libsch KD, Rodeberg DA, Moir CR.](#)

Pediatric ileal pouch-anal anastomosis: Functional outcomes and quality of life.
J Pediatr Surg. 2003 Jun;38(6):935-9.

[Robb BW, Gang GI, Hershko DD, Stoops MM, Seeskin CS, Warner BW.](#)

Restorative proctocolectomy with ileal pouch-anal anastomosis in very young patients with refractory ulcerative colitis.
J Pediatr Surg. 2003 Jun;38(6):863-7.

[Hassan C, Zullo A, Speziale G, Stella F, Lorenzetti R, Morini S.](#)

Adenocarcinoma of the ileoanal pouch anastomosis: an emerging complication?
Int J Colorectal Dis. 2003 May;18(3):276-8.

[Hassan I, Horgan AF, Nivatvongs S, Harrington J, Larson DR.](#)

Outcome of patients undergoing ileal pouch-anal anastomosis for left-sided chronic ulcerative colitis.
J Gastrointest Surg. 2003 May-Jun;7(4):567-71.

[Viscido A, Habib FI, Kohn A, Papi C, Marcheggiano A, Pimpo MT, Vernia P, Cadau G, Caprilli R.](#)

Infliximab in refractory pouchitis complicated by fistulae following ileo-anal pouch for ulcerative colitis.

Aliment Pharmacol Ther. 2003 May 15;17(10):1263-71.

[Laake KO, Line PD, Aabakken L, Lotveit T, Bakka A, Eide J, Roseth A, Grzyb K, Bjorneklett A, Vatn MH.](#)

Assessment of mucosal inflammation and circulation in response to probiotics in patients operated with ileal pouch anal anastomosis for ulcerative colitis.

Scand J Gastroenterol. 2003 Apr;38(4):409-14.

[Gionchetti P, Rizzello F, Helwig U, Venturi A, Lammers KM, Brigidi P, Vitali B, Poggioli G, Miglioli M, Campieri M.](#)

Prophylaxis of pouchitis onset with probiotic therapy: a double-blind, placebo-controlled trial.

Gastroenterology. 2003 May;124(5):1202-9.

[Weinryb RM, Liljegvist L, Poppen B, Gustavsson JP.](#)

A longitudinal study of long-term quality of life after ileal pouch-anal anastomosis.

Am J Surg. 2003 Apr;185(4):333-8.

[Kienle P, Weitz J, Benner A, Herfarth C, Schmidt J.](#)

Laparoscopically assisted colectomy and ileoanal pouch procedure with and without protective ileostomy.

Surg Endosc. 2003 May;17(5):716-20. Epub 2003 Mar 06.

Medical treatment

[Sood A, Midha V, Sood N, Avasthi G.](#)

Azathioprine versus sulfasalazine in maintenance of remission in severe ulcerative colitis.

Indian J Gastroenterol. 2003 May-Jun;22(3):79-81.

[Candelli M, Papa A, Nista EC, Danese S, Armuzzi A, Bartolozzi F, Tondi P, Ojetti V, Gasbarrini G, Gasbarrini A.](#)

Antibodies to *Saccharomyces cerevisiae*: are they useful in clinical practice?

Hepatogastroenterology. 2003 May-Jun;50(51):718-20.

[Vind I, Johansen JS, Price PA, Munkholm P.](#)

Serum YKL-40, a potential new marker of disease activity in patients with inflammatory bowel disease.

Scand J Gastroenterol. 2003 Jun;38(6):599-605.

[Tanaka M, Kusumi T, Oshitani N, Nishigami T, Iwao Y, Hatada Y, Sugita A, Yao T, Takano M, Iizuka B, Mukai M, Maeda K, Fukuda S, Morita T, Hara M, Saito H, Kudo H.](#)

Validity of simple mucosal biopsy criteria combined with endoscopy predicting patients with ulcerative colitis ultimately requiring surgery: a multicenter study.

Scand J Gastroenterol. 2003 Jun;38(6):594-8.

[Campieri M, Adamo S, Valpiani D, D'Arienzo A, D'Albasio G, Pitzalis M, Cesari P, Casetti T, Castiglione GN, Rizzello F, Manguso F, Varoli G, Gionchetti P.](#)

Oral beclometasone dipropionate in the treatment of extensive and left-sided active ulcerative colitis: a multicentre randomised study.
Aliment Pharmacol Ther. 2003 Jun 15;17(12):1471-80.

[Kane SV, Sandborn WJ, Rufo PA, Zholudev A, Boone J, Lyerly D, Camilleri M, Hanauer SB.](#)
Fecal lactoferrin is a sensitive and specific marker in identifying intestinal inflammation.
Am J Gastroenterol. 2003 Jun;98(6):1309-14.

[Halfvarson J, Bodin L, Tysk C, Lindberg E, Jarnerot G.](#)
Inflammatory bowel disease in a Swedish twin cohort: a long-term follow-up of concordance and clinical characteristics.
Gastroenterology. 2003 Jun;124(7):1767-73.

[Hilsden RJ, Verhoef MJ, Best A, Pocobelli G.](#)
A national survey on the patterns of treatment of inflammatory bowel disease in Canada.
BMC Gastroenterol. 2003 Jun 5;3(1):10. Epub 2003 Jun 05

[Sandborn WJ, Sands BE, Wolf DC, Valentine JF, Safdi M, Katz S, Isaacs KL, Wruble LD, Katz J, Present DH, Loftus EV Jr, Graeme-Cook F, Odenheimer DJ, Hanauer SB.](#)
Repifermin (keratinocyte growth factor-2) for the treatment of active ulcerative colitis: a randomized, double-blind, placebo-controlled, dose-escalation trial.
Aliment Pharmacol Ther. 2003 Jun 1;17(11):1355-64.

[Oshitani N, Kamata N, Ooiso R, Kawashima D, Inagawa M, Sogawa M, Jimuro M, Jinno Y, Watanabe K, Higuchi K, Matsumoto T, Arakawa T.](#)
Outpatient treatment of moderately severe active ulcerative colitis with pulsed steroid therapy and conventional steroid therapy.
Dig Dis Sci. 2003 May;48(5):1002-5.

[Bruewer M, Kriegelstein CF, Utech M, Bode M, Rijcken E, Anthoni C, Laukoetter MG, Schuermann G, Senninger N.](#)
Is Colonoscopy Alone Sufficient to Screen for Ulcerative Colitis-associated Colorectal Carcinoma?
World J Surg. 2003 May;27(5):611-5. Epub 2003 Apr 28.

[Fogt F.](#)
Sporadic adenomas in chronic ulcerative colitis.
Z Gastroenterol. 2003 Apr;41(4):343-6.

[Kiesslich R, Fritsch J, Holtmann M, Koehler HH, Stolte M, Kanzler S, Nafe B, Jung M, Galle PR, Neurath MF.](#)
Methylene blue-aided chromoendoscopy for the detection of intraepithelial neoplasia and colon cancer in ulcerative colitis.
Gastroenterology. 2003 Apr;124(4):880-8.

Colonoscopy

[Feussner H, Wilhelm D, Dotzel V, Papagoras D, Frimberger E.](#)
Combined endoluminal and endocavitary approaches to colonic lesions.
Surg Technol Int. 2003 Jun;11:97-101.

[Wang HS, Lin JK.](#)

A randomized prospective trial of bowel preparation for colonoscopy with Fortrans compared with bisacodyl.

J Chin Med Assoc. 2003 Jun;66(6):364-9.

[Renault KM, Brander DC, Kristensen EH, Christensen M, Ovesen H.](#)

[The value of using fluoroscopy during colonoscopy. A prospective randomized study]

Ugeskr Laeger. 2003 Jun 9;165(24):2473-7. Danish

[Whynes DK, Frew EJ, Edwards R, Atkin WS.](#)

Costs of flexible sigmoidoscopy screening for colorectal cancer in the United Kingdom.

Int J Technol Assess Health Care. 2003 Spring;19(2):384-95

[Lee JH, Kim JW, Cho YK, Sohn CI, Jeon WK, Kim BI, Cho EY.](#)

Detection of colorectal adenomas by routine chromoendoscopy with indigocarmine.

Am J Gastroenterol. 2003 Jun;98(6):1284-8.

[Moerman AT, Foubert LA, Herregods LL, Struys MM, De Wolf DJ, De Looze DA, De Vos MM, Mortier EP.](#)

Propofol versus remifentanyl for monitored anaesthesia care during colonoscopy.

Eur J Anaesthesiol. 2003 Jun;20(6):461-6.

[Hittelet A, Deviere J.](#)

Management of anticoagulants before and after endoscopy.

Can J Gastroenterol. 2003 May;17(5):329-32.

[Tasci I, Altinli E, Sirin F.](#)

Bowel cleansing for diagnostic colonoscopy: which method is preferable? Istanbul experience.

Tech Coloproctol. 2003 Apr;7(1):18-21.

[Swain P.](#)

Wireless capsule endoscopy.

Gut. 2003 Jun;52 Suppl 4:iv48-50. Review

[Balaban DH, Leavell BS Jr, Oblinger MJ, Thompson WO, Bolton ND, Pambianco DJ.](#)

Low volume bowel preparation for colonoscopy: randomized, endoscopist-blinded trial of liquid sodium phosphate versus tablet sodium phosphate.

Am J Gastroenterol. 2003 Apr;98(4):827-32.

[Sawaki A, Nakamura T, Suzuki T, Hara K, Kato T, Kato T, Hirai T, Kanemitsu Y, Okubo K, Tanaka K, Moriyama I, Kawai H, Katsurahara M, Matsumoto K, Yamao K.](#)

A two-step method for marking polypectomy sites in the colon and rectum.

Gastrointest Endosc. 2003 May;57(6):735-7.

[Shioji K, Suzuki Y, Kobayashi M, Nakamura A, Azumaya M, Takeuchi M, Baba Y, Honma T, Narisawa R.](#)

Prophylactic clip application does not decrease delayed bleeding after colonoscopic polypectomy.

Gastrointest Endosc. 2003 May;57(6):691-4.

[Rudner R, Jalowiecki P, Kawecki P, Gonciarz M, Mularczyk A, Petelencz M.](#)

Conscious analgesia/sedation with remifentanyl and propofol versus total intravenous anesthesia with fentanyl, midazolam, and propofol for outpatient colonoscopy. *Gastrointest Endosc.* 2003 May;57(6):657-63.

[Shah SG, Thomas-Gibson S, Lockett M, Brooker JC, Thapar CJ, Grace I, Saunders BP.](#)

Effect of real-time magnetic endoscope imaging on the teaching and acquisition of colonoscopy skills: results from a single trainee. *Endoscopy.* 2003 May;35(5):421-5.

[Eli C, Fischbach W, Keller R, Dehe M, Mayer G, Schneider B, Albrecht U, Schuette W; Hintertux Study Group.](#)

A randomized, blinded, prospective trial to compare the safety and efficacy of three bowel-cleansing solutions for colonoscopy (HSG-01*). *Endoscopy.* 2003 Apr;35(4):300-4.

[Eliakim R, Fischer D, Suissa A, Yassin K, Katz D, Guttman N, Migdal M.](#)

Wireless capsule video endoscopy is a superior diagnostic tool in comparison to barium follow-through and computerized tomography in patients with suspected Crohn's disease. *Eur J Gastroenterol Hepatol.* 2003 Apr;15(4):363-7.

Constipation

[Parkman HP, Rao SS, Reynolds JC, Schiller LR, Wald A, Miner PB, Lembo AJ, Gordon JM, Drossman DA, Waltzman L, Stambler N, Cedarbaum JM; Functional Constipation Study Investigators.](#)

Neurotrophin-3 improves functional constipation. *Am J Gastroenterol.* 2003 Jun;98(6):1338-47.

[Verne GN, Davis RH, Robinson ME, Gordon JM, Eaker EY, Sninsky CA.](#)

Treatment of chronic constipation with colchicine: randomized, double-blind, placebo-controlled, crossover trial. *Am J Gastroenterol.* 2003 May;98(5):1112-6.

[Talley NJ, Jones M, Nuyts G, Dubois D.](#)

Risk factors for chronic constipation based on a general practice sample. *Am J Gastroenterol.* 2003 May;98(5):1107-11.

[Mustafawi AR.](#)

Surgical management of chronic unremitting constipation and incontinence associated with massive elongation of left colon. *Saudi Med J.* 2003 May;24(5):S38.

[Muller-Lissner S, Koch G, Talley NJ, Drossman D, Rueegg P, Dunger-Baldauf C, Lefkowitz M.](#)

Subject's Global Assessment of Relief: an appropriate method to assess the impact of treatment on irritable bowel syndrome-related symptoms in clinical trials. *J Clin Epidemiol.* 2003 Apr;56(4):310-6.

[Shafik A, Shafik AA, El-Sibai O, Ahmed I.](#)

Study of the role of the second defecation reflex: anorectal excitatory reflex in the pathogenesis of constipation. *J Am Coll Surg.* 2003 May;196(5):729-34.

[Zimmerman J.](#)

Extraintestinal symptoms in irritable bowel syndrome and inflammatory bowel diseases: nature, severity, and relationship to gastrointestinal symptoms.
Dig Dis Sci. 2003 Apr;48(4):743-9.

[Koloski NA, Talley NJ, Boyce PM.](#)

Does psychological distress modulate functional gastrointestinal symptoms and health care seeking? A prospective, community Cohort study.
Am J Gastroenterol. 2003 Apr;98(4):789-97.

[Jung HK, Kim DY, Moon IH, Hong YS.](#)

Colonic transit time in diabetic patients--comparison with healthy subjects and the effect of autonomic neuropathy.
Yonsei Med J. 2003 Apr 30;44(2):265-72.

[FitzHarris GP, Garcia-Aguilar J, Parker SC, Bullard KM, Madoff RD, Goldberg SM, Lowry A.](#)

Quality of life after subtotal colectomy for slow-transit constipation: both quality and quantity count.
Dis Colon Rectum. 2003 Apr;46(4):433-40.

[Sloots CE, Felt-Bersma RJ.](#)

Rectal sensorimotor characteristics in female patients with idiopathic constipation with or without paradoxical sphincter contraction.
Neurogastroenterol Motil. 2003 Apr;15(2):187-93.

Hemorrhoids

[Li DB, Wang JX, Chang BZ, Huang YT, Xie XD, Huang YZ, Wang CS, Chen XL, Li Q, Wang LY.](#)

[Copper ion electrochemistry in treatment of bleeding and prolapse due to hemorrhoid, experimental and clinical studies]
Zhonghua Yi Xue Za Zhi. 2003 Jun;83(11):958-61. Chinese

[Hahn M, Simsa J, Horak J.](#)

[Surgery of hemorrhoids using the Long method and its complications]
Rozhl Chir. 2003 Jun;82(6):307-11. Czech.

[van den Berg M, Stroeken HJ, Hoofwijk AG.](#)

[Favorable results of conservative treatment with isosorbide dinitrate in 25 patients with fourth-degree hemorrhoids: a pilot study]
Ned Tijdschr Geneeskd. 2003 May 17;147(20):971-3. Dutch.

[Gupta PJ.](#)

Radiofrequency ablation and plication of hemorrhoids.
Tech Coloproctol. 2003 Apr;7(1):45-50.

[Smyth EF, Baker RP, Wilken BJ, Hartley JE, White TJ, Monson JR.](#)

Stapled versus excision haemorrhoidectomy: long-term follow up of a randomised controlled trial.
Lancet. 2003 Apr 26;361(9367):1437-8.

[Su MY, Tung SY, Wu CS, Sheen IS, Chen PC, Chiu CT.](#)

Long-term results of endoscopic hemorrhoidal ligation: two different devices with similar results.

Endoscopy. 2003 May;35(5):416-20.

[Chen JF, Huang ZH, Chen YX, Xiao JQ.](#)

Anal cushion resection versus Milligan-Morgan hemorrhoidectomy for circular hemorrhoids: randomized controlled trial.

Di Yi Jun Yi Da Xue Xue Bao. 2003 Apr;23(4):382-3.

[Cheetham MJ, Cohen CR, Kamm MA, Phillips RK.](#)

A randomized, controlled trial of diathermy hemorrhoidectomy vs. stapled hemorrhoidectomy in an intended day-care setting with longer-term follow-up.

Dis Colon Rectum. 2003 Apr;46(4):491-7.

[Law WL, Tung HM, Chu KW, Lee FC.](#)

Ambulatory stapled haemorrhoidectomy: a safe and feasible surgical technique.

Hong Kong Med J. 2003 Apr;9(2):103-7.]

Diverticular disease

[Chen WS, Lin JK.](#)

A potential alternative treatment of uncomplicated painful diverticular disease by trans-colonoscopy irrigation technique: a preliminary report.

J Chin Med Assoc. 2003 May;66(5):282-7.

[Lefere P, Gryspeerdt S, Baekelandt M, Dewyspelaere J, Van Holsbeeck B.](#)

Diverticular disease in CT colonography.

Eur Radiol. 2003 Jun

[Golder M, Burleigh DE, Belai A, Ghali L, Ashby D, Lunniss PJ, Navsaria HA, Williams NS.](#)

Smooth muscle cholinergic denervation hypersensitivity in diverticular disease.

Lancet. 2003 Jun 7;361(9373):1945-51.

[Kang JY, Hoare J, Tinto A, Subramanian S, Ellis C, Majeed A, Melville D, Maxwell JD.](#)

Diverticular disease of the colon--on the rise: a study of hospital admissions in England between 1989/1990 and 1999/2000.

Aliment Pharmacol Ther. 2003 May 1;17(9):1189-95.

[Ghorai S, Ulbright TM, Rex DK.](#)

Endoscopic findings of diverticular inflammation in colonoscopy patients without clinical acute diverticulitis: prevalence and endoscopic spectrum.

Am J Gastroenterol. 2003 Apr;98(4):802-6.