

Overview on Colorectal papers

N° 13 -- September 2003

A ProctoSite's e-publication

www.proctosite.com

June 2003 / August 2003

Colorectal Cancer Surgical treatment

[Roseano M, Scaramucci M, Ciutto T, Balani A, Tuoldo A, Zanconati F, Liguori G, Leggeri A.](#)
Sentinel lymph node mapping in the management of colorectal cancer: preliminary report.
Tumori. 2003 Jul-Aug;89(4):412-6.

[Capra F, Scintu F, Zorcolo L, Casula G.](#)
[Surgical treatment for colorectal cancer in patients over 80 years. Short and long term results]
Minerva Chir. 2003 Aug;58(4):515-22. Italian.

[El-Hennawy MM, Moussa ME, El-Saeidy MK, Shawky AM, Bessa SS, Badour NM.](#)
Rectal carcinoma in Egyptian patients less than 40 years of age.
Int Surg. 2003 Jul-Sep;88(3):137-44.

[Elias DM, Pocard M.](#)
Treatment and prevention of peritoneal carcinomatosis from colorectal cancer.
Surg Oncol Clin N Am. 2003 Jul;12(3):543-59.

[Knorr C, Reingruber B, Meyer T, Hohenberger W, Stremmel C.](#)
Peritoneal carcinomatosis of colorectal cancer: incidence, prognosis, and treatment modalities.
Int J Colorectal Dis. 2003 Aug 29 [Epub ahead of print]

[Gonzalez QH, Heslin MJ, Shore G, Vickers SM, Urist MM, Bland KI.](#)
Results of long-term follow-up for transanal excision for rectal cancer.
Am Surg. 2003 Aug;69(8):675-8; discussion 678.

[Higashi H, Shida H, Ban K, Yamagata S, Masuda K, Imanari T, Yamamoto T.](#)
Factors affecting successful palliative surgery for malignant bowel obstruction due to peritoneal dissemination from colorectal cancer.
Jpn J Clin Oncol. 2003 Jul;33(7):357-9.

[Tanaka M, Hashiguchi Y, Ueno H, Hase K, Mochizuki H.](#)
Tumor budding at the invasive margin can predict patients at high risk of recurrence after curative surgery for stage II, T3 colon cancer.
Dis Colon Rectum. 2003 Aug;46(8):1054-9.

[Anthuber M, Fuerst A, Elser F, Berger R, Jauch KW.](#)
Outcome of laparoscopic surgery for rectal cancer in 101 patients.
Dis Colon Rectum. 2003 Aug;46(8):1047-53.

[Damin DC, Rosito MA, Gus P, Spiro BL, Amaral BB, Meurer L, Cartel A, Schwartzmann G.](#)
Sentinel lymph node procedure in patients with epidermoid carcinoma of the anal canal: early experience.
Dis Colon Rectum. 2003 Aug;46(8):1032-7.

[Perera D, Pathma-Nathan N, Rabbitt P, Hewett P, Rieger N.](#)
Sentinel node biopsy for squamous-cell carcinoma of the anus and anal margin.
Dis Colon Rectum. 2003 Aug;46(8):1027-9; discussion 1030-1.

[Simunovic M, Sexton R, Rempel E, Moran BJ, Heald RJ.](#)
Optimal preoperative assessment and surgery for rectal cancer may greatly limit the need for radiotherapy.
Br J Surg. 2003 Aug;90(8):999-1003.

[Bulow S, Christensen IJ, Harling H, Kronborg O, Fenger C, Nielsen HJ; Danish TME Study Group; RANX05 Colorectal Cancer Study Group.](#)
Recurrence and survival after mesorectal excision for rectal cancer.
Br J Surg. 2003 Aug;90(8):974-80.

[Weber JC, Bachellier P, Oussoultzoglou E, Jaeck D.](#)
Simultaneous resection of colorectal primary tumour and synchronous liver metastases.
Br J Surg. 2003 Aug;90(8):956-62.

[Tonin D, Scata A, Stuto A, Rota G, Doffria E, Tosolini G.](#)
[Postoperative complications and local recurrence of mid-lower rectal carcinoma treated with neoadjuvant chemoradiotherapy and surgery. Preliminary results]
Tumori. 2003 Jul-Aug;89(4 Suppl):149-51

[Cavaliere F, Perri P, Rossi CR, Pilati PL, De Simone M, Vaira M, Deraco M, Di Filippo F.](#)
[Indications for integrated surgical treatment of peritoneal carcinomatosis of colorectal origin: experience of the Italian Society of Locoregional Integrated Therapy in Oncology]
Tumori. 2003 Jul-Aug;89(4 Suppl):21-3

[Machado M, Nygren J, Goldman S, Ljungqvist O.](#)
Similar outcome after colonic pouch and side-to-end anastomosis in low anterior resection for rectal cancer: a prospective randomized trial.
Ann Surg. 2003 Aug;238(2):214-20.

[Engel J, Kerr J, Schlesinger-Raab A, Eckel R, Sauer H, Holzel D.](#)
Quality of life in rectal cancer patients: a four-year prospective study.
Ann Surg. 2003 Aug;238(2):203-13.

[Smith AJ, Law CH, Khalifa MA, Hsieh ET, Hanna SS, Wright FC, Poldre PA.](#)
Multimodal CME for surgeons and pathologists improves colon cancer staging.
J Cancer Educ. 2003 Summer;18(2):81-6.

[Kiil J.](#)
[Rectal cancer treated at a county hospital. A prospective study of an 11-year period]
Ugeskr Laeger. 2003 Jun 30;165(27):2739-42

[Le Voyer TE, Sigurdson ER, Hanlon AL, Mayer RJ, Macdonald JS, Catalano PJ, Haller DG.](#)
Colon cancer survival is associated with increasing number of lymph nodes analyzed: a secondary survey of intergroup trial INT-0089.
J Clin Oncol. 2003 Aug 1;21(15):2912-9

[Belkacemi Y, Berger C, Poortmans P, Piel G, Zouhair A, Meric JB, Nguyen TD, Krenqli M, Behrensmeier F, Allal A, De Looze D, Bernier J, Scandolaro L, Mirimanoff RO; Rare Cancer Network.](#)

Management of primary anal canal adenocarcinoma: a large retrospective study from the Rare Cancer Network.

Int J Radiat Oncol Biol Phys. 2003 Aug 1;56(5):1274-83.

[Metcalf MS, Close JS, Iswariah H, Morrison C, Wemyss-Holden SA, Maddern GJ.](#)

The value of laparoscopic staging for patients with colorectal metastases.

Arch Surg. 2003 Jul;138(7):770-2.

[Bosch B, Guller U, Schnider A, Maurer R, Harder F, Metzger U, Marti WR.](#)

Perioperative detection of disseminated tumour cells is an independent prognostic factor in patients with colorectal cancer.

Br J Surg. 2003 Jul;90(7):882-8.

[Ueno M, Muto T, Oya M, Ota H, Azekura K, Yamaguchi T.](#)

Multiple primary cancer: an experience at the Cancer Institute Hospital with special reference to colorectal cancer.

Int J Clin Oncol. 2003 Jun;8(3):162-7.

[Nathanson DR, Espat NJ, Nash GM, D'Alessio M, Thaler H, Minsky BD, Enker W, Wong D, Guillem J, Cohen A, Paty PB.](#)

Evaluation of preoperative and postoperative radiotherapy on long-term functional results of straight coloanal anastomosis.

Dis Colon Rectum. 2003 Jul;46(7):888-94.

[Dehni N, McFadden N, McNamara DA, Guiguet M, Turet E, Parc R.](#)

Oncologic results following abdominoperineal resection for adenocarcinoma of the low rectum.

Dis Colon Rectum. 2003 Jul;46(7):867-74; discussion 874.

[Bokey EL, Chapuis PH, Dent OF, Mander BJ, Bissett IP, Newland RC.](#)

Surgical technique and survival in patients having a curative resection for colon cancer.

Dis Colon Rectum. 2003 Jul;46(7):860-6.

[Abe N, Watanabe T, Toda H, Machida H, Suzuki K, Masaki T, Sugiyama M, Atomi Y, Nakaya Y.](#) Carcinoembryonic antigen levels in peritoneal washes: a potential prognostic marker for patients with colorectal cancer.

Hepatogastroenterology. 2003 Jul-Aug;50(52):1025-8.

[Marchena J, Acosta MA, Garcia-Anguiano F, Simpson H, Cruz F.](#)

Use of the preoperative levels of CEA in patients with colorectal cancer.

Hepatogastroenterology. 2003 Jul-Aug;50(52):1017-20.

[Leibl S, Tsybrovskyy O, Denk H.](#)

How many lymph nodes are necessary to stage early and advanced adenocarcinoma of the sigmoid colon and upper rectum?

Virchows Arch. 2003 Aug;443(2):133-8. Epub 2003 Jul 03.

[Ruo L, Paty PB, Minsky BD, Wong WD, Cohen AM, Guillem JG.](#)

Results after rectal cancer resection with in-contiguity partial vaginectomy and total mesorectal excision.

Ann Surg Oncol. 2003 Jul;10(6):664-8.

[Bailey CM, Wheeler JM, Birks M, Farouk R.](#)

The incidence and causes of permanent stoma after anterior resection.
Colorectal Dis. 2003 Jul;5(4):331-4.

[McArdle CS, McMillan DC, Hole DJ.](#)

Male gender adversely affects survival following surgery for colorectal cancer.
Br J Surg. 2003 Jun;90(6):711-5.

[Pilati P, Mocellin S, Rossi CR, Foletto M, Campana L, Nitti D, Lise M.](#)

Cytoreductive surgery combined with hyperthermic intraperitoneal intraoperative chemotherapy for peritoneal carcinomatosis arising from colon adenocarcinoma.
Ann Surg Oncol. 2003 Jun;10(5):508-13.

[Mukai M, Ito I, Mukoyama S, Tajima T, Saito Y, Nakasaki H, Sato S, Makuuchi H.](#)

Improvement of 10-year survival by Japanese radical lymph node dissection in patients with Dukes' B and C colorectal cancer: A 17-year retrospective study.
Oncol Rep. 2003 Jul-Aug;10(4):927-34.

[Schrag D, Panageas KS, Riedel E, Hsieh L, Bach PB, Guillem JG, Begg CB.](#)

Surgeon volume compared to hospital volume as a predictor of outcome following primary colon cancer resection.
J Surg Oncol. 2003 Jun;83(2):68-78; discussion 78-9.

[Turner RR, Nora DT, Trocha SD, Bilchik AJ.](#)

Colorectal carcinoma nodal staging. Frequency and nature of cytokeratin-positive cells in sentinel and nonsentinel lymph nodes.
Arch Pathol Lab Med. 2003 Jun;127(6):673-9.

[Scheidbach H, Schneider C, Hugel O, Scheuerlein H, Barlehner E, Konradt J, Wittekind C, Kockerling F; Laparoscopic Colorectal Surgery Study Group.](#)

Oncological quality and preliminary long-term results in laparoscopic colorectal surgery.
Surg Endosc. 2003 Jun;17(6):903-10.

Adjuvant therapy

[Sumpter K, Harper-Wynne C, Cunningham D, Gillbanks A, Norman AR, Hill M.](#)

Oxaliplatin and capecitabine chemotherapy for advanced colorectal cancer: a single institution's experience.
Clin Oncol (R Coll Radiol). 2003 Aug;15(5):221-6.

[Xu RH, Guan ZZ, Feng FY, He XH, Liu SJ, Di LJ, Li SF, Li LQ.](#)

[Phase II clinical trial of oxaliplatin alone for refractory advanced colorectal cancer]
Ai Zheng. 2003 Aug;22(8):874-6. Chinese.

[Rodel C, Grabenbauer GG, Papadopoulos T, Hohenberger W, Schmoll HJ, Sauer R.](#)

Phase I/II trial of capecitabine, oxaliplatin, and radiation for rectal cancer.
J Clin Oncol. 2003 Aug 15;21(16):3098-104.

[Deniaud-Alexandre E, Touboul E, Tiret E, Sezeur A, Houry S, Gallot D, Parc R, Huang R, Qu SH, Pene F, Schlienger M.](#)

[Epidermoid carcinomas of the anal canal treated with definitive radiation therapy in a series of 305 patients]
Cancer Radiother. 2003 Aug;7(4):237-53. French

[Colorectal Cancer Chemotherapy Study Group of Japan - The 2nd Trial.](#)

Results of a randomized trial with or without 5-FU-based preoperative chemotherapy followed by postoperative chemotherapy in resected colon and rectal carcinoma. Jpn J Clin Oncol. 2003 Jun;33(6):288-96.

[Simunovic M, Sexton R, Rempel E, Moran BJ, Heald RJ.](#)

Optimal preoperative assessment and surgery for rectal cancer may greatly limit the need for radiotherapy. Br J Surg. 2003 Aug;90(8):999-1003.

[Benamouzig R, Deyra J, Martin A, Girard B, Jullian E, Piednoir B, Couturier D, Coste T, Little J, Chaussade S.](#)

Daily soluble aspirin and prevention of colorectal adenoma recurrence: one-year results of the APACC trial. Gastroenterology. 2003 Aug;125(2):328-36.

[Yang TS, Chen JS, Tang R, Chiang JM, Hsieh PS, Yeh CY, Changchien CR.](#)

Oxaliplatin with weekly bolus 5-fluorouracil and leucovorin in pretreated advanced colorectal cancer patients: a phase II study. Chemotherapy. 2003 Jul;49(4):194-9.

[Ramanathan RK, Clark JW, Kemeny NE, Lenz HJ, Gococo KO, Haller DG, Mitchell EP, Kardinal CG.](#)

Safety and toxicity analysis of oxaliplatin combined with fluorouracil or as a single agent in patients with previously treated advanced colorectal cancer. J Clin Oncol. 2003 Aug 1;21(15):2904-11.

[Foroudi F, Tyldesley S, Barbera L, Huang J, Mackillop WJ.](#)

An evidence-based estimate of the appropriate radiotherapy utilization rate for colorectal cancer. Int J Radiat Oncol Biol Phys. 2003 Aug 1;56(5):1295-307.

[Deniaud-Alexandre E, Touboul E, Tiret E, Sezeur A, Houry S, Gallot D, Parc R, Huang R, Qu SH, Huart J, Pene F, Schlienger M.](#)

Results of definitive irradiation in a series of 305 epidermoid carcinomas of the anal canal. Int J Radiat Oncol Biol Phys. 2003 Aug 1;56(5):1259-73.

[Kuehne J, Kleisli T, Biernacki P, Girvigian M, Streeter O, Corman ML, Ortega AE, Vukasin P, Essani R, Beart RW.](#)

Use of high-dose-rate brachytherapy in the management of locally recurrent rectal cancer. Dis Colon Rectum. 2003 Jul;46(7):895-9.

[Nathanson DR, Espat NJ, Nash GM, D'Alessio M, Thaler H, Minsky BD, Enker W, Wong D, Guillem J, Cohen A, Paty PB.](#)

Evaluation of preoperative and postoperative radiotherapy on long-term functional results of straight coloanal anastomosis. Dis Colon Rectum. 2003 Jul;46(7):888-94.

[Cafiero F, Gipponi M, Lionetto R; P.A.R. Cooperative Study Group.](#)

Randomised clinical trial of adjuvant postoperative RT vs. sequential postoperative RT plus 5-FU and levamisole in patients with stage II-III resectable rectal cancer: a final report. J Surg Oncol. 2003 Jul;83(3):140-6.

[O'Dwyer PJ, Johnson SW.](#)

Current status of oxaliplatin in colorectal cancer.
Semin Oncol. 2003 Jun;30(3 Suppl 6):78-87. Review.

[Benson AB 3rd, Goldberg RM.](#)

Optimal use of the combination of irinotecan and 5-fluorouracil.
Semin Oncol. 2003 Jun;30(3 Suppl 6):68-77. Review.

[Naredi P, Oman M, Blind PJ, Lindner P, Gustavsson B, Hafstrom L.](#)

A comparison between hepatic artery ligation and portal 5-Fu infusion versus 5-Fu intra arterial infusion for colorectal liver metastases.
Eur J Surg Oncol. 2003 Jun;29(5):459-66.

Risk factors, staging, follow-up and screening

[Kim SB, Fernandes LC, Saad SS, Matos D.](#)

Assessment of the value of preoperative serum levels of CA 242 and CEA in the staging and postoperative survival of colorectal adenocarcinoma patients.
Int J Biol Markers. 2003 Jul-Sep;18(3):182-7

[Hsieh PS, Changchien CR, Chen JS, Tang R, Chiang JM, Yeh CY, Wang JY.](#)

Comparing results of preoperative staging of rectal tumor using endorectal ultrasonography and histopathology.
Chang Gung Med J. 2003 Jul;26(7):474-8.

[Benedetti AL, Collet JP, Boivin JF, Hanley JA.](#)

Effect of nonsteroidal anti-inflammatory drugs on stage of colon cancer at diagnosis.
J Clin Epidemiol. 2003 Aug;56(8):782-7.

[Leshno M, Halpern Z, Arber N.](#)

Cost-effectiveness of colorectal cancer screening in the average risk population.
Health Care Manag Sci. 2003 Aug;6(3):165-74.

[Rubio CA.](#)

Further studies on the histological characteristics linked to local tumour invasion in colorectal carcinomas.
Anticancer Res. 2003 Jul-Aug;23(4):3555-60.

[Fruhorgen P, Ruffle W, Kobras S, Seeliger H, Herrmann G.](#)

[Endoscopic Therapy of Early Colorectal Cancer (pT1) - A Prospective Study]
Z Gastroenterol. 2003 Aug;41(8):703-10.

[Jeong SY, Shin KH, Shin JH, Ku JL, Shin YK, Park SY, Kim WH, Park JG.](#)

Microsatellite instability and mutations in DNA mismatch repair genes in sporadic colorectal cancers.
Dis Colon Rectum. 2003 Aug;46(8):1069-77.

[Stevens T, Burke CA.](#)

Colonoscopy screening in the elderly: when to stop?
Am J Gastroenterol. 2003 Aug;98(8):1881-5.

[Keating J, Lolohea S, Kenwright D.](#)

Pathology reporting of rectal cancer: a national audit.
N Z Med J. 2003 Jul 25;116(1178):U514.

[Papagrigoriadis S, Heyman B.](#)

Patients' views on follow up of colorectal cancer: implications for risk communication and decision making.

Postgrad Med J. 2003 Jul;79(933):403-7

[Brown ML, Klabunde CN, Mysliwiec P.](#)

Current capacity for endoscopic colorectal cancer screening in the United States: data from the National Cancer Institute Survey of Colorectal Cancer Screening Practices.

Am J Med. 2003 Aug 1;115(2):129-33.

[Ko CW, Dominitz JA, Nguyen TD.](#)

Fecal occult blood testing in a general medical clinic: comparison between guaiac-based and immunochemical-based tests.

Am J Med. 2003 Aug 1;115(2):111-4.

[Benamouzig R, Deyra J, Martin A, Girard B, Jullian E, Piednoir B, Couturier D, Coste T, Little J, Chaussade S.](#)

Daily soluble aspirin and prevention of colorectal adenoma recurrence: one-year results of the APACC trial.

Gastroenterology. 2003 Aug;125(2):328-36.

[Johnson CD, Harmsen WS, Wilson LA, Maccarty RL, Welch TJ, Ilstrup DM, Ahlquist DA.](#)

Prospective blinded evaluation of computed tomographic colonography for screen detection of colorectal polyps.

Gastroenterology. 2003 Aug;125(2):311-9.

[Pineau BC, Paskett ED, Chen GJ, Espeland MA, Phillips K, Han JP, Mikulaninec C, Vining DJ.](#)

Virtual colonoscopy using oral contrast compared with colonoscopy for the detection of patients with colorectal polyps.

Gastroenterology. 2003 Aug;125(2):304-10.

[Jakab F, Shoenfeld Y, Balogh A, Nichelatti M, Hoffmann A, Kahan Z, Lapis K, Mayer A, Sapy P, Szentpetery F, Telekes A, Thurzo L, Vagvolgyi A, Hidvegi M.](#)

A medical nutriment has supportive value in the treatment of colorectal cancer.

Br J Cancer. 2003 Aug 4;89(3):465-9.

[Smith AJ, Law CH, Khalifa MA, Hsieh ET, Hanna SS, Wright FC, Poldre PA.](#)

Multimodal CME for surgeons and pathologists improves colon cancer staging.

J Cancer Educ. 2003 Summer;18(2):81-6.

[Eloubeidi MA, Wallace MB, Desmond R, Farraye FA.](#)

Female gender and other factors predictive of a limited screening flexible sigmoidoscopy examination for colorectal cancer.

Am J Gastroenterol. 2003 Jul;98(7):1634-9.

[Abe N, Watanabe T, Toda H, Machida H, Suzuki K, Masaki T, Sugiyama M, Atomi Y, Nakaya Y.](#)

Carcinoembryonic antigen levels in peritoneal washes: a potential prognostic marker for patients with colorectal cancer.

Hepatogastroenterology. 2003 Jul-Aug;50(52):1025-8.

[Leibl S, Tsybrovskyy O, Denk H.](#)

How many lymph nodes are necessary to stage early and advanced adenocarcinoma of the sigmoid colon and upper rectum?

Virchows Arch. 2003 Aug;443(2):133-8. Epub 2003 Jul 03.

[Nakajima M, Saito H, Soma Y, Sobue T, Tanaka M, Munakata A.](#)

Prevention of advanced colorectal cancer by screening using the immunochemical faecal occult blood test: a case-control study.
Br J Cancer. 2003 Jul 7;89(1):23-8.

[Cibula DA, Morrow CB.](#)

Determining local colorectal cancer screening utilization patterns.
J Public Health Manag Pract. 2003 Jul-Aug;9(4):315-21.

[Flood A, Velie EM, Sinha R, Chatterjee N, Lacey JV Jr, Schairer C, Schatzkin A.](#)

Meat, fat, and their subtypes as risk factors for colorectal cancer in a prospective cohort of women.
Am J Epidemiol. 2003 Jul 1;158(1):59-68.

[Gondal G, Grotmol T, Hofstad B, Bretthauer M, Eide TJ, Hoff G.](#)

The Norwegian Colorectal Cancer Prevention (NORCCAP) screening study: baseline findings and implementations for clinical work-up in age groups 50-64 years.
Scand J Gastroenterol. 2003 Jun;38(6):635-42.

[Rabeneck L, Davila JA, El-Serag HB.](#)

Is there a true "shift" to the right colon in the incidence of colorectal cancer?
Am J Gastroenterol. 2003 Jun;98(6):1400-9.

[Niv Y.](#)

Screening the average risk population for colorectal cancer: the Israeli experience 1985-97.
Colorectal Dis. 2003 Jul;5(4):358-61.

[Atassi T, Thuluvath PJ.](#)

Risk of colorectal adenoma in liver transplant recipients compared to immunocompetent control population undergoing routine screening colonoscopy.
J Clin Gastroenterol. 2003 Jul;37(1):72-3.

[McArdle CS, McMillan DC, Hole DJ.](#)

Male gender adversely affects survival following surgery for colorectal cancer.
Br J Surg. 2003 Jun;90(6):711-5.

[Sorensen HT, Friis S, Norgard B, Mellekjaer L, Blot WJ, McLaughlin JK, Ekbohm A, Baron JA.](#)

Risk of cancer in a large cohort of nonaspirin NSAID users: a population-based study.
Br J Cancer. 2003 Jun 2;88(11):1687-92.

[Mao Y, Pan S, Wen SW, Johnson KC; Canadian Cancer Registries Epidemiology Research Group.](#)

Physical inactivity, energy intake, obesity and the risk of rectal cancer in Canada.
Int J Cancer. 2003 Jul 20;105(6):831-7.

[Turner RR, Nora DT, Trocha SD, Bilchik AJ.](#)

Colorectal carcinoma nodal staging. Frequency and nature of cytokeratin-positive cells in sentinel and nonsentinel lymph nodes.
Arch Pathol Lab Med. 2003 Jun;127(6):673-9.

[Dray X, Boutron-Ruault MC, Bertrais S, Sapinho D, Benhamiche-Bouvier AM, Faivre J.](#)

Influence of dietary factors on colorectal cancer survival.
Gut. 2003 Jun;52(6):868-73.

[Pedersen A, Johansen C, Gronbaek M.](#)

Relations between amount and type of alcohol and colon and rectal cancer in a Danish population based cohort study.
Gut. 2003 Jun;52(6):861-7.

Metastatic disease

[Higashiyama M, Kodama K, Higaki N, Takami K, Murata K, Kameyama M, Yokouchi H.](#)

Surgery for pulmonary metastases from colorectal cancer: the importance of prethoracotomy serum carcinoembryonic antigen as an indicator of prognosis.
Jpn J Thorac Cardiovasc Surg. 2003 Jul;51(7):289-96.

[Metcalf MS, Close JS, Iswariah H, Morrison C, Wemyss-Holden SA, Maddern GJ.](#)

The value of laparoscopic staging for patients with colorectal metastases.
Arch Surg. 2003 Jul;138(7):770-2.

[Naredi P, Oman M, Blind PJ, Lindner P, Gustavsson B, Hafstrom L.](#)

A comparison between hepatic artery ligation and portal 5-Fu infusion versus 5-Fu intra arterial infusion for colorectal liver metastases.
Eur J Surg Oncol. 2003 Jun;29(5):459-66.

Molecular biology

[Kanazawa T, Watanabe T, Nagawa H.](#)

Does early polypoid colorectal cancer with depression have a pathway other than adenoma-carcinoma sequence?
Tumori. 2003 Jul-Aug;89(4):408-11.

[Xie W, Rimm DL, Lin Y, Shih WJ, Reiss M.](#)

Loss of Smad signaling in human colorectal cancer is associated with advanced disease and poor prognosis.
Cancer J. 2003 Jul-Aug;9(4):302-12.

[Onose J, Imai T, Hasumura M, Ueda M, Hirose M.](#)

Rapid induction of colorectal tumors in rats initiated with 1,2-dimethylhydrazine followed by dextran sodium sulfate treatment.
Cancer Lett. 2003 Aug 20;198(2):145-52.

[Gunther K, Dimmler A, Rodel F, Reulbach U, Merkel S, Bittorf BR, Matzel KE, Papadopoulos T, Hohenberger W, Sauer R, Rodel C.](#)

P27 does not predict histopathological response to radiochemotherapy in rectal cancer.
J Surg Res. 2003 Aug;113(2):179-88.

[Nakagoe T, Tsuji T, Sawai T, Tanaka K, Hidaka S, Shibasaki S, Nanashima A, Yamaguchi H, Yasutake T, Sugawara K, Inokuchi N, Kamihira S.](#)

The relationship between circulating interleukin-6 and carcinoembryonic antigen in patients with colorectal cancer.
Anticancer Res. 2003 Jul-Aug;23(4):3561-4.

[Huang J, Zheng S, Pan QR, Deng YC.](#)

[p53 mutations in sporadic colorectal cancers with microsatellite instability]
Zhonghua Yi Xue Za Zhi. 2003 Jul 10;83(13):1130-3.

[Matsumoto N, Yoshida T, Yamashita K, Numata Y, Okayasu I.](#)

Possible alternative carcinogenesis pathway featuring microsatellite instability in colorectal cancer stroma.

Br J Cancer. 2003 Aug 18;89(4):707-12.

[Nash GM, Gimbel M, Shia J, Culliford AT, Nathanson DR, Ndubuisi M, Yamaguchi Y, Zeng ZS, Barany F, Paty PB.](#)

Automated, multiplex assay for high-frequency microsatellite instability in colorectal cancer. J Clin Oncol. 2003 Aug 15;21(16):3105-12.

[Zhang B, Ougolkov A, Yamashita K, Takahashi Y, Mai M, Minamoto T.](#)

beta-Catenin and ras oncogenes detect most human colorectal cancer.

Clin Cancer Res. 2003 Aug 1;9(8):3073-9.

[Kim IJ, Kang HC, Park JH, Shin Y, Ku JL, Lim SB, Park SY, Jung SY, Kim HK, Park JG.](#)

Development and applications of a beta-catenin oligonucleotide microarray: beta-catenin mutations are dominantly found in the proximal colon cancers with microsatellite instability.

Clin Cancer Res. 2003 Aug 1;9(8):2920-5.

[Jeong SY, Shin KH, Shin JH, Ku JL, Shin YK, Park SY, Kim WH, Park JG.](#)

Microsatellite instability and mutations in DNA mismatch repair genes in sporadic colorectal cancers.

Dis Colon Rectum. 2003 Aug;46(8):1069-77.

[Fisher ER, Colangelo L, Wieand S, Fisher B, Wolmark N.](#)

Lack of influence of cytokeratin-positive mini micrometastases in "Negative Node" patients with colorectal cancer: findings from the national surgical adjuvant breast and bowel projects protocols R-01 and C-01.

Dis Colon Rectum. 2003 Aug;46(8):1021-5; discussion 1025-6.

[Mori Y, Selaru FM, Sato F, Yin J, Simms LA, Xu Y, Olaru A, Deacu E, Wang S, Taylor JM, Young J, Leggett B, Jass JR, Abraham JM, Shibata D, Meltzer SJ.](#)

The impact of microsatellite instability on the molecular phenotype of colorectal tumors.

Cancer Res. 2003 Aug 1;63(15):4577-82.

[Altomare DF, Rotelli MT, Memeo V, Martinelli E, Guglielmi A, DeFazio M, D'Elia G, Pentimone A, Colucci M, Semeraro N.](#)

[Expression of tissue factor and vascular endothelial growth factor in colorectal carcinoma] Tumori. 2003 Jul-Aug;89(4 Suppl):5-6

[Gonzalez-Aguilera JJ, Neida N, Fernandez FJ, Medina V, Gonzalez-Hermoso F, Barrios Y, Moreno Azcoita M, Fernandez-Peralta AM.](#)

Genetic Alterations and MSI Status in Primary, Synchronous, and Metachronous Tumors in a Family With Hereditary Nonpolyposis Colorectal Cancer (HNPCC).

Am J Clin Oncol. 2003 Aug;26(4):386-91.

[Stoeltzing O, Liu W, Reinmuth N, Parikh A, Ahmad SA, Jung YD, Fan F, Ellis LM.](#)

Angiogenesis and antiangiogenic therapy of colon cancer liver metastasis.

Ann Surg Oncol. 2003 Aug;10(7):722-33.

[Jubb AM, Landon TH, Burwick J, Pham TQ, Frantz GD, Cairns B, Quirke P, Peale FV, Hillan KJ.](#)

Quantitative analysis of colorectal tissue microarrays by immunofluorescence and in situ hybridization.

J Pathol. 2003 Aug;200(5):577-88.

[Rahme E, Barkun AN, Toubouti Y, Bardou M.](#)

The cyclooxygenase-2-selective inhibitors rofecoxib and celecoxib prevent colorectal neoplasia occurrence and recurrence.

Gastroenterology. 2003 Aug;125(2):404-12.

[Kim PJ, Plescia J, Clevers H, Fearon ER, Altieri DC.](#)

Survivin and molecular pathogenesis of colorectal cancer.

Lancet. 2003 Jul 19;362(9379):205-9.

[Meyerhardt JA, Catalano PJ, Haller DG, Mayer RJ, Benson AB 3rd, Macdonald JS, Fuchs CS.](#)

Influence of body mass index on outcomes and treatment-related toxicity in patients with colon carcinoma.

Cancer. 2003 Aug 1;98(3):484-95.

[Jansson AK, Emterling AM, Arbman G, Sun XF.](#)

Noxa in colorectal cancer: a study on DNA, mRNA and protein expression.

Oncogene. 2003 Jul 24;22(30):4675-8.

[Dkhissi F, Lu H, Soria C, Opolon P, Griscelli F, Liu H, Khattar P, Mishal Z, Perricaudet M, Li H.](#)

Endostatin exhibits a direct antitumor effect in addition to its antiangiogenic activity in colon cancer cells.

Hum Gene Ther. 2003 Jul 1;14(10):997-1008.

[Ribic CM, Sargent DJ, Moore MJ, Thibodeau SN, French AJ, Goldberg RM, Hamilton SR, Laurent-Puig P, Gryfe R, Shepherd LE, Tu D, Redston M, Gallinger S.](#)

Tumor microsatellite-instability status as a predictor of benefit from fluorouracil-based adjuvant chemotherapy for colon cancer.

N Engl J Med. 2003 Jul 17;349(3):247-57.

[Deng H, Shu XJ, Zhen HY, Deng L, Chen Y, Liu LJ.](#)

[Prognostic significance of lymph node micrometastasis in colorectal cancer]

Ai Zheng. 2003 Jul;22(7):762-6.

[Fukushima T, Mashiko M, Takita K, Otake T, Endo Y, Sekikawa K, Takenoshita S.](#)

Mutational analysis of TGF-beta type II receptor, Smad2, Smad3, Smad4, Smad6 and Smad7 genes in colorectal cancer.

J Exp Clin Cancer Res. 2003 Jun;22(2):315-20.

[Kawakami M, Furuhata T, Kimura Y, Yamaguchi K, Hata F, Sasaki K, Hirata K.](#)

Expression analysis of vascular endothelial growth factors and their relationships to lymph node metastasis in human colorectal cancer.

J Exp Clin Cancer Res. 2003 Jun;22(2):229-37.

[Karmakar S, Mukherjee R.](#)

Integrin receptors and ECM proteins involved in preferential adhesion of colon carcinoma cells to lung cells.

Cancer Lett. 2003 Jul 10;196(2):217-27.

[Parr C, Jiang WG.](#)

Quantitative analysis of lymphangiogenic markers in human colorectal cancer.

Int J Oncol. 2003 Aug;23(2):533-9.

[Boynton KA, Summerhayes IC, Ahlquist DA, Shuber AP.](#)

DNA integrity as a potential marker for stool-based detection of colorectal cancer.
Clin Chem. 2003 Jul;49(7):1058-65.

[Stoeltzing O, Ahmad SA, Liu W, McCarty MF, Wey JS, Parikh AA, Fan F, Reinmuth N, Kawaguchi M, Bucana CD, Ellis LM.](#)

Angiopoietin-1 inhibits vascular permeability, angiogenesis, and growth of hepatic colon cancer tumors.
Cancer Res. 2003 Jun 15;63(12):3370-7.

[Easwaran V, Lee SH, Inge L, Guo L, Goldbeck C, Garrett E, Wiesmann M, Garcia PD, Fuller JH, Chan V, Randazzo F, Gundel R, Warren RS, Escobedo J, Aukerman SL, Taylor RN, Fantl WJ.](#)

beta-Catenin regulates vascular endothelial growth factor expression in colon cancer.
Cancer Res. 2003 Jun 15;63(12):3145-53.

[Roh SA, Kim HC, Kim JS, Kim JC.](#)

Characterization of mutator pathway in younger-age-onset colorectal adenocarcinomas.
J Korean Med Sci. 2003 Jun;18(3):387-91.

[McKenna WG, Muschel RJ, Gupta A, Hahn S, Bernhard EJ.](#)

Signaling inhibition with radiation in colorectal cancer: clinical trials.
Semin Oncol. 2003 Jun;30(3 Suppl 6):56-67. Review.

[Fernando NH, Hurwitz HI.](#)

Inhibition of vascular endothelial growth factor in the treatment of colorectal cancer.
Semin Oncol. 2003 Jun;30(3 Suppl 6):39-50. Review.

[Jourdan F, Sebbagh N, Comperat E, Mourra N, Flahault A, Olschwang S, Duval A, Hamelin R, Flejou JF.](#)

Tissue microarray technology: validation in colorectal carcinoma and analysis of p53, hMLH1, and hMSH2 immunohistochemical expression.
Virchows Arch. 2003 Aug;443(2):115-21.

[Xiong B, Sun TJ, Yuan HY, Hu MB, Hu WD, Cheng FL.](#)

Cyclooxygenase-2 expression and angiogenesis in colorectal cancer.
World J Gastroenterol. 2003 Jun;9(6):1237-40.

[Zheng S, Han MY, Xiao ZX, Peng JP, Dong Q.](#)

Clinical significance of vascular endothelial growth factor expression and neovascularization in colorectal carcinoma.
World J Gastroenterol. 2003 Jun;9(6):1227-30.

[Alcock HE, Stephenson TJ, Royds JA, Hammond DW.](#)

Analysis of colorectal tumor progression by microdissection and comparative genomic hybridization.
Genes Chromosomes Cancer. 2003 Aug;37(4):369-80.

[Tsunoda T, Koh Y, Koizumi F, Tsukiyama S, Ueda H, Taguchi F, Yamaue H, Saijo N, Nishio K.](#)

Differential gene expression profiles and identification of the genes relevant to clinicopathologic factors in colorectal cancer selected by cDNA array method in combination with principal component analysis.
Int J Oncol. 2003 Jul;23(1):49-59.

[Ohno M, Nakamura T, Kunimoto Y, Nishimura K, Chung-Kang C, Kuroda Y.](#)

Lymphogenesis correlates with expression of vascular endothelial growth factor-C in colorectal cancer.

Oncol Rep. 2003 Jul-Aug;10(4):939-43.

[Rao M, Yang W, Seifalian AM, Winslet MC.](#)

Role of cyclooxygenase-2 in the angiogenesis of colorectal cancer.

Int J Colorectal Dis. 2003 Jun 3

[Marotta A, Parhar K, Owen D, Dedhar S, Salh B.](#)

Characterisation of integrin-linked kinase signalling in sporadic human colon cancer.

Br J Cancer. 2003 Jun 2;88(11):1755-62.