

Overview on Colorectal papers

N° 14 -- October 2003

A ProctoSite's e-publication
www.proctosite.com

July 2003 / September 2003

Ulcerative Colitis

Surgical treatment

[Teixeira MG, Ponte AC, Sousa M, Almeida MG, Silva Filho E, Calache JE, Habr-Gama A, Kiss DR.](#)

Short- and long-term outcomes of ileal pouch-anal anastomosis for ulcerative colitis. Rev Hosp Clin Fac Med Sao Paulo. 2003 Jul-Aug;58(4):193-8. Epub 2003 Sep 30.

[Michelassi F, Lee J, Rubin M, Fichera A, Kasza K, Karrison T, Hurst RD.](#)

Long-term functional results after ileal pouch anal restorative proctocolectomy for ulcerative colitis: a prospective observational study. Ann Surg. 2003 Sep;238(3):433-41; discussion 442-5.

[Camilleri-Brennan J, Munro A, Steele RJ.](#)

Does an ileoanal pouch offer a better quality of life than a permanent ileostomy for patients with ulcerative colitis? J Gastrointest Surg. 2003 Sep-Oct;7(6):814-9.

[Alves A, Panis Y, Bouhnik Y, Maylin V, Lavergne-Slove A, Valleur P.](#)

Subtotal colectomy for severe acute colitis: a 20-year experience of a tertiary care center with an aggressive and early surgical policy. J Am Coll Surg. 2003 Sep;197(3):379-85.

[Weinryb RM, Gustavsson JP, Barber JP.](#)

Personality traits predicting long-term adjustment after surgery for ulcerative colitis. J Clin Psychol. 2003 Sep;59(9):1015-29.

[Willis S, Lorken M, Holzl F, Fackeldey V, Schumpelick V.](#)

[Functional results and quality of life after proctocolectomy and ileal J-pouch-anal anastomosis for ulcerative colitis] Zentralbl Chir. 2003 Aug;128(8):663-8. German.

[Bell SW, Parry B, Neill M.](#)

Adenocarcinoma in the anal transitional zone after ileal pouch for ulcerative colitis: report of a case. Dis Colon Rectum. 2003 Aug;46(8):1134-7.

[Tulchinsky H, Cohen CR, Nicholls RJ.](#)

Salvage surgery after restorative proctocolectomy. Br J Surg. 2003 Aug;90(8):909-21. Review.

[Tulchinsky H, Hawley PR, Nicholls J.](#)

Long-term failure after restorative proctocolectomy for ulcerative colitis.
Ann Surg. 2003 Aug;238(2):229-34.

[Delaney CP, Fazio VW, Remzi FH, Hammel J, Church JM, Hull TL, Senagore AJ, Strong SA, Lavery IC.](#)

Prospective, age-related analysis of surgical results, functional outcome, and quality of life after ileal pouch-anal anastomosis.
Ann Surg. 2003 Aug;238(2):221-8.

Ulcerative Colitis

Medical treatment

[Campbell S, Ghosh S.](#)

Combination immunomodulatory therapy with cyclosporine and azathioprine in corticosteroid-resistant severe ulcerative colitis: the Edinburgh experience of outcome.
Dig Liver Dis. 2003 Aug;35(8):546-51.

[Warman JI, Korelitz BI, Fleisher MR, Janardhanam R.](#)

Cumulative experience with short- and long-term toxicity to 6-mercaptopurine in the treatment of Crohn's disease and ulcerative colitis.
J Clin Gastroenterol. 2003 Sep;37(3):220-5.

[Hogenauer C, Wenzl HH, Hinterleitner TA, Petritsch W.](#)

Effect of oral tacrolimus (FK 506) on steroid-refractory moderate/severe ulcerative colitis.
Aliment Pharmacol Ther. 2003 Aug 15;18(4):415-23.

[Remzi FH, Preen M.](#)

Rectal cancer and ulcerative colitis: does it change the therapeutic approach?
Colorectal Dis. 2003 Sep;5(5):483-5.

[Nikolaus S, Rutgeerts P, Fedorak R, Steinhart AH, Wild GE, Theuer D, Mohrle J, Schreiber S.](#)

Interferon beta-1a in ulcerative colitis: a placebo controlled, randomised, dose escalating study.
Gut. 2003 Sep;52(9):1286-90.

[Matsumoto T, Nakamura S, Jo Y, Yao T, Iida M.](#)

Chromoscopy might improve diagnostic accuracy in cancer surveillance for ulcerative colitis.
Am J Gastroenterol. 2003 Aug;98(8):1827-33.

[Croog VJ, Ullman TA, Itzkowitz SH.](#)

Chemoprevention of colorectal cancer in ulcerative colitis.
Int J Colorectal Dis. 2003 Sep;18(5):392-400. Epub 2003 Feb 06.

[Rayner CK, McCormack G, Emmanuel AV, Kamm MA.](#)

Long-term results of low-dose intravenous ciclosporin for acute severe ulcerative colitis.
Aliment Pharmacol Ther. 2003 Aug 1;18(3):303-8.

[Sinha A, Nightingale J, West KP, Berlanga-Acosta J, Playford RJ.](#)

Epidermal growth factor enemas with oral mesalamine for mild-to-moderate left-sided ulcerative colitis or proctitis.
N Engl J Med. 2003 Jul 24;349(4):350-7.

[Gornet JM, Couve S, Hassani Z, Delchier JC, Marteau P, Cosnes J, Bouhnik Y, Dupas JL, Modigliani R, Taillard F, Lemann M.](#)

Infliximab for refractory ulcerative colitis or indeterminate colitis: an open-label multicentre study.

Aliment Pharmacol Ther. 2003 Jul 15;18(2):175-81.

[Lim CH, Dixon MF, Vail A, Forman D, Lynch DA, Axon AT.](#)

Ten year follow up of ulcerative colitis patients with and without low grade dysplasia.
Gut. 2003 Aug;52(8):1127-32.

[Bar-Meir S, Fidler HH, Faszczky M, Bianchi Porro G, Sturniolo GC, Mickisch O, Muller R, Greinwald R, Chowers Y, Grobeta V; International Budesonide Study Group.](#)

Budesonide foam vs. hydrocortisone acetate foam in the treatment of active ulcerative proctosigmoiditis.

Dis Colon Rectum. 2003 Jul;46(7):929-36.

[Borody TJ, Warren EF, Leis S, Surace R, Ashman O.](#)

Treatment of ulcerative colitis using fecal bacteriotherapy.

J Clin Gastroenterol. 2003 Jul;37(1):42-7.

[Messmann H, Endlicher E, Freunek G, Rummele P, Scholmerich J, Knuchel R.](#)

Fluorescence endoscopy for the detection of low and high grade dysplasia in ulcerative colitis using systemic or local 5-aminolaevulinic acid sensitisation.

Gut. 2003 Jul;52(7):1003-7.

[Probert CS, Hearing SD, Schreiber S, Kuhbacher T, Ghosh S, Arnott ID, Forbes A.](#)

Infliximab in moderately severe glucocorticoid resistant ulcerative colitis: a randomised controlled trial.

Gut. 2003 Jul;52(7):998-1002.

Colonoscopy

[Van Gossum A, Hittelet A, Schmit A, Francois E, Deviere J.](#)

A prospective comparative study of push and wireless-capsule enteroscopy in patients with obscure digestive bleeding.

Acta Gastroenterol Belg. 2003 Jul-Sep;66(3):199-205

[Rex DK, Chadalawada V, Helper DJ.](#)

Wide angle colonoscopy with a prototype instrument: impact on miss rates and efficiency as determined by back-to-back colonoscopies.

Am J Gastroenterol. 2003 Sep;98(9):2000-5.

[Johnson CD, Toledano AY, Herman BA, Dachman AH, McFarland EG, Barish MA, Brink JA, Ernst RD, Fletcher JG, Halvorsen RA Jr, Hara AK, Hopper KD, Koehler RE, Lu DS, Macari M, Maccarty RL, Miller FH, Morrin M, Paulson EK, Yee J, Zalis M; American College of Radiology Imaging Network A6656.](#)

Computerized tomographic colonography: performance evaluation in a retrospective multicenter setting.

Gastroenterology. 2003 Sep;125(3):688-95.

[Bright E, Roseveare C, Dalglish D, Kimble J, Elliott J, Shepherd H.](#)

Patient-controlled sedation for colonoscopy: a randomized trial comparing patient-controlled administration of propofol and alfentanil with physician-administered midazolam and pethidine.

Endoscopy. 2003 Aug;35(8):683-7.

[Kulling D, Rothenbuhler R, Inauen W.](#)

Safety of nonanesthetist sedation with propofol for outpatient colonoscopy and esophagogastroduodenoscopy.

Endoscopy. 2003 Aug;35(8):679-82.

[Ginnerup Pedersen B, Christiansen TE, Bjerregaard NC, Ljungmann K, Laurberg S.](#)

Colonoscopy and multidetector-array computed-tomographic colonography: detection rates and feasibility.

Endoscopy. 2003 Sep;35(9):736-42.

[Mahmood T, Darzi A.](#)

A study to validate the colonoscopy simulator.

Surg Endosc. 2003 Aug 15 [Epub ahead of print]

[Chorost MI, Wu JT, Webb H, Ghosh BC.](#)

Vertebral venous air embolism: an unusual complication following colonoscopy: report of a case.

Dis Colon Rectum. 2003 Aug;46(8):1138-40.

[Stevens T, Burke CA.](#)

Colonoscopy screening in the elderly: when to stop?

Am J Gastroenterol. 2003 Aug;98(8):1881-5.

[Stockwell DH, Woo P, Jacobson BC, Remily R, Syngal S, Wolf J, Farraye FA.](#)

Determinants of colorectal cancer screening in women undergoing mammography.

Am J Gastroenterol. 2003 Aug;98(8):1875-80.

[Viiala CH, Zimmerman M, Cullen DJ, Hoffman NE.](#)

Complication rates of colonoscopy in an Australian teaching hospital environment.

Intern Med J. 2003 Aug;33(8):355-9.

[Brown ML, Klabunde CN, Mysliwiec P.](#)

Current capacity for endoscopic colorectal cancer screening in the United States: data from the National Cancer Institute Survey of Colorectal Cancer Screening Practices.

Am J Med. 2003 Aug 1;115(2):129-33.

[Johnson CD, Harmsen WS, Wilson LA, Maccarty RL, Welch TJ, Ilstrup DM, Ahlquist DA.](#)

Prospective blinded evaluation of computed tomographic colonography for screen detection of colorectal polyps.

Gastroenterology. 2003 Aug;125(2):311-9.

[Pineau BC, Paskett ED, Chen GJ, Espeland MA, Phillips K, Han JP, Mikulaninec C, Vining DJ.](#)

Virtual colonoscopy using oral contrast compared with colonoscopy for the detection of patients with colorectal polyps.

Gastroenterology. 2003 Aug;125(2):304-10.

[Eloubeidi MA, Wallace MB, Desmond R, Farraye FA.](#)

Female gender and other factors predictive of a limited screening flexible sigmoidoscopy examination for colorectal cancer.

Am J Gastroenterol. 2003 Jul;98(7):1634-9.

[Bretthauer M, Hoff GS, Thiis-Evensen E, Huppertz-Hauss G, Skovlund E.](#)

Air and carbon dioxide volumes insufflated during colonoscopy.
Gastrointest Endosc. 2003 Aug;58(2):203-6.

[Mylonaki M, Fritscher-Ravens A, Swain P.](#)

Wireless capsule endoscopy: a comparison with push enteroscopy in patients with gastroscopy and colonoscopy negative gastrointestinal bleeding.
Gut. 2003 Aug;52(8):1122-6.

[Redelmeier DA, Katz J, Kahneman D.](#)

Memories of colonoscopy: a randomized trial.
Pain. 2003 Jul;104(1-2):187-94.

[Harewood GC, Sharma VK, de Garmo P.](#)

Impact of colonoscopy preparation quality on detection of suspected colonic neoplasia.
Gastrointest Endosc. 2003 Jul;58(1):76-9.

[El Sayed AM, Kanafani ZA, Mourad FH, Soweid AM, Barada KA, Adorian CS, Nasreddine WA, Sharara AI.](#)

A randomized single-blind trial of whole versus split-dose polyethylene glycol-electrolyte solution for colonoscopy preparation.
Gastrointest Endosc. 2003 Jul;58(1):36-40.

[Raymer GS, Hartman DE, Rowe WA, Werkman RF, Koch KL.](#)

An open-label trial of L-glucose as a colon-cleansing agent before colonoscopy.
Gastrointest Endosc. 2003 Jul;58(1):30-5.

[Schoen RE, Pinsky PF, Weissfeld JL, Bresalier RS, Church T, Prorok P, Gohagan JK; Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial Group.](#)

Results of repeat sigmoidoscopy 3 years after a negative examination.
JAMA. 2003 Jul 2;290(1):41-8.

Constipation

[Jung HK, Kim DY, Moon IH.](#)

Effects of gender and menstrual cycle on colonic transit time in healthy subjects.
Korean J Intern Med. 2003 Sep;18(3):181-6

[Bassotti G, Chistolini F, Battaglia E, Chiarioni G, Nzepa FS, Dughera L, deRoberto G, Emanuelli G, Morelli A.](#)

Are colonic regular contractile frequency patterns in slow transit constipation a relevant pathophysiological phenomenon?
Dig Liver Dis. 2003 Aug;35(8):552-6.

[Wiklund IK, Fullerton S, Hawkey CJ, Jones RH, Longstreth GF, Mayer EA, Peacock RA, Wilson IK, Naesdal J.](#)

An irritable bowel syndrome-specific symptom questionnaire: development and validation.
Scand J Gastroenterol. 2003 Sep;38(9):947-54.

[Wang J, Luo MH, Qi QH, Dong ZL.](#)

Prospective study of biofeedback retraining in patients with chronic idiopathic functional constipation.
World J Gastroenterol. 2003 Sep;9(9):2109-13.

[Shafik A, Shafik AA, El-Sibai O, Mostafa RM.](#)

Electric activity of the colon in subjects with constipation due to total colonic inertia: an electrophysiologic study.

Arch Surg. 2003 Sep;138(9):1007-11; discussion 1011.

[Rivkin A.](#)

Tegaserod maleate in the treatment of irritable bowel syndrome: a clinical review.

Clin Ther. 2003 Jul;25(7):1952-74.

[Cheng C, Chan AO, Hui WM, Lam SK.](#)

Coping strategies, illness perception, anxiety and depression of patients with idiopathic constipation: a population-based study.

Aliment Pharmacol Ther. 2003 Aug 1;18(3):319-26.

[van Ginkel R, Reitsma JB, Buller HA, van Wijk MP, Taminiau JA, Benninga MA.](#)

Childhood constipation: longitudinal follow-up beyond puberty.

Gastroenterology. 2003 Aug;125(2):357-63.

[De Schryver AM, Samsom M, Smout AI.](#)

Effects of a meal and bisacodyl on colonic motility in healthy volunteers and patients with slow-transit constipation.

Dig Dis Sci. 2003 Jul;48(7):1206-12.

[Gladman MA, Scott SM, Williams NS, Lunniss PJ.](#)

Clinical and physiological findings, and possible aetiological factors of rectal hyposensitivity.

Br J Surg. 2003 Jul;90(7):860-6.

[El-Salhy M.](#)

Chronic idiopathic slow transit constipation: pathophysiology and management.

Colorectal Dis. 2003 Jul;5(4):288-96.

[D'Hoore A, Penninckx F.](#)

Obstructed defecation.

Colorectal Dis. 2003 Jul;5(4):280-7.

[Chang HS, Myung SJ, Yang SK, Jung HY, Kim TH, Yoon IJ, Kwon OR, Hong WS, Kim JH, Min YI.](#) Effect of electrical stimulation in constipated patients with impaired rectal sensation.

Int J Colorectal Dis. 2003 Sep;18(5):433-8.

Hemorrhoids

[Habr-Gama A, e Sous AH Jr, Ravelo JM, Souza JV, Benicio F, Regadas FS, Wainstein C, da Cunha TM, Marques CF, Bonardi R, Ramos JR, Pandini LC, Kiss D.](#)

Stapled hemorrhoidectomy: initial experience of a Latin American group.

J Gastrointest Surg. 2003 Sep-Oct;7(6):809-13

[Chew SS, Marshall L, Kalish L, Tham J, Grieve DA, Douglas PR, Newstead GL.](#)

Short-term and long-term results of combined sclerotherapy and rubber band ligation of hemorrhoids and mucosal prolapse.

Dis Colon Rectum. 2003 Sep;46(9):1232-7.

[Jongen J, Bach S, Stubinger SH, Bock JU.](#)

Excision of thrombosed external hemorrhoid under local anesthesia: a retrospective evaluation of 340 patients.
Dis Colon Rectum. 2003 Sep;46(9):1226-31.

[Davies J, Duffy D, Boyt N, Aghahoseini A, Alexander D, Leveson S.](#)

Botulinum toxin (botox) reduces pain after hemorrhoidectomy: results of a double-blind, randomized study.
Dis Colon Rectum. 2003 Aug;46(8):1097-102.

[Correa-Rovelo JM, Tellez O, Obregon L, Duque-Lopez X, Miranda-Gomez A, Pichardo-Bahena R, Mendez M, Moran S.](#)

Prospective study of factors affecting postoperative pain and symptom persistence after stapled rectal mucosectomy for hemorrhoids: a need for preservation of squamous epithelium.
Dis Colon Rectum. 2003 Jul;46(7):955-62.

[Hwang do Y, Yoon SG, Kim HS, Lee JK, Kim KY.](#)

Effect of 0.2 percent glyceryl trinitrate ointment on wound healing after a hemorrhoidectomy: results of a randomized, prospective, double-blind, placebo-controlled trial.
Dis Colon Rectum. 2003 Jul;46(7):950-4.

[Bursics A, Morvay K, Kupcsulik P, Flautner L.](#)

Comparison of early and 1-year follow-up results of conventional hemorrhoidectomy and hemorrhoid artery ligation: a randomized study.
Int J Colorectal Dis. 2003 Jul 5

[Corman ML, Gravie JF, Hager T, Loudon MA, Mascagni D, Nystrom PO, Seow-Choen F, Abcarian H, Marcello P, Weiss E, Longo A.](#)

Stapled haemorrhoidopexy: a consensus position paper by an international working party - indications, contra-indications and technique.
Colorectal Dis. 2003 Jul;5(4):304-10. Review.

Diverticular disease

[Simpson J, Neal KR, Scholefield JH, Spiller RC.](#)

Patterns of pain in diverticular disease and the influence of acute diverticulitis.
Eur J Gastroenterol Hepatol. 2003 Sep;15(9):1005-10

[McConnell EJ, Tessier DJ, Wolff BG.](#)

Population-based incidence of complicated diverticular disease of the sigmoid colon based on gender and age.
Dis Colon Rectum. 2003 Aug;46(8):1110-4.

[Simpson J, Scholefield JH, Spiller RC.](#)

Origin of symptoms in diverticular disease.
Br J Surg. 2003 Aug;90(8):899-908. Review.

[Colecchia A, Sandri L, Capodicasa S, Vestito A, Mazzella G, Staniscia T, Roda E, Festi D.](#)

Diverticular disease of the colon: new perspectives in symptom development and treatment.
World J Gastroenterol. 2003 Jul;9(7):1385-9.

[Bolster LT, Papagrigroriadis S.](#)

Diverticular disease has an impact on quality of life -- results of a preliminary study.
Colorectal Dis. 2003 Jul;5(4):320-3