

Overview on Colorectal papers

N° 16 -- December 2003

A ProctoSite's e-publication
www.proctosite.com

September 2003 / November 2003

Colorectal Cancer Surgical treatment

[Leroy J, Jamali F, Forbes L, Smith M, Rubino F, Mutter D, Marescaux J.](#)

Laparoscopic total mesorectal excision (TME) for rectal cancer surgery: long-term outcomes.

Surg Endosc. 2003 Dec

[Gu J, Zhao J, Li Z, Yang Z, Zhang J, Gao Z, Wang Y, Xu G.](#)

Clinical application of radioimmunoguided surgery in colorectal cancer using 125I-labeled carcinoembryonic antigen-specific monoclonal antibody submucosally.

Dis Colon Rectum. 2003 Dec;46(12):1659-66.

[Kuo LJ, Leu SY, Liu MC, Jian JJ, Hongjun Cheng S, Chen CM.](#)

How aggressive should we be in patients with stage IV colorectal cancer?

Dis Colon Rectum. 2003 Dec;46(12):1646-52

[Hildebrandt U, Plusczyk T, Kessler K, Menger MD.](#)

Single-surgeon surgery in laparoscopic colonic resection.

Dis Colon Rectum. 2003 Dec;46(12):1640-5.

[Delaney CP, Lynch AC, Senagore AJ, Fazio VW.](#)

Comparison of robotically performed and traditional laparoscopic colorectal surgery.

Dis Colon Rectum. 2003 Dec;46(12):1633-9.

[Sakuragi M, Togashi K, Konishi F, Koinuma K, Kawamura Y, Okada M, Nagai H.](#)

Predictive factors for lymph node metastasis in T1 stage colorectal carcinomas.

Dis Colon Rectum. 2003 Dec;46(12):1626-32.

[Van Den Brink M, Van Den Hout WB, Stiggelbout AM, Kranenbarg EK, Marijnen CA, Van De Velde CJ, Kievit J.](#)

Cost-Utility Analysis of Preoperative Radiotherapy in Patients With Rectal Cancer Undergoing Total Mesorectal Excision: The Dutch Colorectal Cancer Group.

J Clin Oncol. 2003 Dec 9 [

[Fujita S, Yamamoto S, Akasu T, Moriya Y.](#)

Lateral pelvic lymph node dissection for advanced lower rectal cancer.

Br J Surg. 2003 Dec;90(12):1580-5.

[Weyandt GH, Eggert AO, Houf M, Raulf F, Brocker EB, Becker JC.](#)

Anorectal melanoma: surgical management guidelines according to tumour thickness.

Br J Cancer. 2003 Dec 1;89(11):2019-22.

[de Vos tot Nederveen Cappel WH, Buskens E, van Duijvendijk P, Cats A, Menko FH, Griffioen G, Slors JF, Nagengast FM, Kleibeuker JH, Vasen HF.](#)

Decision analysis in the surgical treatment of colorectal cancer due to a mismatch repair gene defect.

Gut. 2003 Dec;52(12):1752-5.

[Tekkis PP, Poloniecki JD, Thompson MR, Stamatakis JD.](#)

Operative mortality in colorectal cancer: prospective national study.

BMJ. 2003 Nov 22;327(7425):1196-201

[Vitelli CE, Crenca F, Fortunato L, Di Nardo A, Farina M, Mustaccioli G.](#)

Pelvic exenterative procedures for locally advanced or recurrent colorectal carcinoma in a community hospital.

Tech Coloproctol. 2003 Oct;7(3):159-63.

[Zingmond D, Maggard M, O'Connell J, Liu J, Etzioni D, Ko C.](#)

What predicts serious complications in colorectal cancer resection?

Am Surg. 2003 Nov;69(11):969-74.

[Ramirez JI, Vassiliu P, Gonzalez-Ruiz C, Vukasin P, Ortega A, Kaiser AM, Beart RW.](#)

Sequential compression devices as prophylaxis for venous thromboembolism in high-risk colorectal surgery patients: reconsidering American Society of Colorectal Surgeons parameters.

Am Surg. 2003 Nov;69(11):941-5.

[Law WL, Chan WF, Lee YM, Chu KW.](#)

Non-curative surgery for colorectal cancer: critical appraisal of outcomes.

Int J Colorectal Dis. 2003 Nov 15 [Epub ahead of print]

[Limpert P, Longo WE, Kelemen PR, Vernava AM, Bahadursingh AN, Johnson FE, Limpert J, Kaminski DL.](#)

Colon and rectal cancer in the elderly. High incidence of asymptomatic disease, less surgical emergencies, and a favorable short-term outcome.

Crit Rev Oncol Hematol. 2003 Nov;48(2):159-63.

[Prabhudesai A, Arif S, Finlayson CJ, Kumar D.](#)

Impact of microscopic extranodal tumor deposits on the outcome of patients with rectal cancer.

Dis Colon Rectum. 2003 Nov;46(11):1531-7.

[Da Silva GM, Berho M, Wexner SD, Efron J, Weiss EG, Noguerras JJ, Vernava AM 3rd, Connor JT, Gervaz P.](#)

Histologic analysis of the irradiated anal sphincter.

Dis Colon Rectum. 2003 Nov;46(11):1492-7

[Law WL, Choi HK, Chu KW.](#)

Comparison of stenting with emergency surgery as palliative treatment for obstructing primary left-sided colorectal cancer.

Br J Surg. 2003 Nov;90(11):1429-33.

[Fujita S, Shimoda T, Yoshimura K, Yamamoto S, Akasu T, Moriya Y.](#)

Prospective evaluation of prognostic factors in patients with colorectal cancer undergoing curative resection.

J Surg Oncol. 2003 Nov;84(3):127-31.

[Law CH, Wright FC, Rapanos T, Alzahrani M, Hanna SS, Khalifa M, Smith AJ.](#)

Impact of lymph node retrieval and pathological ultra-staging on the prognosis of stage II colon cancer.

J Surg Oncol. 2003 Nov;84(3):120-6.

[Nakagoe T, Tsuji T, Sawai T, Sugawara K, Inokuchi N, Kamihira S, Arisawa K.](#)

Minilaparotomy may be independently associated with reduction in inflammatory responses after resection for colorectal cancer.

Eur Surg Res. 2003 Nov-Dec;35(6):477-85.

[Anthony T, Hynan LS, Rosen D, Kim L, Nwariaku F, Jones C, Sarosi G.](#)

The association of pretreatment health-related quality of life with surgical complications for patients undergoing open surgical resection for colorectal cancer.

Ann Surg. 2003 Nov;238(5):690-6.

[Moozar KL, Wong CS, Couture J.](#)

Anorectal malignant melanoma: treatment with surgery or radiation therapy, or both.

Can J Surg. 2003 Oct;46(5):345-9.

[Sadahiro S, Suzuki T, Ishikawa K, Nakamura T, Tanaka Y, Masuda T, Mukoyama S, Yasuda S, Tajima T, Makuuchi H, Murayama C.](#)

Recurrence patterns after curative resection of colorectal cancer in patients followed for a minimum of ten years.

Hepatogastroenterology. 2003 Sep-Oct;50(53):1362-6.

[Nan KJ, Qin HX, Yang G.](#)

Prognostic factors in 165 elderly colorectal cancer patients.

World J Gastroenterol. 2003 Oct;9(10):2207-10.

[Lasser P, Cote JF, Sabourin JC, Boige V, Elias D, Duvillard P, Pocard M.](#)

[Is sentinel lymph node mapping relevant for colon cancer?: a feasibility study]

Ann Chir. 2003 Sep;128(7):433-7. French.

[Juffermans JH, Hanssens PE, van Putten WL, van Rhoon GC, van Der Zee J.](#)

Reirradiation and hyperthermia in rectal carcinoma: a retrospective study on palliative effect.

Cancer. 2003 Oct 15;98(8):1759-66.

[Mukai M, Sato S, Nishida T, Komatsu N, Shiba K, Nakasaki H, Makuuchi H.](#)

Selection criteria for high risk and low risk groups of recurrence and metastasis in patients with primary colorectal cancer.

Oncol Rep. 2003 Nov-Dec;10(6):1753-8.

[Ooi BS, Remzi FH, Gramlich T, Church JM, Preen M, Fazio VW.](#)

Anal transitional zone cancer after restorative proctocolectomy and ileoanal anastomosis in familial adenomatous polyposis: report of two cases.

Dis Colon Rectum. 2003 Oct;46(10):1418-23; discussion 1422-3. Review.

[Beal KP, Wong D, Guillem JG, Paty PB, Saltz LL, Wagman R, Minsky BD.](#)

Primary adenocarcinoma of the anus treated with combined modality therapy.

Dis Colon Rectum. 2003 Oct;46(10):1320-4.

[Kecmanovic DM, Pavlov MJ, Kovacevic PA, Sepetkovski AV, Ceranic MS, Stamenkovic AB.](#)

Management of advanced pelvic cancer by exenteration.

Eur J Surg Oncol. 2003 Nov;29(9):743-6.

[Verwaal VJ, van Ruth S, de Bree E, van Sloothen GW, van Tinteren H, Boot H, Zoetmulder FA.](#)

Randomized trial of cytoreduction and hyperthermic intraperitoneal chemotherapy versus systemic chemotherapy and palliative surgery in patients with peritoneal carcinomatosis of colorectal cancer.

J Clin Oncol. 2003 Oct 15;21(20):3737-43.

[Saida Y, Sumiyama Y, Nagao J, Uramatsu M.](#)

Long-term prognosis of preoperative "bridge to surgery" expandable metallic stent insertion for obstructive colorectal cancer: comparison with emergency operation.

Dis Colon Rectum. 2003 Oct;46(10 Suppl):S44-9.

[Kotake K, Honjo S, Sugihara K, Kato T, Kodaira S, Takahashi T, Yasutomi M, Muto T, Koyama Y.](#)

Changes in colorectal cancer during a 20-year period: an extended report from the multi-institutional registry of large bowel cancer, Japan.

Dis Colon Rectum. 2003 Oct;46(10 Suppl):S32-43.

[Wright FC, Law CH, Last L, Khalifa M, Arnaout A, Naseer Z, Klar N, Gallinger S, Smith AJ.](#)

Lymph node retrieval and assessment in stage II colorectal cancer: a population-based study.

Ann Surg Oncol. 2003 Oct;10(8):903-9.

[Bell SW, Walker KG, Rickard MJ, Sinclair G, Dent OF, Chapuis PH, Bokey EL.](#)

Anastomotic leakage after curative anterior resection results in a higher prevalence of local recurrence.

Br J Surg. 2003 Oct;90(10):1261-6.

[Tepper JE, O'Connell M, Hollis D, Niedzwiecki D, Cooke E, Mayer RJ: Intergroup Study 0114.](#)

Analysis of surgical salvage after failure of primary therapy in rectal cancer: results from Intergroup Study 0114.

J Clin Oncol. 2003 Oct 1;21(19):3623-8.

[Lassmann S, Bauer M, Rosenberg R, Nekarda H, Soong R, Ruger R, Hofler H, Werner M.](#)

Identification of occult tumor cells in node negative lymph nodes of colorectal cancer patients by cytokeratin 20 gene and protein expression.

Int J Colorectal Dis. 2003 Sep 10 [Epub ahead of print]

[Dimick JB, Cowan JA Jr, Upchurch GR Jr, Colletti LM.](#)

Hospital volume and surgical outcomes for elderly patients with colorectal cancer in the United States.

J Surg Res. 2003 Sep;114(1):50-6.

[Moutardier V, Tardat E, Giovannini M, Lelong B, Guiramand J, Magnin V, Houvenaeghel G, Delpero JR.](#)

Long-term results of preoperative radiotherapy for 113 cases of UT3 and UT4 rectal cancer: a need for long-term follow-up.

Dis Colon Rectum. 2003 Sep;46(9):1194-9.

[Brown CL, Ternent CA, Thorson AG, Christensen MA, Blatchford GJ, Shashidharan M, Haynatzki GR.](#)

Response to preoperative chemoradiation in stage II and III rectal cancer.

Dis Colon Rectum. 2003 Sep;46(9):1189-93.

[Furst A, Suttner S, Agha A, Beham A, Jauch KW.](#)

Colonic J-pouch vs. coloplasty following resection of distal rectal cancer: early results of a prospective, randomized, pilot study.
Dis Colon Rectum. 2003 Sep;46(9):1161-6.

Adjuvant therapy

[Csizmadi I, Collet JP, Benedetti A, Boivin JF, Hanley JA.](#)

The effects of transdermal and oral oestrogen replacement therapy on colorectal cancer risk in postmenopausal women.
Br J Cancer. 2004 Jan 12;90(1):76-81.

[Mendez M, Salut A, Garcia-Giron C, Navalon M, Diz P, Garcia Lopez MJ, Espana P, de la Torre A, Martinez del Prado P, Duarte I, Pujol E, Arizcun A, Cruz JJ.](#)

A multicenter phase II study of irinotecan in patients with advanced colorectal cancer previously treated with 5-fluorouracil.
Clin Colorectal Cancer. 2003 Nov;3(3):174-9

[Goldberg RM, Sargent DJ, Morton RF, Fuchs CS, Ramanathan RK, Williamson SK, Findlay BP, Pitot HC, Alberts SR.](#)

A randomized controlled trial of fluorouracil plus leucovorin, irinotecan, and oxaliplatin combinations in patients with previously untreated metastatic colorectal cancer.
J Clin Oncol. 2004 Jan 1;22(1):23-30. Epub 2003 Dec 09.

[Chauveinc L, Buthaud X, Falcou MC, Mosseri V, De la Rochefordiere A, Pierga JY, Girodet J, Salmon RJ.](#)

Anal canal cancer treatment: practical limitations of routine prescription of concurrent chemotherapy and radiotherapy.
Br J Cancer. 2003 Dec 1;89(11):2057-61.

[Lechpammer M, Lukac J, Lechpammer S, Kovacevic D, Loda M, Kusic Z.](#)

Humoral immune response to p53 correlates with clinical course in colorectal cancer patients during adjuvant chemotherapy.
Int J Colorectal Dis. 2003 Nov 21 [Epub ahead of print]

[Kosaka K, Nishino H, Yamada N, Nishihara T, Ohira M, Hirakawa K.](#)

[Validity of two-hour continuous hepatic arterial infusion chemotherapy with low-dose 5-FU for unresectable liver metastasis from colorectal cancer]
Gan To Kagaku Ryoho. 2003 Oct;30(11):1647-50. Japanese

[Ishida H, Yamada H, Shirakawa K, Nakada H, Ohsawa T, Takeuchi I, Okada N, Yokoyama M, Inokuma S, Suzuki T, Odaka A, Hoshino T, Murata N, Hashimoto D, Itoyama S, Mori T, Matsumoto Y, Miura T.](#)

[Results of prophylactic hepatic arterial chemotherapy for liver metastases of Dukes C colorectal cancer--correlation with tumoral expression of dihydropyrimidine dehydrogenase, thymidylate synthase, p53, or orotate phosphoribosyl transferase]
Gan To Kagaku Ryoho. 2003 Oct;30(11):1621-6. Japanese

[Kienle P, Koch M, Autschbach F, Benner A, Treiber M, Wannemacher M, von Knebel Doeberitz M, Buchler M, Herfarth C, Weitz J.](#)

Decreased detection rate of disseminated tumor cells of rectal cancer patients after preoperative chemoradiation: a first step towards a molecular surrogate marker for

neoadjuvant treatment in colorectal cancer.
Ann Surg. 2003 Sep;238(3):324-30; discussion 330-1.

[Kohne CH, Wils J, Lorenz M, Schoffski P, Voigtmann R, Bokemeyer C, Lutz M, Kleeberg C, Ridwelski K, Souchon R, El-Serafi M, Weiss U, Burkhard O, Ruckle H, Lichnitscher M, Langenbuch T, Scheithauer W, Baron B, Couvreur ML, Schmoll HJ; European Organization of Research and Treatment of Cancer Gastrointestinal Group Study 40952.](#)

Randomized phase III study of high-dose fluorouracil given as a weekly 24-hour infusion with or without leucovorin versus bolus fluorouracil plus leucovorin in advanced colorectal cancer: European organization of Research and Treatment of Cancer Gastrointestinal Group Study 40952.

J Clin Oncol. 2003 Oct 15;21(20):3721-8. Epub 2003 Sep 08.

Risk factors, staging, follow-up and screening

[Sanjoaquin MA, Appleby PN, Thorogood M, Mann JI, Key TJ.](#)

Nutrition, lifestyle and colorectal cancer incidence: a prospective investigation of 10 998 vegetarians and non-vegetarians in the United Kingdom.

Br J Cancer. 2004 Jan 12;90(1):118-21.

[Panzuto F, Chiriatti A, Bevilacqua S, Giovannetti P, Russo G, Impinna S, Pistilli F, Capurso G, Annibale B, Delle Fave G; Digestive and Liver Disease and Primary Care Medicine Lazio Group.](#)

Symptom-based approach to colorectal cancer: survey of primary care physicians in Italy. Dig Liver Dis. 2003 Dec;35(12):869-75.

[Hadley DW, Jenkins JF, Dimond E, de Carvalho M, Kirsch I, Palmer CG.](#)

Colon cancer screening practices after genetic counseling and testing for hereditary nonpolyposis colorectal cancer.

J Clin Oncol. 2004 Jan 1;22(1):39-44.

[Lin JK, Chang SC, Yang SH, Jiang JK, Chen WC, Lin TC.](#)

Prognostic value of DNA ploidy patterns of colorectal adenocarcinoma.

Hepatogastroenterology. 2003 Nov-Dec;50(54):1927-32.

[Pheby DF, Levine DF, Pitcher RW, Shepherd NA.](#)

Lymph node harvests directly influence the staging of colorectal cancer: evidence from a regional audit.

J Clin Pathol. 2004 Jan;57(1):43-47.

[Otani T, Iwasaki M, Yamamoto S, Sobue T, Hanaoka T, Inoue M, Tsugane S.](#)

Alcohol Consumption, Smoking, and Subsequent Risk of Colorectal Cancer in Middle-Aged and Elderly Japanese Men and Women: Japan Public Health Center-based Prospective Study.

Cancer Epidemiol Biomarkers Prev. 2003 Dec;12(12):1492-500.

[Anderson JC, Attam R, Alpern Z, Messina CR, Hubbard P, Grimson R, Ells PF, Brand DL.](#)

Prevalence of colorectal neoplasia in smokers.

Am J Gastroenterol. 2003 Dec;98(12):2777-83.

[Betes M, Munoz-Navas MA, Duque JM, Angos R, Macias E, Subtil JC, Herraiz M, De La Riva S, Delgado-Rodriguez M, Martinez-Gonzalez MA.](#)

Use of colonoscopy as a primary screening test for colorectal cancer in average risk people.

Am J Gastroenterol. 2003 Dec;98(12):2648-54.

[Slattery ML, Levin TR, Ma K, Goldgar D, Holubkov R, Edwards S.](#)

Family history and colorectal cancer: predictors of risk.
Cancer Causes Control. 2003 Nov;14(9):879-87.

[O'Leary BA, Olynyk JK, Neville AM, Platell CF.](#)

Cost-effectiveness of colorectal cancer screening: Comparison of community-based flexible sigmoidoscopy with fecal occult blood testing and colonoscopy.
J Gastroenterol Hepatol. 2004 Jan;19(1):38-47.

[Il'yasova D, Martin C, Sandler RS.](#)

Tea intake and risk of colon cancer in African-Americans and whites: North Carolina colon cancer study.
Cancer Causes Control. 2003 Oct;14(8):767-72.

[Wakai K, Hayakawa N, Kojima M, Tamakoshi K, Watanabe Y, Suzuki K, Hashimoto S, Tokudome S, Toyoshima H, Ito Y, Tamakoshi A; JACC Study Group.](#)

Smoking and colorectal cancer in a non-Western population: a prospective cohort study in Japan.
J Epidemiol. 2003 Nov;13(6):323-32.

[Hou SJ, Chen PH.](#)

Home-administered fecal occult blood test for colorectal cancer screening among worksites in Taiwan.
Prev Med. 2004 Jan;38(1):78-84.

[Chen YK, Kao CH, Liao AC, Shen YY, Su CT.](#)

Colorectal cancer screening in asymptomatic adults: the role of FDG PET scan.
Anticancer Res. 2003 Sep-Oct;23(5b):4357-61.

[Halligan S, Marshall M, Taylor S, Bartram C, Bassett P, Cardwell C, Atkin W.](#)

Observer Variation in the Detection of Colorectal Neoplasia on Double-contrast Barium Enema: Implications for Colorectal Cancer Screening and Training.
Clin Radiol. 2003 Dec;58(12):948-54.

[Hurlstone DP, Cross SS, Adam I, Shorthouse AJ, Brown S, Sanders DS, Lobo AJ.](#)

A prospective clinicopathological and endoscopic evaluation of flat and depressed colorectal lesions in the United Kingdom.
Am J Gastroenterol. 2003 Nov;98(11):2543-9.

[Hurlstone DP, Brown S, Cross SS.](#)

The role of flat and depressed colorectal lesions in colorectal carcinogenesis: new insights from clinicopathological findings in high-magnification chromoscopic colonoscopy.
Histopathology. 2003 Nov;43(5):413-26.

[Dafnis G, Blomqvist P, Granath F, Pahlman L, Ekbom A.](#)

Colorectal cancer detection by colonoscopy in a Swedish county, 1979-95.
Scand J Gastroenterol. 2003 Oct;38(10):1059-67.

[Satia-Abouta J, Galanko JA, Potter JD, Ammerman A, Martin CF, Sandler RS; North Carolina Colon Cancer Study.](#)

Associations of total energy and macronutrients with colon cancer risk in African Americans and Whites: results from the North Carolina colon cancer study.
Am J Epidemiol. 2003 Nov 15;158(10):951-62.

[Maggard MA, Beanes SR, Ko CY.](#)

Anal canal cancer: a population-based reappraisal.

Dis Colon Rectum. 2003 Nov;46(11):1517-23; discussion 1523-4; author reply 1524

[Terry MB, Neugut AI, Mansukhani M, Wayne J, Harpaz N, Hibshoosh H.](#)

Tobacco, alcohol, and p53 overexpression in early colorectal neoplasia.

BMC Cancer. 2003 Nov 6;3(1):29. Epub 2003 Nov 06.

[Kantorova I, Lipska L, Belohlavek O, Visokai V, Trubac M, Schneiderova M.](#)

Routine (18)F-FDG PET preoperative staging of colorectal cancer: comparison with conventional staging and its impact on treatment decision making.

J Nucl Med. 2003 Nov;44(11):1784-8.

[Martling A, Holm T, Bremner S, Lindholm J, Cedermark B, Blomqvist L.](#)

Prognostic value of preoperative magnetic resonance imaging of the pelvis in rectal cancer.

Br J Surg. 2003 Nov;90(11):1422-8.

[Shia J, Ellis NA, Paty PB, Nash GM, Qin J, Offit K, Zhang XM, Markowitz AJ, Nafa K, Guillem JG, Wong WD, Gerald WL, Klimstra DS.](#)

Value of histopathology in predicting microsatellite instability in hereditary nonpolyposis colorectal cancer and sporadic colorectal cancer.

Am J Surg Pathol. 2003 Nov;27(11):1407-17.

[Wright CL, Stewart ID.](#)

Histopathology and mismatch repair status of 458 consecutive colorectal carcinomas.

Am J Surg Pathol. 2003 Nov;27(11):1393-406.

[Kama NA, Kologlu M, Reis E, Doganay M, Atli M, Dolapci M.](#)

A prognostic score for colorectal cancer.

Hepatogastroenterology. 2003 Sep-Oct;50(53):1356-61.

[Shan YS, Lee JC, Chow NH, Yang HB, Wang ST.](#)

Immunohistochemical microvessel count is not a reliable prognostic predictor in colorectal carcinoma.

Hepatogastroenterology. 2003 Sep-Oct;50(53):1316-20

[O'Connell JB, Maggard MA, Liu JH, Etzioni DA, Livingston EH, Ko CY.](#)

Rates of colon and rectal cancers are increasing in young adults.

Am Surg. 2003 Oct;69(10):866-72.

[Meyerhardt JA, Catalano PJ, Schrag D, Ayanian JZ, Haller DG, Mayer RJ, Macdonald JS, Benson AB 3rd, Fuchs CS.](#)

Association of hospital procedure volume and outcomes in patients with colon cancer at high risk for recurrence.

Ann Intern Med. 2003 Oct 21;139(8):649-57.

[Ekelund G, Janzon L.](#)

[Too early to recommend universal screening for colorectal cancer]

Lakartidningen. 2003 Sep 18;100(38):2922-6. Review. Swedish.

[Gonzalez-Juanatey C, Gonzalez-Gay MA, Llorca J, Testa A, Corredoira J, Vidan J, Mayo J, Gonzalez-Juanatey JR.](#)

Infective endocarditis due to Streptococcus bovis in a series of nonaddict patients: clinical and morphological characteristics of 20 cases and review of the literature.

Can J Cardiol. 2003 Sep;19(10):1139-45. Review.

[Okuyama T, Nakamura T, Yamaguchi M.](#)

Budding is useful to select high-risk patients in stage II well-differentiated or moderately differentiated colon adenocarcinoma.
Dis Colon Rectum. 2003 Oct;46(10):1400-6.

[Figueredo A, Rumble RB, Maroun J, Earle CC, Cummings B, McLeod R, Zuraw L, Zwaal C, .](#)

Follow-up of patients with curatively resected colorectal cancer: a practice guideline.
BMC Cancer. 2003 Oct 6;3(1):26. Epub 2003 Oct 06.

[Whynes DK, Frew EJ, Manghan CM, Scholefield JH, Hardcastle JD.](#)

Colorectal cancer, screening and survival: the influence of socio-economic deprivation.
Public Health. 2003 Nov;117(6):389-95.

[Arab L, Il'yasova D.](#)

The epidemiology of tea consumption and colorectal cancer incidence.
J Nutr. 2003 Oct;133(10):3310S-3318S. Review.

[Jacobs EJ, Connell CJ, Chao A, McCullough ML, Rodriguez C, Thun MJ, Calle EE.](#)

Multivitamin use and colorectal cancer incidence in a US cohort: does timing matter?
Am J Epidemiol. 2003 Oct 1;158(7):621-8.

[Ganz PA, Farmer MM, Belman M, Malin JL, Bastani R, Kahn KL, Dietrich A, Fielding J.](#)

Improving colorectal cancer screening rates in a managed care health plan: recruitment of provider organizations for a randomized effectiveness trial.
Cancer Epidemiol Biomarkers Prev. 2003 Sep;12(9):824-9.

[Matsumoto T, Esaki M, Hizawa K, Kurahara K, Hirakawa K, Yao T, Iida M.](#)

Accuracy of radiographic assessment for the diagnosis of invasion depth in small invasive colorectal cancer.
Br J Radiol. 2003 Sep;76(909):611-6.

[Martijn H, Voogd AC, van de Poll-Franse LV, Repelaer van Driel OJ, Rutten HJ, Coebergh JW; Colorectal Cancer Study Group of the Comprehensive Cancer Centre South \(IZK\).](#)

Improved survival of patients with rectal cancer since 1980: a population-based study.
Eur J Cancer. 2003 Sep;39(14):2073-9.

[Bailey C, Corner J, Addington-Hall J, Kumar D, Nelson M, Haviland J.](#)

Treatment decisions in older patients with colorectal cancer: the role of age and multidimensional function.
Eur J Cancer Care (Engl). 2003 Sep;12(3):257-62.

Metastatic disease

[Fukunaga K, Takada Y, Otsuka M, Todoroki T, Fukao K.](#)

Resection of localized recurrences after hepatectomy of colorectal cancer metastases.
Hepatogastroenterology. 2003 Nov-Dec;50(54):1894-7.

[Linnemann U, Schimanski CC, Gebhardt C, Berger MR.](#)

Prognostic value of disseminated colorectal tumor cells in the liver: results of follow-up examinations.
Int J Colorectal Dis. 2003 Nov 21 [Epub ahead of print]

[Watanabe I, Arai T, Ono M, Sugito M, Kawashima K, Ito M, Nagai K, Saito N.](#)
Prognostic factors in resection of pulmonary metastasis from colorectal cancer.
Br J Surg. 2003 Nov;90(11):1436-40.

[Pfannschmidt J, Muley T, Hoffmann H, Dienemann H.](#)
Prognostic factors and survival after complete resection of pulmonary metastases from colorectal carcinoma: experiences in 167 patients.
J Thorac Cardiovasc Surg. 2003 Sep;126(3):732-9.

[Mineo TC, Ambrogi V, Tonini G, Bollero P, Roselli M, Mineo D, Nofroni I.](#)
Longterm results after resection of simultaneous and sequential lung and liver metastases from colorectal carcinoma.
J Am Coll Surg. 2003 Sep;197(3):386-91.

[Laurent C, Sa Cunha A, Couderc P, Rullier E, Saric J.](#)
Influence of postoperative morbidity on long-term survival following liver resection for colorectal metastases.
Br J Surg. 2003 Sep;90(9):1131-6.

Molecular biology

[Kirchhoff T, Satagopan JM, Kauff ND, Huang H, Kolachana P, Palmer C, Rapaport H, Nafa K, Ellis NA, Offit K.](#)
Frequency of BRCA1 and BRCA2 mutations in unselected Ashkenazi Jewish patients with colorectal cancer.
J Natl Cancer Inst. 2004 Jan 7;96(1):68-70.

[Niell BL, Rennert G, Bonner JD, Almog R, Tomsho LP, Gruber SB.](#)
BRCA1 and BRCA2 founder mutations and the risk of colorectal cancer.
J Natl Cancer Inst. 2004 Jan 7;96(1):15-21.

[Berger BM, Vucson BM, Diteberg JS.](#)
Gene mutations in advanced colonic polyps: potential marker selection for stool-based mutated human DNA assays for colon cancer screening.
Clin Colorectal Cancer. 2003 Nov;3(3):180-5.

[De Jong AE, Morreau H, Van Puijenbroek M, Eilers PH, Wijnen J, Nagengast FM, Griffioen G, Cats A, Menko FH, Kleibeuker JH, Vasen HF.](#)
The role of mismatch repair gene defects in the development of adenomas in patients with HNPCC.
Gastroenterology. 2004 Jan;126(1):42-8.

[Chung YC, Chang YF.](#)
Significance of inflammatory cytokines in the progression of colorectal cancer.
Hepatogastroenterology. 2003 Nov-Dec;50(54):1910-3.

[Fransen K, Klintenas M, Osterstrom A, Dimberg J, Monstein HJ, Soderkvist P.](#)
Mutation analysis of the BRAF, ARAF and RAF-1 genes in human colorectal adenocarcinomas.
Carcinogenesis. 2003 Dec 19

[Holten-Andersen M, Christensen IJ, Nilbert M, Bendahl PO, Nielsen HJ, Brunner N, Fernebro E.](#)

Association between preoperative plasma levels of tissue inhibitor of metalloproteinases 1 and rectal cancer patient survival. a validation study.
Eur J Cancer. 2004 Jan;40(1):64-72.

[Roeb E, Matern S.](#)

[Matrix metalloproteinases and colorectal cancer]
Med Klin (Munich). 2003 Dec;98(12):763-70. German.

[Lavagna C, Del Soldato P, Burgaud JL, Rampal P.](#)

Nitric oxide-releasing non steroidal anti-inflammatory drugs: a new generation of anti-tumoral molecules.
Curr Cancer Drug Targets. 2003 Dec;3(6):407-26.

[Narayan S, Roy D.](#)

Role of APC and DNA mismatch repair genes in the development of colorectal cancers.
Mol Cancer. 2003 Dec 12

[Masaki T, Sugiyama M, Matsuoka H, Abe N, Izumisato Y, Sakamoto A, Atomi Y.](#)

Matrix metalloproteinases may contribute compensationally to tumor invasion in T1 colorectal carcinomas.
Anticancer Res. 2003 Sep-Oct;23(5b):4169-73.

[Masaki T, Matsuoka H, Sugiyama M, Abe N, Izumisato Y, Goto A, Sakamoto A, Atomi Y.](#)

Laminin-5 gamma 2 chain and matrix metalloproteinase-2 may trigger colorectal carcinoma invasiveness through formation of budding tumor cells.
Anticancer Res. 2003 Sep-Oct;23(5b):4113-9.

[Le Marchand L, Seifried A, Lum-Jones A, Donlon T, Wilkens LR.](#)

Association of the cyclin D1 A870G polymorphism with advanced colorectal cancer.
JAMA. 2003 Dec 3;290(21):2843-8.

[Do JH, Chang SK, Ahnn JY, Cha BK, Cheong SM, Kim DW, Cheong HR, Kim HJ, Kim JG, Lee TJ, Park ES, Park SM.](#)

[Is immunohistochemistry for MLH1 and MSH2 proteins a useful method for detection of microsatellite instability in sporadic colorectal cancer?]
Korean J Gastroenterol. 2003 Nov;42(5):369-76. Korean

[Lenander C, Roblick UJ, Habermann JK, Ost A, Tryggvason K, Auer G.](#)

Laminin 5 gamma 2 chain expression: a marker of early invasiveness in colorectal adenomas.
Mol Pathol. 2003 Dec;56(6):342-6.

[Schuster R, Max N, Mann B, Heufelder K, Thilo F, Grone J, Rokos F, Buhr HJ, Thiel E, Keilholz U.](#)

Quantitative real-time RT-PCR for detection of disseminated tumor cells in peripheral blood of patients with colorectal cancer using different mRNA markers.
Int J Cancer. 2004 Jan 10;108(2):219-27. Review.

[Garcia JM, Rodriguez R, Dominguez G, Silva JM, Provencio M, Silva J, Colmenarejo A, Millan I, Munoz C, Salas C, Coca S, Espana P, Bonilla F.](#)

Prognostic significance of the allelic loss of the BRCA1 gene in colorectal cancer.
Gut. 2003 Dec;52(12):1756-63.

[Sun XF, Bartik Z, Zhang H.](#)

Bcl-2 expression is a prognostic factor in the subgroups of patients with colorectal cancer.
Int J Oncol. 2003 Nov;23(5):1439-43.

[Kopp R, Rothbauer E, Mueller E, Schildberg FW, Jauch KW, Pfeiffer A.](#)

Reduced survival of rectal cancer patients with increased tumor epidermal growth factor receptor levels.

Dis Colon Rectum. 2003 Oct;46(10):1391-9.

[Wistuba II, Behrens C, Albores-Saavedra J, Delgado R, Lopez F, Gazdar AF.](#)

Distinct K-ras mutation pattern characterizes signet ring cell colorectal carcinoma.

Clin Cancer Res. 2003 Sep 1;9(10 Pt 1):3615-9.

[Wu AW, Gu J, Ji JF, Li ZF, Xu GW.](#)

Role of COX-2 in carcinogenesis of colorectal cancer and its relationship with tumor biological characteristics and patients' prognosis.

World J Gastroenterol. 2003 Sep;9(9):1990-4.

[Marijnen CA, Nagtegaal ID, Mulder-Stapel AA, Schrier PI, van de Velde CJ, van Krieken JH, Peltenburg LT.](#)

High intrinsic apoptosis, but not radiation-induced apoptosis, predicts better survival in rectal carcinoma patients.

Int J Radiat Oncol Biol Phys. 2003 Oct 1;57(2):434-43.

[Nomura AM, Stemmermann GN, Lee J, Pollak MN.](#)

Serum insulin-like growth factor I and subsequent risk of colorectal cancer among Japanese-American men.

Am J Epidemiol. 2003 Sep 1;158(5):424-31.

[Plentz RR, Wiemann SU, Flemming P, Meier PN, Kubicka S, Kreipe H, Manns MP, Rudolph KL.](#)

Telomere shortening of epithelial cells characterises the adenoma-carcinoma transition of human colorectal cancer.

Gut. 2003 Sep;52(9):1304-7.