

Overview on Colorectal papers

N° 18 -- February 2004

A ProctoSite's e-publication

www.proctosite.com

November 2003 / January 2004

Crohn's disease *Surgical treatment*

[Moorthy K, Shaul T, Foley RJ.](#)

Factors that predict conversion in patients undergoing laparoscopic surgery for Crohn's disease.

Am J Surg. 2004 Jan;187(1):47-51.

[Guidat A, Fleyfel M, Vallet B, Desreumaux P, Levron JC, Gambiez L, Colombel JF, Scherpereel P.](#)

Inflammation increases sufentanil requirements during surgery for inflammatory bowel diseases.

Eur J Anaesthesiol. 2003 Dec;20(12):957-62.

[Coremans G, Dockx S, Wyndaele J, Hendrickx A.](#)

Do anal fistulas in Crohn's disease behave differently and defy Goodsall's rule more frequently than fistulas that are cryptoglandular in origin?

Am J Gastroenterol. 2003 Dec;98(12):2732-5.

[Sands BE, Arsenault JE, Rosen MJ, Alsaahli M, Bailen L, Banks P, Bensen S, Bousvaros A, Cave D, Cooley JS, Cooper HL, Edwards ST, Farrell RJ, Griffin MJ, Hay DW, John A, Lidofsky S, Olans LB, Peppercorn MA, Rothstein RI, Roy MA, Saletta MJ, Shah SA, Warner AS, Wolf JL, Vecchio J, Winter HS, Zawacki JK.](#)

Risk of early surgery for Crohn's disease: implications for early treatment strategies.

Am J Gastroenterol. 2003 Dec;98(12):2712-8.

[Kaila B, Grant D, Pettigrew N, Greenberg H, Bernstein CN.](#)

Crohn's disease recurrence in a small bowel transplant.

Am J Gastroenterol. 2004 Jan;99(1):158-62.

[Andersson P, Olaison G, Hallbook O, Boeryd B, Sjodahl R.](#)

Increased anal resting pressure and rectal sensitivity in Crohn's disease.

Dis Colon Rectum. 2003 Dec;46(12):1685-9.

[Parente F, Greco S, Molteni M, Cucino C, Maconi G, Sampietro GM, Danelli PG, Cristaldi M, Bianco R, Gallus S, Bianchi Porro G.](#)

Role of early ultrasound in detecting inflammatory intestinal disorders and identifying their anatomical location within the bowel.

Aliment Pharmacol Ther. 2003 Nov 15;18(10):1009-16.

[Mahadevan U, Marion JF, Present DH.](#)

Fistula response to methotrexate in Crohn's disease: a case series.
Aliment Pharmacol Ther. 2003 Nov 15;18(10):1003-8.

[Chew SS, Ngo TO, Douglas PR, Newstead GL, Selby W, Solomon MJ.](#)

Cholecystectomy in patients with Crohn's ileitis.
Dis Colon Rectum. 2003 Nov;46(11):1484-8.

Crohn's disease

Medical treatment and research

[Blanchet E, Beau P.](#)

[Efficacy of hydrostatic balloon dilatation of anastomotic Crohn's disease strictures]

Gastroenterol Clin Biol. 2003 Dec;27(12):1105-9. French.

[Oishi Y, Yao T, Matsui T, Ueki T, Sakurai T, Sakaguchi S.](#)

Abnormal pancreatic imaging in Crohn's disease: prevalence and clinical features.

J Gastroenterol. 2004 Jan;39(1):26-33.

[Ota Y, Matsui T, Ono H, Uno H, Mataka H, Tsuda S, Sakurai T, Yao T.](#)

Value of virtual computed tomographic colonography for Crohn's colitis: comparison with endoscopy and barium enema.

Abdom Imaging. 2003 Nov-Dec;28(6):778-83.

[Lomer MC, Kodjabashia K, Hutchinson C, Greenfield SM, Thompson RP, Powell JJ.](#)

Intake of dietary iron is low in patients with Crohn's disease: a case-control study.

Br J Nutr. 2004 Jan;91(1):141-8.

[Klebl FH, Bataille F, Hofstadter F, Herfarth H, Scholmerich J, Rogler G.](#)

Optimising the diagnostic value of Anti- *Saccharomyces cerevisiae*-antibodies (ASCA) in Crohn's disease.

Int J Colorectal Dis. 2004 Jan 27

[Verea MM, Del Pozo J, Yebra-Pimentel MT, Porta A, Fonseca E.](#)

Psoriasiform eruption induced by infliximab.

Ann Pharmacother. 2004 Jan;38(1):54-7.

[Schultz H, Csernok E, Herlyn K, Reichel PH, Moosig F, Cornely OA, Fagerhol MK, Gross WL.](#)

ANCA against bactericidal/permeability-increasing protein, azurocidin, calprotectin and defensins in rheumatic and infectious diseases: prevalence and clinical associations.

Clin Exp Rheumatol. 2003 Nov-Dec;21(6 Suppl 32):S117-20.

[van Staa TP, Cooper C, Brusse LS, Leufkens H, Javaid MK, Arden NK.](#)

Inflammatory bowel disease and the risk of fracture.
Gastroenterology. 2003 Dec;125(6):1591-7.

[Card T, Hubbard R, Logan RF.](#)

Mortality in inflammatory bowel disease: a population-based cohort study.
Gastroenterology. 2003 Dec;125(6):1583-90.

[Cabrera-Abreu JC, Davies P, Matek Z, Murphy MS.](#)

Performance of blood tests in diagnosis of inflammatory bowel disease in a specialist clinic.
Arch Dis Child. 2004 Jan;89(1):69-71.

[Morini S, Hassan C, Lorenzetti R, Zullo A, Cerro P, Winn S, Giustini M, Taggi F.](#)

Long-term outcome of endoscopic pneumatic dilatation in Crohn's disease.
Dig Liver Dis. 2003 Dec;35(12):893-7.

[Saibeni S, Folli C, de Franchis R, Borsi G, Vecchi M.](#)

Diagnostic role and clinical correlates of anti-Saccharomyces cerevisiae antibodies (ASCA) and anti-neutrophil cytoplasmic antibodies (p-ANCA) in Italian patients with inflammatory bowel diseases.
Dig Liver Dis. 2003 Dec;35(12):862-8.

[Colombel JF, Loftus EV Jr, Tremaine WJ, Egan LJ, Harmsen WS, Schleck CD, Zinsmeister AR, Sandborn WJ.](#)

The safety profile of infliximab in patients with Crohn's disease: the Mayo clinic experience in 500 patients.
Gastroenterology. 2004 Jan;126(1):19-31.

[Sandborn WJ.](#)

Evidence-based treatment algorithm for mild to moderate Crohn's disease.
Am J Gastroenterol. 2003 Dec;98(12 Suppl):S1-5.

[Solem CA, Loftus EV, Tremaine WJ, Sandborn WJ.](#)

Venous thromboembolism in inflammatory bowel disease.
Am J Gastroenterol. 2004 Jan;99(1):97-101.

[Lichtenstein GR, Yan S, Bala M, Hanauer S.](#)

Remission in patients with Crohn's disease is associated with improvement in employment and quality of life and a decrease in hospitalizations and surgeries.
Am J Gastroenterol. 2004 Jan;99(1):91-6.

[Rasul I, Wilson SR, MacRae H, Irwin S, Greenberg GR.](#)

Clinical and radiological responses after infliximab treatment for perianal fistulizing Crohn's disease.
Am J Gastroenterol. 2004 Jan;99(1):82-8.

[Alexakis C, Caruelle JP, Sezeur A, Cosnes J, Gendre JP, Mosnier H, Beaugerie L, Gallot D, Malafosse M, Barritault D, Kern P.](#)

Reversal of abnormal collagen production in Crohn's disease intestinal biopsies treated with regenerating agents.
Gut. 2004 Jan;53(1):85-90

[Freeman HJ.](#)

Temporal and geographic evolution of longstanding Crohn's disease over more than 50 years.

Can J Gastroenterol. 2003 Dec;17(12):696-700.

[van den Bergh FA, Kolkman JJ, Russel MG, Vlaskamp RT, Vermes I.](#)

[Calprotectin: a fecal marker for diagnosis and follow-up in patients with chronic inflammatory bowel disease]

Ned Tijdschr Geneesk. 2003 Nov 29;147(48):2360-5. Review. Dutch.

[Sarzi-Puttini P, Ardizzone S, Manzionna G, Atzeni F, Colombo E, Antivalle M, Carrabba M, Bianchi-Porro G.](#)

Infliximab-induced lupus in Crohn's disease: a case report.

Dig Liver Dis. 2003 Nov;35(11):814-7.

[Biancone L, Fiori R, Tosti C, Marinetti A, Catarinacci M, De Nigris F, Simonetti G, Pallone F.](#)

Virtual colonoscopy compared with conventional colonoscopy for stricturing postoperative recurrence in Crohn's disease.

Inflamm Bowel Dis. 2003 Nov;9(6):343-50.

[von Tirpitz C, Steder-Neukamm U, Glas K, Sander S, Ring C, Klaus J, Reinshagen M.](#)

[Osteoporosis in inflammatory bowel disease - results of a survey among members of the German Crohn's and Ulcerative Colitis Association]

Z Gastroenterol. 2003 Dec;41(12):1145-50. German.

[Bartram SA, Peaston RT, Rawlings DJ, Francis RM, Thompson NP.](#)

A randomized controlled trial of calcium with vitamin D, alone or in combination with intravenous pamidronate, for the treatment of low bone mineral density associated with Crohn's disease.

Aliment Pharmacol Ther. 2003 Dec;18(11-12):1121-7.

[Harrer M, Reinisch W, Dejaco C, Kratzer V, Gmeiner M, Miehsler W, Norman GL, Gangl A, Vogelsang H.](#)

Do high serum levels of anti-Saccharomyces cerevisiae antibodies result from a leakiness of the gut barrier in Crohn's disease?

Eur J Gastroenterol Hepatol. 2003 Dec;15(12):1281-5.

[Reffitt DM, Meenan J, Sanderson JD, Jugdaohsingh R, Powell JJ, Thompson RP.](#)

Bone density improves with disease remission in patients with inflammatory bowel disease.

Eur J Gastroenterol Hepatol. 2003 Dec;15(12):1267-73.

[Jayaprakash A, Creed T, Stewart L, Colton B, Mountford R, Standen G, Probert C.](#)

Should we monitor vitamin B(12) levels in patients who have had end-ileostomy for inflammatory bowel disease?

Int J Colorectal Dis. 2003 Nov

[Roblin X, Serre-Debeauvais F, Phelip JM, Bessard G, Bonaz B.](#)

Drug interaction between infliximab and azathioprine in patients with Crohn's disease.

Aliment Pharmacol Ther. 2003 Nov 1;18(9):917-25.

[Di Sabatino A, Ciccocioppo R, Luinetti O, Ricevuti L, Morera R, Cifone MG, Solcia E, Corazza GR.](#)

Increased enterocyte apoptosis in inflamed areas of Crohn's disease. Dis Colon Rectum. 2003 Nov;46(11):1498-507.

[Lecomte T, Contou JF, Beaugerie L, Carbonnel F, Cattan S, Gendre JP, Cosnes J.](#)

Predictive factors of response of perianal Crohn's disease to azathioprine or 6-mercaptopurine.

Dis Colon Rectum. 2003 Nov;46(11):1469-75.

[Von Tirpitz C, Epp S, Klaus J, Mason R, Hawa G, Brinskelle-Schmal N, Hofbauer LC, Adler G, Kratzer W, Reinshagen M.](#)

Effect of systemic glucocorticoid therapy on bone metabolism and the osteoprotegerin system in patients with active Crohn's disease.

Eur J Gastroenterol Hepatol. 2003 Nov;15(11):1165-70.

Fecal Incontinence

[Eguare EI, Neary P, Crosbie J, Johnston SM, Beddy P, McGovern B, Torreggiani WC, Conlon KC, Keane FB.](#)

Dynamic magnetic resonance imaging of the pelvic floor in patients with idiopathic combined fecal and urinary incontinence.

J Gastrointest Surg. 2004 Jan;8(1):73-82.

[Beddy P, Neary P, Eguare EI, McCollum R, Crosbie J, Conlon KC, Keane FB.](#)

Electromyographic biofeedback can improve subjective and objective measures of fecal incontinence in the short term.

J Gastrointest Surg. 2004 Jan;8(1):64-72.

[Schraffordt SE, Tjandra JJ, Eizenberg N, Dwyer PL.](#)

Anatomy of the pudendal nerve and its terminal branches: a cadaver study. ANZ J Surg. 2004 Jan;74(1-2):23-6.

[Hyman N.](#)

Incontinence after lateral internal sphincterotomy: a prospective study and quality of life assessment.

Dis Colon Rectum. 2004 Jan;47(1):35-8. Epub 2004 Jan 14.

[Pinta TM, Kylanpaa ML, Salmi TK, Teramo KA, Luukkonen PS.](#)

Primary sphincter repair: are the results of the operation good enough?

Dis Colon Rectum. 2004 Jan;47(1):18-23. Epub 2004 Jan 14.

[Goldberg RP, Kwon C, Gandhi S, Atkuru LV, Sorensen M, Sand PK.](#)

Prevalence of anal incontinence among mothers of multiples and analysis of risk factors.

Am J Obstet Gynecol. 2003 Dec;189(6):1627-30; discussion 1630-1.

[Fenner DE, Genberg B, Brahma P, Marek L, DeLancey JO.](#)

Fecal and urinary incontinence after vaginal delivery with anal sphincter disruption in an obstetrics unit in the United States.

Am J Obstet Gynecol. 2003 Dec;189(6):1543-9; discussion 1549-50.

[Nishi K, Kamiyama T, Wada M, Amae S, Ishii T, Takagi T, Luo Y, Okuyama T, Yambe T, Hayashi Y, Ohi R.](#)

Development of an implantable artificial anal sphincter using a shape memory alloy.

J Pediatr Surg. 2004 Jan;39(1):69-72.

[Frizelle FA, Gearry RB, Johnston M, Barclay ML, Dobbs BR, Wise C, Troughton WD.](#)

Penile and clitoral stimulation for faecal incontinence: external application of a bipolar electrode for patients with faecal incontinence.

Colorectal Dis. 2004 Jan;6(1):54-7.

[Martinez Hernandez Magro P, Villanueva Saenz E, Jaime Zavala M, Sandoval Munro RD, Rocha Ramirez JL.](#)

Endoanal sonography in assessment of fecal incontinence following obstetric trauma.

Ultrasound Obstet Gynecol. 2003 Dec;22(6):616-21.

[Zimmerman DD, Gosselink MP, Hop WC, Darby M, Briel JW, Schouten WR.](#)

Impact of two different types of anal retractor on fecal continence after fistula repair: a prospective, randomized, clinical trial.

Dis Colon Rectum. 2003 Dec;46(12):1674-9.

[Efron JE, Corman ML, Fleshman J, Barnett J, Nagle D, Birnbaum E, Weiss EG, Noguerras JJ, Sligh S, Rabine J, Wexner SD.](#)

Safety and effectiveness of temperature-controlled radio-frequency energy delivery to the anal canal (Secca procedure) for the treatment of fecal incontinence.

Dis Colon Rectum. 2003 Dec;46(12):1606-16; discussion 1616-8.

[Baxter NN, Rothenberger DA, Lowry AC.](#)

Measuring fecal incontinence.

Dis Colon Rectum. 2003 Dec;46(12):1591-605. Review.

[Churchill BM, De Ugarte DA, Atkinson JB.](#)

Left-colon antegrade continence enema (LACE) procedure for fecal incontinence.

J Pediatr Surg. 2003 Dec;38(12):1778-80.

[Dolan LM, Hosker GL, Mallett VT, Allen RE, Smith AR.](#)

Stress incontinence and pelvic floor neurophysiology 15 years after the first delivery.

BJOG. 2003 Dec;110(12):1107-14.

[Chiarelli P, Murphy B, Cockburn J.](#)

Fecal incontinence after high-risk delivery.

Obstet Gynecol. 2003 Dec;102(6):1299-305.

[Davis K, Kumar D, Stanton SL, Thakar R, Fynes M, Bland J.](#)

Symptoms and anal sphincter morphology following primary repair of third-degree tears.

Br J Surg. 2003 Dec;90(12):1573-9.

[Vordermark D, Schwab M, Ness-Dourdoumas R, Sailer M, Flentje M, Koelbl O.](#)

Association of anorectal dose-volume histograms and impaired fecal continence after 3D conformal radiotherapy for carcinoma of the prostate.

Radiother Oncol. 2003 Nov;69(2):209-14.

[Branagan G, Tromans A, Finnis D.](#)

Effect of stoma formation on bowel care and quality of life in patients with spinal cord injury.

Spinal Cord. 2003 Dec;41(12):680-3.

[McKenna DS, Ester JB, Fischer JR.](#)

Elective cesarean delivery for women with a previous anal sphincter rupture.

Am J Obstet Gynecol. 2003 Nov;189(5):1251-6.

[Welsh FK, McFall M, Mitchell G, Miles WF, Woods WG.](#)

Pre-operative short-course radiotherapy is associated with faecal incontinence after anterior resection.

Colorectal Dis. 2003 Nov;5(6):563-8.

[Woods R, Voyvodic F, Schloithe AC, Sage MR, Wattchow DA.](#)

Anal sphincter tears in patients with rectal prolapse and faecal incontinence.

Colorectal Dis. 2003 Nov;5(6):544-8.

[Cundall JD, Gardiner A, Chin K, Laden G, Grout P, Duthie GS.](#)

Hyperbaric oxygen in the treatment of fecal incontinence secondary to pudendal neuropathy.

Dis Colon Rectum. 2003 Nov;46(11):1549-54.

[Saunders JR, Eccersley AJ, Williams NS.](#)

Use of a continent colonic conduit for treatment of refractory evacuatory disorder following construction of an electrically stimulated gracilis neoanal sphincter.

Br J Surg. 2003 Nov;90(11):1416-21.

[Oberwalder M, Connor J, Wexner SD.](#)

Meta-analysis to determine the incidence of obstetric anal sphincter damage.

Br J Surg. 2003 Nov;90(11):1333-7.

[Norton C, Chelvanayagam S, Wilson-Barnett J, Redfern S, Kamm MA.](#)

Randomized controlled trial of biofeedback for fecal incontinence.

Gastroenterology. 2003 Nov;125(5):1320-9.

Colorectal Polyps

[Yashiro M, Kobayashi H, Kubo N, Nishiguchi Y, Wakasa K, Hirakawa K.](#)

Cronkhite-Canada Syndrome Containing Colon Cancer and Serrated Adenoma Lesions.
Digestion. 2004

[Bretthauer M, Skovlund E, Grotmol T, Thiis-Evensen E, Gondal G, Huppertz-Hauss G, Efskind P, Hofstad B, Thorp Holmsen S, Eide TJ, Hoff G.](#)
Inter-endoscopist variation in polyp and neoplasia pick-up rates in flexible sigmoidoscopy screening for colorectal cancer.
Scand J Gastroenterol. 2003 Dec;38(12):1268-74.

[Horkko TT, Makinen MJ.](#)
Colorectal proliferation and apoptosis in serrated versus conventional adenoma-carcinoma pathway: growth, progression and survival.
Scand J Gastroenterol. 2003 Dec;38(12):1241-8.

[Macari M, Bini EJ, Jacobs SL, Naik S, Lui YW, Milano A, Rajapaksa R, Megibow AJ, Babb J.](#)
Colorectal Polyps and Cancers in Asymptomatic Average-Risk Patients: Evaluation with CT Colonography.
Radiology. 2004 Jan 22

[Beveridge IG, Swain DJ, Groves CJ, Saunders BP, Windsor AC, Talbot IC, Nicholls RJ, Phillips RK.](#)
Large villous adenomas arising in ileal pouches in familial adenomatous polyposis: report of two cases.
Dis Colon Rectum. 2004 Jan;47(1):123-6.

[Berger BM, Vucson BM, Diteberg JS.](#)
Gene mutations in advanced colonic polyps: potential marker selection for stool-based mutated human DNA assays for colon cancer screening.
Clin Colorectal Cancer. 2003 Nov;3(3):180-5

[Lieberman DA, Prindiville S, Weiss DG, Willett W: VA Cooperative Study Group 380.](#)
Risk factors for advanced colonic neoplasia and hyperplastic polyps in asymptomatic individuals.
JAMA. 2003 Dec 10;290(22):2959-67.

[Lauro A, Cirocchi R, Hamel C, Alonzo Poza A, Doria C, Gruttadauria S, Giustozzi G, Wexner SD.](#)
[Laparoscopic surgery for endoscopically irretrievable colonic polyps]
Minerva Chir. 2003 Dec;58(6):791-5. Italian.

[Lenander C, Roblick UJ, Habermann JK, Ost A, Tryggvason K, Auer G.](#)
Laminin 5 gamma 2 chain expression: a marker of early invasiveness in colorectal adenomas.
Mol Pathol. 2003 Dec;56(6):342-6.

[Church JM.](#)
Experience in the endoscopic management of large colonic polyps.
ANZ J Surg. 2003 Dec;73(12):988-95.

[Sosna J, Morrin MM, Kruskal JB, Lavin PT, Rosen MP, Raptopoulos V.](#)

CT colonography of colorectal polyps: a metaanalysis.
AJR Am J Roentgenol. 2003 Dec;181(6):1593-8.

[Niv Y, Delpre G, Sperber AD, Sandbank J, Zirkin H.](#)

Hyperplastic gastric polyposis, hypergastrinaemia and colorectal neoplasia: a description of four cases.
Eur J Gastroenterol Hepatol. 2003 Dec;15(12):1361-6.

[Church JM.](#)

Avoiding surgery in patients with colorectal polyps.
Dis Colon Rectum. 2003 Nov;46(11):1513-6.

Anal Fissure

[Hyman N.](#)

Incontinence after lateral internal sphincterotomy: a prospective study and quality of life assessment.
Dis Colon Rectum. 2004 Jan;47(1):35-8. Epub 2004 Jan 14.

[Griffin N, Acheson AG, Tung P, Sheard C, Glazebrook C, Scholefield JH.](#)

Quality of life in patients with chronic anal fissure.
Colorectal Dis. 2004 Jan;6(1):39-44.

[Karandikar S, Brown GM, Carr ND, Beynon J.](#)

Attitudes to the treatment of chronic anal fissure in ano after failed medical treatment.
Colorectal Dis. 2003 Nov;5(6):569-72.

[Jones OM, Moore JA, Brading AF, Mortensen NJ.](#)

Botulinum toxin injection inhibits myogenic tone and sympathetic nerve function in the porcine internal anal sphincter.
Colorectal Dis. 2003 Nov;5(6):552-7.

Anal Fistula

[Gupta PJ.](#)

Anal fistulotomy with radiofrequency: a better option to a conventional procedure.
Rom J Gastroenterol. 2003 Dec;12(4):287-91

[Navarro-Luna A, Garcia-Domingo MI, Rius-Macias J, Marco-Molina C.](#)

Ultrasound study of anal fistulas with hydrogen peroxide enhancement.
Dis Colon Rectum. 2004 Jan;47(1):108-14. Epub 2004 Jan 05.

[Schaefer O, Lohrmann C, Langer M.](#)

Assessment of anal fistulas with high-resolution subtraction MR-fistulography: comparison with surgical findings.
J Magn Reson Imaging. 2004 Jan;19(1):91-8.

[Thomson WH, Fowler AL.](#)

Direct appositional (no flap) closure of deep anal fistula.
Colorectal Dis. 2004 Jan;6(1):32-6.

[Coremans G, Dockx S, Wyndaele J, Hendrickx A.](#)

Do anal fistulas in Crohn's disease behave differently and defy Goodsall's rule more frequently than fistulas that are cryptoglandular in origin?
Am J Gastroenterol. 2003 Dec;98(12):2732-5.

[Zimmerman DD, Gosselink MP, Hop WC, Darby M, Briel JW, Schouten WR.](#)

Impact of two different types of anal retractor on fecal continence after fistula repair: a prospective, randomized, clinical trial.
Dis Colon Rectum. 2003 Dec;46(12):1674-9.

[Kubota A, Kawahara H, Okuyama H, Oue T, Tazuke Y, Ihara Y, Nose S, Okada A, Shimada K.](#)

Endorectal pull-through with posterior sagittal approach to the repair of postoperative rectourethral and rectovaginal fistula.
J Pediatr Surg. 2003 Dec;38(12):1775-7.

[Dejaco C, Harrer M, Waldhoer T, Miehsler W, Vogelsang H, Reinisch W.](#)

Antibiotics and azathioprine for the treatment of perianal fistulas in Crohn's disease.
Aliment Pharmacol Ther. 2003 Dec;18(11-12):1113-20.

[Rahman MS, Al-Suleiman SA, El-Yahia AR, Rahman J.](#)

Surgical treatment of rectovaginal fistula of obstetric origin: a review of 15 years' experience in a teaching hospital.
J Obstet Gynaecol. 2003 Nov;23(6):607-10

[Tasci I.](#)

The fistulectomy: a new device for treatment of complex anal fistulas by "Core-Out" fistulectomy.
Dis Colon Rectum. 2003 Nov;46(11):1566-71.

[Lecomte T, Contou JF, Beaugerie L, Carbonnel F, Cattan S, Gendre JP, Cosnes J.](#)

Predictive factors of response of perianal Crohn's disease to azathioprine or 6-mercaptopurine.
Dis Colon Rectum. 2003 Nov;46(11):1469-75.

Rectal Prolapse

[Senagore AJ.](#)

Management of rectal prolapse: the role of laparoscopic approaches.
Semin Laparosc Surg. 2003 Dec;10(4):197-202.

[Bergamaschi R, Lovvik K, Marvik R.](#)

Preserving the superior rectal artery in laparoscopic sigmoid resection for complete rectal prolapse.

Surg Laparosc Endosc Percutan Tech. 2003 Dec;13(6):374-6.

[Munz Y, Moorthy K, Kudchadkar R, Hernandez JD, Martin S, Darzi A, Rockall T.](#)

Robotic assisted rectopexy.

Am J Surg. 2004 Jan;187(1):88-92.

[Brown AJ, Anderson JH, McKee RF, Finlay IG.](#)

Strategy for selection of type of operation for rectal prolapse based on clinical criteria.

Dis Colon Rectum. 2004 Jan;47(1):103-7. Epub 2004 Jan 02.

[Tan KY, Tan SM, Tan AG, Chen CY, Chng HC, Hoe MN.](#)

Adult intussusception: experience in Singapore.

ANZ J Surg. 2003 Dec;73(12):1044-7.

[Woods R, Voyvodic F, Schloithe AC, Sage MR, Wattchow DA.](#)

Anal sphincter tears in patients with rectal prolapse and faecal incontinence.

Colorectal Dis. 2003 Nov;5(6):544-8.

[Beer-Gabel M, Teshler M, Schechtman E, Zbar AP.](#)

Dynamic transperineal ultrasound vs. defecography in patients with evacuatory difficulty: a pilot study.

Int J Colorectal Dis. 2004 Jan;19(1):60-7. Epub 2003 May 22.