

Colorectal Cancer

Molecular biology

[Cubo T, Padilla D, De La Osa G, Palomino T, Garcia M, Pardo R, Martin J, Arevalo E, Hernandez J.](#)

[Serum vascular endothelial growth factor levels in patients with colorectal cancer and its prognostic significance]
Med Clin (Barc). 2004 Feb 21;122(6):201-4.

[Kubo H, Miki C, Kusunoki M.](#)

Evaluation of genetic mutations of tumor suppresser genes in colorectal cancer patients.
Hepatogastroenterology. 2004 Jan-Feb;51(55):114-7.

[Kruszewski WJ, Rzepko R, Wojtacki J, Skokowski J, Kopacz A, Jaskiewicz K, Drucis K.](#)

Overexpression of cathepsin B correlates with angiogenesis in colon adenocarcinoma.
Neoplasma. 2004;51(1):38-43.

[Zucker S, Vacirca J.](#)

Role of matrix metalloproteinases (MMPs) in colorectal cancer.
Cancer Metastasis Rev. 2004 Jan-Jun;23(1-2):101-17.

[De Hingh IH, Waas ET, Lomme RM, Wobbes T, Hendriks T.](#)

Circulating matrix metalloproteinase-9 is transiently elevated after colorectal surgery.
Int J Colorectal Dis. 2004 Feb 17

[Wong SC, Lo ES, Lee KC, Chan JK, Hsiao WL.](#)

Prognostic and diagnostic significance of beta-catenin nuclear immunostaining in colorectal cancer.
Clin Cancer Res. 2004 Feb 15;10(4):1401-8.

[Sparano JA, Gray R, Giantonio B, O'Dwyer P, Comis RL; Eastern Cooperative Oncology Group Portfolio of Clinical Trials.](#)

Evaluating antiangiogenesis agents in the clinic: the Eastern Cooperative Oncology Group Portfolio of Clinical Trials.
Clin Cancer Res. 2004 Feb 15;10(4):1206-11.

[Luchtenborg M, Weijenberg MP, Roemen GM, De Bruine AP, Van Den Brandt PA, Lentjes MH, Brink M, Van Engeland M, Goldbohm RA, De Goeij AF.](#)

APC mutations in sporadic colorectal carcinomas from the Netherlands cohort study.
Carcinogenesis. 2004 Feb 19

[Bertucci F, Salas S, Eysteris S, Nasser V, Finetti P, Ginestier C, Charafe-Jauffret E, Loriod B, Bachelart L, Montfort J, Victorero G, Viret F, Ollendorff V, Fert V, Giovaninni M, Delpero JR, Nguyen C, Viens P, Monges G, Birnbaum D, Houlgatte R.](#)

Gene expression profiling of colon cancer by DNA microarrays and correlation with histoclinical parameters.
Oncogene. 2004 Feb 19;23(7):1377-91.

[Ponz de Leon M, Benatti P, Di Gregorio C, Pedroni M, Losi L, Genuardi M, Viel A, Fornasari M, Lucci-Cordisco E, Anti M, Ponti G, Borghi F, Lamberti I, Roncucci L.](#)
Genetic testing among high-risk individuals in families with hereditary nonpolyposis colorectal cancer.
Br J Cancer. 2004 Feb 23;90(4):882-7.

[Umar A, Boland CR, Terdiman JP, Syngal S, de la Chapelle A, Ruschoff J, Fishel R, Lindor NM, Burgart LJ, Hamelin R, Hamilton SR, Hiatt RA, Jass J, Lindblom A, Lynch HT, Peltomaki P, Ramsey SD, Rodriguez-Bigas MA, Vasen HF, Hawk ET, Barrett JC, Freedman AN, Srivastava S.](#)
Revised Bethesda Guidelines for hereditary nonpolyposis colorectal cancer (Lynch syndrome) and microsatellite instability.
J Natl Cancer Inst. 2004 Feb 18;96(4):261-8.

[Gonzalez-Aguilera JJ, Oliart S, Azcoita MM, Fernandez-Peralta AM.](#)
Simultaneous mutations in K-ras and TP53 are indicative of poor prognosis in sporadic colorectal cancer.
Am J Clin Oncol. 2004 Feb;27(1):39-45.

[Tang R, Changchien CR, Wu MC, Fan CW, Liu KW, Chen JS, Chien HT, Hsieh LL.](#)
Colorectal cancer without high microsatellite instability and chromosomal instability - an alternative genetic pathway to human colorectal cancer.
Carcinogenesis. 2004 Jan 16

[Nassif NT, Lobo GP, Wu X, Henderson CJ, Morrison CD, Eng C, Jalaludin B, Segelov E.](#)
PTEN mutations are common in sporadic microsatellite stable colorectal cancer.
Oncogene. 2004 Jan 15;23(2):617-28.

[Bisgaard ML, Ripa R, Knudsen AL, Bulow S.](#)
Familial adenomatous polyposis patients without an identified APC germline mutation have a severe phenotype.
Gut. 2004 Feb;53(2):266-70.

[Hong SK, Gul YA, Ithnin H, Talib A, Seow HF.](#)
Expression of beta-catenin, COX-2 and iNOS in colorectal cancer: relevance of COX-2 and iNOS inhibitors for treatment in Malaysia.
Asian J Surg. 2004 Jan;27(1):10-7.

[Knosel T, Yu Y, Stein U, Schwabe H, Schluns K, Schlag PM, Dietel M, Petersen I.](#)
Overexpression of cyclooxygenase-2 correlates with chromosomal gain at the cyclooxygenase-2 locus and decreased patient survival in advanced colorectal carcinomas.
Dis Colon Rectum. 2004 Jan;47(1):70-7.

[Essapen S, Thomas H, Green M, De Vries C, Cook MG, Marks C, Topham C, Modjtahedi H.](#)
The expression and prognostic significance of HER-2 in colorectal cancer and its relationship with clinicopathological parameters.
Int J Oncol. 2004 Feb;24(2):241-8.

[De Vita F, Orditura M, Lieto E, Infusino S, Morgillo F, Martinelli E, Castellano P, Romano C, Ciardiello F, Catalano G, Pignatelli C, Galizia G.](#)

Elevated perioperative serum vascular endothelial growth factor levels in patients with colon carcinoma.
Cancer. 2004 Jan 15;100(2):270-8.

[Kirchhoff T, Satagopan JM, Kauff ND, Huang H, Kolachana P, Palmer C, Rapaport H, Nafa K, Ellis NA, Offit K.](#)

Frequency of BRCA1 and BRCA2 mutations in unselected Ashkenazi Jewish patients with colorectal cancer.
J Natl Cancer Inst. 2004 Jan 7;96(1):68-70

[Niell BL, Rennert G, Bonner JD, Almog R, Tomsho LP, Gruber SB.](#)

BRCA1 and BRCA2 founder mutations and the risk of colorectal cancer.
J Natl Cancer Inst. 2004 Jan 7;96(1):15-21.

[Holten-Andersen M, Christensen IJ, Nilbert M, Bendahl PO, Nielsen HJ, Brunner N, Fernebro E; EORTC-Receptor and Biomarker Group.](#)

Association between preoperative plasma levels of tissue inhibitor of metalloproteinases 1 and rectal cancer patient survival. a validation study.
Eur J Cancer. 2004 Jan;40(1):64-72.

[de Vos tot Nederveen Cappel WH, Buskens E, van Duijvendijk P, Cats A, Menko FH, Griffioen G, Slors JF, Nagengast FM, Kleibeuker JH, Vasen HF.](#)

Decision analysis in the surgical treatment of colorectal cancer due to a mismatch repair gene defect.
Gut. 2003 Dec;52(12):1752-5

Risk factors, staging, follow-up and screening

[Yamamoto M, Maehara Y, Sakaguchi Y, Mine H, Yamanaka T, Korenaga D, Okamura T.](#)

Distributions in CEA doubling time differ in patients with recurrent colorectal carcinomas.
Hepatogastroenterology. 2004 Jan-Feb;51(55):147-51.

[Zorluoglu A, Yilmazlar T, Ozguc H, Bagcivan E, Guner O.](#)

Colorectal cancers under 45 years of age.
Hepatogastroenterology. 2004 Jan-Feb;51(55):118-20.

[Whynes DK.](#)

Cost-effectiveness of screening for colorectal cancer: evidence from the Nottingham faecal occult blood trial.
J Med Screen. 2004;11(1):11-5.

[Filippone A, Ambrosini R, Fuschi M, Marinelli T, Genovesi D, Bonomo L.](#)

Preoperative T and N Staging of Colorectal Cancer: Accuracy of Contrast-enhanced Multi-Detector Row CT Colonography--Initial Experience.
Radiology. 2004 Feb 27 [Epub ahead of print]

[Friedlander MA, Stier E, Lin O.](#)

Anorectal cytology as a screening tool for anal squamous lesions: cytologic, anoscopic, and histologic correlation.
Cancer. 2004 Feb 25;102(1):19-26.

[Morris AM, Billingsley KG, Baxter NN, Baldwin LM.](#)

Racial disparities in rectal cancer treatment: a population-based analysis.
Arch Surg. 2004 Feb;139(2):151-5; discussion 156.

[Erlinger TP, Platz EA, Rifai N, Helzlsouer KJ.](#)

C-reactive protein and the risk of incident colorectal cancer.
JAMA. 2004 Feb 4;291(5):585-90.

[Mathew J, Shankar P, Aldean IM.](#)

Audit on flexible sigmoidoscopy for rectal bleeding in a district general hospital: are we over-loading the resources?
Postgrad Med J. 2004 Jan;80(939):38-40.

[Slattery ML, Curtin KP, Edwards SL, Schaffer DM.](#)

Plant foods, fiber, and rectal cancer.
Am J Clin Nutr. 2004 Feb;79(2):274-81.

[Koch M, Kienle P, Sauer P, Willeke F, Buhl K, Benner A, Lehnert T, Herfarth C, Von Knebel Doeberitz M, Weitz J.](#)

Hematogenous tumor cell dissemination during colonoscopy for colorectal cancer.
Surg Endosc. 2004 Jan 23

[Du W, Mah JT, Lee J, Sankila R, Sankaranarayanan R, Chia KS.](#)

Incidence and survival of mucinous adenocarcinoma of the colorectum: a population-based study from an Asian country.
Dis Colon Rectum. 2004 Jan;47(1):78-85. Epub 2004 Jan 14.

[Shami VM, Parmar KS, Waxman I.](#)

Clinical impact of endoscopic ultrasound and endoscopic ultrasound-guided fine-needle aspiration in the management of rectal carcinoma.
Dis Colon Rectum. 2004 Jan;47(1):59-65.

[Colangelo LA, Gapstur SM, Gann PH, Dyer AR.](#)

Cigarette smoking and colorectal carcinoma mortality in a cohort with long-term follow-up.
Cancer. 2004 Jan 15;100(2):288-93.

[Renehan AG, O'Dwyer ST, Whynes DK.](#)

Cost effectiveness analysis of intensive versus conventional follow up after curative resection for colorectal cancer.
BMJ. 2004 Jan 10;328(7431):81.

[O'Leary BA, Olynyk JK, Neville AM, Platell CF.](#)

Cost-effectiveness of colorectal cancer screening: comparison of community-based flexible sigmoidoscopy with fecal occult blood testing and colonoscopy.
J Gastroenterol Hepatol. 2004 Jan;19(1):38-47.

[Mathew A, Peters U, Chatterjee N, Kulldorff M, Sinha R.](#)

Fat, fiber, fruits, vegetables, and risk of colorectal adenomas.
Int J Cancer. 2004 Jan 10;108(2):287-92.

[Olsson L, Loof L, Ekblom A.](#)

A population-based audit for diagnosing colorectal cancer.
Scand J Gastroenterol. 2004 Feb;39(2):158-63.

[Kulinna C, Scheidler J, Strauss T, Bonel H, Herrmann K, Aust D, Reiser M.](#)

Local staging of rectal cancer: assessment with double-contrast multislice computed tomography and transrectal ultrasound.
J Comput Assist Tomogr. 2004 Jan-Feb;28(1):123-30

Surgical treatment

[Shen P, Hawksworth J, Lovato J, Loggie BW, Geisinger KR, Fleming RA, Levine EA.](#)
Cytoreductive surgery and intraperitoneal hyperthermic chemotherapy with mitomycin C for peritoneal carcinomatosis from nonappendiceal colorectal carcinoma.
Ann Surg Oncol. 2004 Feb;11(2):178-86.

[Kobayashi T, Kamoto T, Sugino Y, Takeuchi H, Habuchi T, Ogawa O.](#)
High incidence of urinary bladder involvement in carcinomas of the sigmoid and rectum: a retrospective review of 580 patients with colorectal carcinoma.
J Surg Oncol. 2003 Dec;84(4):209-14.

[Jestin P, Heurgren M, Pahlman L, Glimelius B, Gunnarsson U.](#)
Elective surgery for colorectal cancer in a defined Swedish population.
Eur J Surg Oncol. 2004 Feb;30(1):26-33.

[Mahteme H, Hansson J, Berglund A, Pahlman L, Glimelius B, Nygren P, Graf W.](#)
Improved survival in patients with peritoneal metastases from colorectal cancer: a preliminary study.
Br J Cancer. 2004 Jan 26;90(2):403-7.

[Ayuste E Jr, Roxas MF.](#)
Validating the use of rectus muscle fragment welding to control presacral bleeding during rectal mobilization.
Asian J Surg. 2004 Jan;27(1):18-21.

[Wibe A, Syse A, Andersen E, Tretli S, Myrvold HE, Soreide O: Norwegian Rectal Cancer Group.](#)
Oncological outcomes after total mesorectal excision for cure for cancer of the lower rectum: anterior vs. abdominoperineal resection.
Dis Colon Rectum. 2004 Jan;47(1):48-58.

[Carne PW, Frye JN, Kennedy-Smith A, Keating J, Merrie A, Dennett E, Frizelle FA.](#)
Local invasion of the bladder with colorectal cancers: surgical management and patterns of local recurrence.
Dis Colon Rectum. 2004 Jan;47(1):44-7

[Law WL, Choi HK, Lee YM, Chu KW.](#)
Palliation for advanced malignant colorectal obstruction by self-expanding metallic stents: prospective evaluation of outcomes.
Dis Colon Rectum. 2004 Jan;47(1):39-43.

[Kiran RP, Delaney CP, Senagore AJ, Millward BL, Fazio VW.](#)
Operative blood loss and use of blood products after laparoscopic and conventional open colorectal operations.
Arch Surg. 2004 Jan;139(1):39-42.

[Rosenberg R, Friederichs J, Gertler R, Hoos A, Mueller J, Nahrig J, Nekarda H, Siewert JR.](#)

Prognostic evaluation and review of immunohistochemically detected disseminated tumor cells in peritumoral lymph nodes of patients with pN0 colorectal cancer.
Int J Colorectal Dis. 2004 Jan 10

[Hocht S, Hammad R, Thiel HJ, Wiegel T, Siegmann A, Willner J, Wust P, Herrmann T, Eble M, Flentje M, Carstens D, Bottke D, Neumann P, Hinkelbein W.](#)

Recurrent rectal cancer within the pelvis. A multicenter analysis of 123 patients and recommendations for adjuvant radiotherapy.
Strahlenther Onkol. 2004 Jan;180(1):15-20.

[Meyerhardt JA, Tepper JE, Niedzwiecki D, Hollis DR, Schrag D, Ayanian JZ, O'Connell MJ, Weeks JC, Mayer RJ, Willett CG, MacDonald JS, Benson AB 3rd, Fuchs CS.](#)

Impact of hospital procedure volume on surgical operation and long-term outcomes in high-risk curatively resected rectal cancer: findings from the Intergroup 0114 Study.
J Clin Oncol. 2004 Jan 1;22(1):166-74.

[Kneist W, Heintz A, Junginger T.](#)

Intraoperative identification and neurophysiologic parameters to verify pelvic autonomic nerve function during total mesorectal excision for rectal cancer.
J Am Coll Surg. 2004 Jan;198(1):59-66

[Sutton CD, Marshall LJ, Williams N, Berry DP, Thomas WM, Kelly MJ.](#)

Colo-rectal anastomotic leakage often masquerades as a cardiac complication.
Colorectal Dis. 2004 Jan;6(1):21-2.

[Leroy J, Jamali F, Forbes L, Smith M, Rubino F, Mutter D, Marescaux J.](#)

Laparoscopic total mesorectal excision (TME) for rectal cancer surgery: long-term outcomes.
Surg Endosc. 2003 Dec 29

[Ueno H, Mochizuki H, Hashiguchi Y, Ishikawa K, Fujimoto H, Shinto E, Hase K.](#)

Preoperative parameters expanding the indication of sphincter preserving surgery in patients with advanced low rectal cancer.
Ann Surg. 2004 Jan;239(1):34-42.

[Gonzalez RJ, McCarter MD, McDermott T, Pearlman NW.](#)

Transsacral exenteration of fixed primary and recurrent anorectal cancer.
Am J Surg. 2003 Dec;186(6):670-4.

[Kakuda JT, Lamont JP, Chu DZ, Paz IB.](#)

The role of pelvic exenteration in the management of recurrent rectal cancer.
Am J Surg. 2003 Dec;186(6):660-4.

[Kuo LJ, Leu SY, Liu MC, Jian JJ, Hongjun Cheng S, Chen CM.](#)

How aggressive should we be in patients with stage IV colorectal cancer?
Dis Colon Rectum. 2003 Dec;46(12):1646-52.

[Jimenez RE, Shoup M, Cohen AM, Paty PB, Guillem J, Wong WD.](#)

Contemporary outcomes of total pelvic exenteration in the treatment of colorectal cancer.
Dis Colon Rectum. 2003 Dec;46(12):1619-25.

[D'Souza DN, Pera M, Nelson H, Finical SJ, Tran NV.](#)

Vaginal reconstruction following resection of primary locally advanced and recurrent colorectal malignancies.
Arch Surg. 2003 Dec;138(12):1340-3.

[Koperna T.](#)

Cost-effectiveness of defunctioning stomas in low anterior resections for rectal cancer: a call for benchmarking.
Arch Surg. 2003 Dec;138(12):1334-8; discussion 1339.

[Fujita S, Yamamoto S, Akasu T, Moriya Y.](#)

Lateral pelvic lymph node dissection for advanced lower rectal cancer.
Br J Surg. 2003 Dec;90(12):1580-5.

[Weyandt GH, Eggert AO, Houf M, Raulf F, Brocker EB, Becker JC.](#)

Anorectal melanoma: surgical management guidelines according to tumour thickness.
Br J Cancer. 2003 Dec 1;89(11):2019-22.

[Viehl CT, Hamel CT, Marti WR, Guller U, Eisner L, Stammberger U, Terracciano L, Spichtin HP, Harder F, Zuber M.](#)

Identification of sentinel lymph nodes in colon cancer depends on the amount of dye injected relative to tumor size.
World J Surg. 2003 Dec;27(12):1285-90. Epub 2003 Nov 06.

Adjuvant therapy

[Ota M, Shimada H, Masui H, Tanaka K, Yamaguchi S, Ichikawa Y, Togo S, Ike H, Oki S.](#)

Adjuvant hepatic arterial infusion chemotherapy after curative resection for Dukes C colorectal cancer: a pilot study.
Hepatogastroenterology. 2004 Jan-Feb;51(55):124-7.

[Carethers JM, Smith EJ, Behling CA, Nguyen L, Tajima A, Doctolero RT, Cabrera BL, Goel A, Arnold CA, Miyai K, Boland CR.](#)

Use of 5-fluorouracil and survival in patients with microsatellite-unstable colorectal cancer.
Gastroenterology. 2004 Feb;126(2):394-401.

[Telford JJ, Saltzman JR, Kuntz KM, Syngal S.](#)

Impact of preoperative staging and chemoradiation versus postoperative chemoradiation on outcome in patients with rectal cancer: a decision analysis.
J Natl Cancer Inst. 2004 Feb 4;96(3):191-201.

[Sakamoto J, Ohashi Y, Hamada C, Buyse M, Burzykowski T, Piedbois P; Meta-Analysis Group of the Japanese Society for Cancer of the Colon and Rectum; Meta-Analysis Group in Cancer.](#)

Efficacy of oral adjuvant therapy after resection of colorectal cancer: 5-year results from three randomized trials.
J Clin Oncol. 2004 Feb 1;22(3):484-92.

[Withers HR, Haustermans K.](#)

Where next with preoperative radiation therapy for rectal cancer?
Int J Radiat Oncol Biol Phys. 2004 Feb 1;58(2):597-602

[Ito K, Okushiba S, Morikawa T, Kondo S, Katoh H.](#)

[Appropriate duration of postoperative oral adjuvant chemotherapy with HCFU for colorectal cancer]

Gan To Kagaku Ryoho. 2004 Jan;31(1):55-9. Japanese.

[Sadahiro S, Suzuki T, Ishikawa K, Yasuda S, Tajima T, Makuuchi H, Saitoh T, Murayama C.](#)

Prophylactic hepatic arterial infusion chemotherapy for the prevention of liver metastasis in patients with colon carcinoma: a randomized control trial.

Cancer. 2004 Feb 1;100(3):590-7.

[Dubois JB, Azria D, Ychou M.](#)

[External beam radiation therapy and interstitial brachytherapy in the treatment of anal canal carcinomas: a series of 70 patients]

Bull Cancer. 2003 Dec;90(12):1107-10.

[Goldberg RM, Sargent DJ, Morton RF, Fuchs CS, Ramanathan RK, Williamson SK, Findlay BP, Pitot HC, Alberts SR.](#)

A randomized controlled trial of fluorouracil plus leucovorin, irinotecan, and oxaliplatin combinations in patients with previously untreated metastatic colorectal cancer.

J Clin Oncol. 2004 Jan 1;22(1):23-30.

Metastatic disease

[Tanaka K, Shimada H, Miura M, Fujii Y, Yamaguchi S, Endo I, Sekido H, Togo S, Ike H.](#)

Metastatic Tumor Doubling Time: Most Important Prehepatectomy Predictor of Survival and Nonrecurrence of Hepatic Colorectal Cancer Metastasis.

World J Surg. 2004 Feb

[King J, Glenn D, Clark W, Zhao J, Steinke K, Clingan P, Morris DL.](#)

Percutaneous radiofrequency ablation of pulmonary metastases in patients with colorectal cancer.

Br J Surg. 2004 Feb;91(2):217-23.

[Reddy RH, Kumar B, Shah R, Mirsadraee S, Papagiannopoulos K, Lodge P, Thorpe JA.](#)

Staged pulmonary and hepatic metastasectomy in colorectal cancer--is it worth it?

Eur J Cardiothorac Surg. 2004 Feb;25(2):151-4

[Kanemitsu Y, Kato T, Hirai T, Yasui K.](#)

Preoperative probability model for predicting overall survival after resection of pulmonary metastases from colorectal cancer.

Br J Surg. 2004 Jan;91(1):112-20.

[Shimada H, Tanaka K, Masui H, Nagano Y, Matsuo K, Kijima M, Ichikawa Y, Ike H, Ooki S, Togo S.](#)

Results of surgical treatment for multiple (≥ 5 nodules) bi-lobar hepatic metastases from colorectal cancer.

Langenbecks Arch Surg. 2004 Jan 9

[Patel NA, Keenan RJ, Medich DS, Woo Y, Celebrezze J, Santucci T, Maley R, Landreneau RL, Roh MS.](#)

The presence of colorectal hepatic metastases does not preclude pulmonary metastasectomy.

Am Surg. 2003 Dec;69(12):1047-53; discussion 1053.

[Suh RD, Wallace AB, Sheehan RE, Heinze SB, Goldin JG.](#)

Unresectable pulmonary malignancies: CT-guided percutaneous radiofrequency ablation--
preliminary results.
Radiology. 2003 Dec;229(3):821-9.