

Overview on Colorectal papers

N° 20 -- April 2004

A ProctoSite's e-publication

www.proctosite.com

January 2004 / March 2004

Ulcerative Colitis Surgical treatment

[Winther KV, Bruun E, Federspiel B, Guldberg P, Binder V, Brynskov J.](#)

Screening for dysplasia and TP53 mutations in closed rectal stumps of patients with ulcerative colitis or Crohn disease.

Scand J Gastroenterol. 2004 Mar;39(3):232-7.

[Pishori T, Dinnewitzer A, Zmora O, Oberwalder M, Hajjar L, Cotman K, Vernava AM 3rd, Efron J, Weiss EG, Noguerras JJ, Wexner SD.](#)

Outcome of Patients With Indeterminate Colitis Undergoing a Double-Stapled Ileal Pouch-Anal Anastomosis.

Dis Colon Rectum. 2004 Mar 25 [

[Hallas J, Gaist D, Vach W, Sorensen HT.](#)

Appendectomy has no beneficial effect on admission rates in patients with ulcerative colitis.

Gut. 2004 Mar;53(3):351-4.

[Baixauli J, Delaney CP, Wu JS, Remzi FH, Lavery IC, Fazio VW.](#)

Functional outcome and quality of life after repeat ileal pouch-anal anastomosis for complications of ileoanal surgery.

Dis Colon Rectum. 2004 Jan;47(1):2-11

[Scarpa M, Angriman I, Ruffolo C, Ferronato A, Polese L, Barollo M, Martin A, Sturniolo GC, D'Amico DF.](#)

Health-related quality of life after restorative proctocolectomy for ulcerative colitis: long-term results.

World J Surg. 2004 Feb;28(2):124-9.

[Tomita R, Fujisaki S, Tanjoh K.](#)

Relationship between gastrointestinal transit time and daily stool frequency in patients after ileal J pouch-anal anastomosis for ulcerative colitis.

Am J Surg. 2004 Jan;187(1):76-82.

Ulcerative Colitis Medical treatment

[Mamula P, Markowitz JE, Cohen LJ, von Allmen D, Baldassano RN.](#)

Infliximab in pediatric ulcerative colitis: two-year follow-up.

J Pediatr Gastroenterol Nutr. 2004 Mar;38(3):298-301.

[Lobel EZ, Korelitz BI, Xuereb MA, Panagopoulos G.](#)

A search for the optimal duration of treatment with 6-mercaptopurine for ulcerative colitis. *Am J Gastroenterol.* 2004 Mar;99(3):462-5.

[Aisenberg J, Legnani PE, Nilubol N, Cobrin GM, Ellozy SH, Hegazi RA, Yager J, Bodian C, Gorfine SR, Bauer JJ, Plevy SE, Sachar DB.](#)

Are pANCA, ASCA, or cytokine gene polymorphisms associated with pouchitis? Long-term follow-up in 102 ulcerative colitis patients. *Am J Gastroenterol.* 2004 Mar;99(3):432-41.

[Cosnes J, Nion-Larmurier I, Afchain P, Beaugerie L, Gendre JP.](#)

Gender differences in the response of colitis to smoking. *Clin Gastroenterol Hepatol.* 2004 Jan;2(1):41-8.

[Piodi LP, Ulivieri FM, Cermesoni L, Cesana BM.](#)

Long-term intermittent treatment with low-dose 5-aminosalicylic enemas is efficacious for remission maintenance in ulcerative colitis. *Scand J Gastroenterol.* 2004 Feb;39(2):154-7.

[Jahnsen J, Falch JA, Mowinckel P, Aadland E.](#)

Bone mineral density in patients with inflammatory bowel disease: a population-based prospective two-year follow-up study. *Scand J Gastroenterol.* 2004 Feb;39(2):145-53.

[Gearry RB, Wakeman CJ, Barclay ML, Chapman BA, Collett JA, Burt MJ, Frizelle FA.](#)

Surveillance for dysplasia in patients with inflammatory bowel disease: a national survey of colonoscopic practice in New Zealand. *Dis Colon Rectum.* 2004 Mar;47(3):314-22.

[Lewis JD, Aberra FN, Lichtenstein GR, Bilker WB, Brensinger C, Strom BL.](#)

Seasonal variation in flares of inflammatory bowel disease. *Gastroenterology.* 2004 Mar;126(3):665-73.

[Rubin GP, Hungin AP, Chinn DJ, Dwarakanath D.](#)

Quality of life in patients with established inflammatory bowel disease: a UK general practice survey. *Aliment Pharmacol Ther.* 2004 Mar 1;19(5):529-35.

[Daperno M, Sostegni R, Scaglione N, Ercole E, Rigazio C, Rocca R, Pera A.](#)

Outcome of a conservative approach in severe ulcerative colitis. *Dig Liver Dis.* 2004 Jan;36(1):21-8.

[Rutter M, Saunders B, Wilkinson K, Rumbles S, Schofield G, Kamm M, Williams C, Price A, Talbot I, Forbes A.](#)

Severity of inflammation is a risk factor for colorectal neoplasia in ulcerative colitis. *Gastroenterology.* 2004 Feb;126(2):451-9.

[Klebl FH, Bataille F, Hofstadter F, Herfarth H, Scholmerich J, Rogler G.](#)

Optimising the diagnostic value of Anti- *Saccharomyces cerevisiae*-antibodies (ASCA) in Crohn's disease. *Int J Colorectal Dis.* 2004 Jan 27

[Card T, West J, Hubbard R, Logan RF.](#)

Hip fractures in patients with inflammatory bowel disease and their relationship to corticosteroid use: a population based cohort study.
Gut. 2004 Feb;53(2):251-5.

[Loftus EV Jr, Kane SV, Bjorkman D.](#)

Systematic review: short-term adverse effects of 5-aminosalicylic acid agents in the treatment of ulcerative colitis.
Aliment Pharmacol Ther. 2004 Jan 15;19(2):179-89.

[Raddatz D, Middel P, Bockemuhl M, Benohr P, Wissmann C, Schworer H, Ramadori G.](#)

Glucocorticoid receptor expression in inflammatory bowel disease: evidence for a mucosal down-regulation in steroid-unresponsive ulcerative colitis.
Aliment Pharmacol Ther. 2004 Jan 1;19(1):47-61.

Colonoscopy

[Uedo N, Ishikawa H, Morimoto K, Ishihara R, Narahara H, Akedo I, Ioka T, Kaji I, Fukuda S.](#)

Reduction in salivary cortisol level by music therapy during colonoscopic examination.
Hepatogastroenterology. 2004 Mar-Apr;51(56):451-3.

[Harrison M, Singh N, Rex DK.](#)

Impact of proximal colon retroflexion on adenoma miss rates.
Am J Gastroenterol. 2004 Mar;99(3):519-22.

[Heuss LT, Drewe J, Schnieper P, Tapparelli CB, Pflimlin E, Beglinger C.](#)

Patient-controlled versus nurse-administered sedation with propofol during colonoscopy. A prospective randomized trial.
Am J Gastroenterol. 2004 Mar;99(3):511-8.

[Schmidt LM, Williams P, King D, Perera D.](#)

Picoprep-3 is a superior colonoscopy preparation to Fleet: a randomized, controlled trial comparing the two bowel preparations.
Dis Colon Rectum. 2004 Feb;47(2):238-42.

[Trecca A, Gai F, Di Lorenzo GP, Hreniuc H, Pasciuto A, Antonellis F, Sperone M.](#)

Conventional colonoscopy versus chromoendoscopy and magnifying endoscopy for the diagnosis of colorectal lesions: a comparative prospective study in 995 patients
Chir Ital. 2004 Jan-Feb;56(1):31-6.

[Harewood GC, Lieberman DA.](#)

Colonoscopy practice patterns since introduction of medicare coverage for average-risk screening.
Clin Gastroenterol Hepatol. 2004 Jan;2(1):72-7.

[Baron TH, Kimery BD, Sorbi D, Gorkis LC, Leighton JA, Fleischer DE.](#)

Strategies to address increased demand for colonoscopy: Guidelines in an open endoscopy practice.
Clin Gastroenterol Hepatol. 2004 Feb;2(2):178-82.

[Salwen WA, Basson MD.](#)

Effect of four-day psyllium supplementation on bowel preparation for colonoscopy: A prospective double blind randomized trial.
BMC Gastroenterol. 2004 Feb 02;4(1):2.

[Pashankar DS, Uc A, Bishop WP.](#)

Polyethylene glycol 3350 without electrolytes: a new safe, effective, and palatable bowel preparation for colonoscopy in children.
J Pediatr. 2004 Mar;144(3):358-62.

[Lee DW, Chan AC, Wong SK, Fung TM, Li AC, Chan SK, Mui LM, Ng EK, Chung SC.](#)

Can visual distraction decrease the dose of patient-controlled sedation required during colonoscopy? A prospective randomized controlled trial.
Endoscopy. 2004 Mar;36(3):197-201.

[Bruzzi JF, Moss AC, Brennan DD, MacMathuna P, Fenlon HM.](#)

Colonic surveillance by CT colonography using axial images only.
Eur Radiol. 2004 Feb 19 [

[Jung HK, Bae KS, Yoon SJ, Lee JS, Kwon JM, Yoo MA.](#)

Comparison of midazolam versus midazolam/meperidine during colonoscopy in a prospective, randomized, double-blind study
Korean J Gastroenterol. 2004 Feb;43(2):96-103. Korean

[Hellstrom M, Svensson MH, Lason A.](#)

Extracolonic and incidental findings on CT colonography (virtual colonoscopy).
AJR Am J Roentgenol. 2004 Mar;182(3):631-8.

[Felt-Bersma RJ, Kooyman G, Kuipers EJ.](#)

Colonic lavage prior to colonoscopy: comparable outcomes of two polyethylene-glycol preparations and a sodium-phosphate solution
Ned Tijdschr Geneeskd. 2004 Jan 24;148(4):181-5.

[Turan M, Sen M, Karadayi K, Koyuncu A, Topcu O, Yildirim C, Duman M.](#)

Our sigmoid colon volvulus experience and benefits of colonoscope in detortion process.
Rev Esp Enferm Dig. 2004 Jan;96(1):32-5.

[Hurlstone DP, Cross SS, Slater R, Sanders DS, Brown S.](#)

Detecting diminutive colorectal lesions at colonoscopy: a randomised controlled trial of pan-colonic versus targeted chromoscopy.
Gut. 2004 Mar;53(3):376-80.

[Mathew J, Shankar P, Aldean IM.](#)

Audit on flexible sigmoidoscopy for rectal bleeding in a district general hospital: are we over-loading the resources?
Postgrad Med J. 2004 Jan;80(939):38-40.

[Ajaj W, Lauenstein TC, Pelster G, Goehde SC, Debatin JF, Ruehm SG.](#)

MR colonography: how does air compare to water for colonic distention?
J Magn Reson Imaging. 2004 Feb;19(2):216-21.

[Koch M, Kienle P, Sauer P, Willeke F, Buhl K, Benner A, Lehnert T, Herfarth C, Von Knebel Doeberitz M, Weitz J.](#)

Hematogenous tumor cell dissemination during colonoscopy for colorectal cancer.
Surg Endosc. 2004 Jan 23

[Campbell L, Imrie G, Doherty P, Porteous C, Millar K, Kenny GN, Fletcher G.](#)

Patient maintained sedation for colonoscopy using a target controlled infusion of propofol.
Anaesthesia. 2004 Feb;59(2):127-32.

[Hurlstone DP, Cross SS, Adam J, Shorthouse AJ, Brown S, Sanders DS, Lobo AJ.](#)

Efficacy of high magnification chromoscopic colonoscopy for the diagnosis of neoplasia in flat and depressed lesions of the colorectum: a prospective analysis.
Gut. 2004 Feb;53(2):284-90

[Bowles CJ, Leicester R, Romaya C, Swarbrick E, Williams CB, Epstein O.](#)

A prospective study of colonoscopy practice in the UK today: are we adequately prepared for national colorectal cancer screening tomorrow?
Gut. 2004 Feb;53(2):277-83.

[Hui AJ, Wong RM, Ching JY, Hung LC, Chung SC, Sung JJ.](#)

Risk of colonoscopic polypectomy bleeding with anticoagulants and antiplatelet agents: analysis of 1657 cases.
Gastrointest Endosc. 2004 Jan;59(1):44-8.

[Burling D, Halligan S, Taylor SA, Usiskin S, Bartram CI.](#)

CT colonography practice in the UK: a national survey.
Clin Radiol. 2004 Jan;59(1):39-43.

[Hansen JJ, Ulmer BJ, Rex DK.](#)

Technical performance of colonoscopy in patients sedated with nurse-administered propofol.
Am J Gastroenterol. 2004 Jan;99(1):52-6.

[Sedlack RE, Kolars JC.](#) Computer simulator training enhances the competency of gastroenterology fellows at colonoscopy: results of a pilot study.
Am J Gastroenterol. 2004 Jan;99(1):33-7.

Constipation

[Pfefferkorn MD, Croffie JM, Corkins MR, Gupta SK, Fitzgerald JF.](#)

Impact of sedation and anesthesia on the rectoanal inhibitory reflex in children.
J Pediatr Gastroenterol Nutr. 2004 Mar;38(3):324-7.

[Tong WD, Liu BH, Zhang LY, Zhang SB, Lei Y.](#)

Decreased interstitial cells of Cajal in the sigmoid colon of patients with slow transit constipation.
Int J Colorectal Dis. 2004 Mar 25 [

[Coffin B, Dapoigny M, Cloarec D, Comet D, Dyard F.](#)

Relationship between severity of symptoms and quality of life in 858 patients with irritable bowel syndrome.
Gastroenterol Clin Biol. 2004 Jan;28(1):11-5.

[Bouchoucha M, Devroede G, Arsac M.](#)

Anismus: a marker of multi-site functional disorders?
Int J Colorectal Dis. 2004 Mar 18

[Boccasanta P, Venturi M, Salamina G, Cesana BM, Bernasconi F, Roviato G.](#)

New trends in the surgical treatment of outlet obstruction: clinical and functional results of two novel transanal stapled techniques from a randomised controlled trial.
Int J Colorectal Dis. 2004 Mar 13

[Johnson E, Carlsen E, Mjaland O, Drolsum A.](#)

[Internal rectal invagination treated with rectopexy and sigmoid resection]
Tidsskr Nor Laegeforen. 2004 Mar 4;124(5):632-3. Norwegian.

[Heitkemper MM, Cain KC, Jarrett ME, Burr RL, Crowell MD, Woods NF.](#)

Relationship of bloating to other GI and menstrual symptoms in women with irritable bowel syndrome.
Dig Dis Sci. 2004 Jan;49(1):88-95.

[Bassotti G, Bellini M, Pucciani F, Bocchini R, Bove A, Alduini P, Battaglia E, Bruzzi P; Italian Constipation Study Group.](#)

An extended assessment of bowel habits in a general population.
World J Gastroenterol. 2004 Mar 1;10(5):713-6.

[Chiarioni G, Chistolini F, Menegotti M, Salandini L, Vantini I, Morelli A, Bassotti G.](#)

One-year follow-up study on the effects of electrogalvanic stimulation in chronic idiopathic constipation with pelvic floor dyssynergia.
Dis Colon Rectum. 2004 Mar;47(3):346-53.

[Bijkerk CJ, Muris JW, Knottnerus JA, Hoes AW, de Wit NJ.](#)

Systematic review: the role of different types of fibre in the treatment of irritable bowel syndrome.
Aliment Pharmacol Ther. 2004 Feb 1;19(3):245-51. Review.

[Staats PS, Markowitz J, Schein J.](#)

Incidence of constipation associated with long-acting opioid therapy: a comparative study.
South Med J. 2004 Feb;97(2):129-34.

[Gunay A, Gurbuz AK, Narin Y, Ozel AM, Yazgan Y.](#)

Gallbladder and gastric motility in patients with idiopathic slow-transit constipation.
South Med J. 2004 Feb;97(2):124-8.

[Garrigues V, Galvez C, Ortiz V, Ponce M, Nos P, Ponce J.](#)

Prevalence of Constipation: Agreement among Several Criteria and Evaluation of the Diagnostic Accuracy of Qualifying Symptoms and Self-reported Definition in a Population-based Survey in Spain.
Am J Epidemiol. 2004 Mar 1;159(5):520-6.

[Evans B, Clark W, Moore D, Whorwell, Pj.](#)

Tegaserod for the treatment of irritable bowel syndrome.
Cochrane Database Syst Rev. 2004;1:CD003960.

[Jarrett ME, Emmanuel AV, Vaizey CJ, Kamm MA.](#)

Behavioural therapy (biofeedback) for solitary rectal ulcer syndrome improves symptoms and mucosal blood flow.
Gut. 2004 Mar;53(3):368-70.

[Shah SH, Jafri SW, Gul M, Mohsin A, Afzal MN, Butt JA, Khan I, Naqvi A, Rasheed I.](#)

Efficacy and tolerability of tegaserod in constipation dominant irritable bowel syndrome.
J Coll Physicians Surg Pak. 2004 Jan;14(1):21-4.

[Glia A, Akerlund JE, Lindberg G.](#)

Outcome of colectomy for slow-transit constipation in relation to presence of small-bowel dysmotility.
Dis Colon Rectum. 2004 Jan;47(1):96-102.

[Mahony R, Behan M, O'Herlihy C, O'Connell PR.](#)

Randomized, clinical trial of bowel confinement vs. laxative use after primary repair of a third-degree obstetric anal sphincter tear.
Dis Colon Rectum. 2004 Jan;47(1):12-7.

[Battaglia E, Serra AM, Buonafede G, Dughera L, Chistolini F, Morelli A, Emanuelli G, Bassotti G.](#)

Long-term study on the effects of visual biofeedback and muscle training as a therapeutic modality in pelvic floor dyssynergia and slow-transit constipation.
Dis Colon Rectum. 2004 Jan;47(1):90-5.

[Minguez M, Herreros B, Sanchiz V, Hernandez V, Almela P, Anon R, Mora F, Benages A.](#)

Predictive value of the balloon expulsion test for excluding the diagnosis of pelvic floor dyssynergia in constipation.
Gastroenterology. 2004 Jan;126(1):57-62.

[Vazeou A, Papadopoulou A, Papadimitriou A, Kitsou E, Stathatos M, Bartsocas CS.](#)

Autonomic neuropathy and gastrointestinal motility disorders in children and adolescents with type 1 diabetes mellitus.
J Pediatr Gastroenterol Nutr. 2004 Jan;38(1):61-5.

Hemorrhoids

[Gupta PJ.](#)

Radiofrequency coagulation versus rubber band ligation in early hemorrhoids: pain versus gain.
Medicina (Kaunas). 2004;40(3):232-7.

[Fillingeri V, Gravante G, Baldessari E, Grimaldi M, Casciani CU.](#)

Prospective randomized trial of submucosal hemorrhoidectomy with radiofrequency bistoury vs. conventional Parks' operation.
Tech Coloproctol. 2004 Mar;8(1):31-6.

[Arroyo A, Perez F, Miranda E, Serrano P, Candela F, Lacueva J, Hernandez H, Calpena R.](#)

Open versus closed day-case haemorrhoidectomy: is there any difference? Results of a prospective randomised study.
Int J Colorectal Dis. 2004 Mar 25

[Fukuda A, Kajiyama T, Arakawa H, Kishimoto H, Someda H, Sakai M, Tsunekawa S, Chiba T.](#)

Retroflexed endoscopic multiple band ligation of symptomatic internal hemorrhoids.
Gastrointest Endosc. 2004 Mar;59(3):380-4.

[Quah HM, Seow-Choen F.](#)

Prospective, randomized trial comparing diathermy excision and diathermy coagulation for symptomatic, prolapsed hemorrhoids.
Dis Colon Rectum. 2004 Mar;47(3):367-70.

[Zmora O, Colquhoun P, Abramson S, Weiss EG, Efron J, Vernava AM 3rd, Noguerras JJ, Wexner SD.](#)

Can the procedure for prolapsing hemorrhoids (PPH) be done twice? Results of a porcine model.
Surg Endosc. 2004 Jan 23

[Aigner F, Bodner G, Conrad F, Mbaka G, Kreczy A, Fritsch H.](#)

The superior rectal artery and its branching pattern with regard to its clinical influence on ligation techniques for internal hemorrhoids.
Am J Surg. 2004 Jan;187(1):102-8.

[Bursics A, Weltner J, Flautner LE, Morvay K.](#)

Ano-rectal physiological changes after rubber band ligation and closed haemorrhoidectomy.
Colorectal Dis. 2004 Jan;6(1):58-61.

[Bursics A, Morvay K, Kupcsulik P, Flautner L.](#)

Comparison of early and 1-year follow-up results of conventional hemorrhoidectomy and hemorrhoid artery ligation: a randomized study.

Diverticular Disease

[Da Rold AR, Guerriero S, Fiamingo P, Pariset S, Veroux M, Pilon F, Tosato S, Ruffolo C, Tedeschi U.](#)

Laparoscopic colorrhaphy, irrigation and drainage in the treatment of complicated acute diverticulitis: initial experience.
Chir Ital. 2004 Jan-Feb;56(1):95-8.

[Mimura T, Bateman AC, Lee RL, Johnson PA, McDonald PJ, Talbot IC, Kamm MA, MacDonald TT, Pender SL.](#)

Up-regulation of collagen and tissue inhibitors of matrix metalloproteinase in colonic diverticular disease.
Dis Colon Rectum. 2004 Mar;47(3):371-8; discussion 378-9.

[Gonzalez R, Smith CD, Mattar SG, Venkatesh KR, Mason E, Duncan T, Wilson R, Miller J, Ramshaw BJ.](#)

Laparoscopic vs open resection for the treatment of diverticular disease.
Surg Endosc. 2004 Feb;18(2):276-80.

[Tursi A.](#)

Acute diverticulitis of the colon--current medical therapeutic management.
Expert Opin Pharmacother. 2004 Jan;5(1):55-9. Review.

[Pessaux P, Muscari F, Ouellet JF, Msika S, Hay JM, Millat B, Fingerhut A, Flamant Y.](#)

Risk factors for mortality and morbidity after elective sigmoid resection for diverticulitis: prospective multicenter multivariate analysis of 582 patients.
World J Surg. 2004 Jan;28(1):92-6.