

Overview on Colorectal papers

Vol.3 N° 5 -- Maio 2004

A ProctoSite's e-publication

www.proctosite.com

February 2004 / May 2004

Crohn's disease - Surgical treatment

[Erkelens GW, van Deventer SJ.](#)

Endoscopic treatment of strictures in Crohn's disease.
Best Pract Res Clin Gastroenterol. 2004 Feb;18(1):201-7.

[Kastin DA, Buchman AL, Barrett T, Halverson A, Wallin A.](#)

Strictures from Crohn's disease diagnosed by video capsule endoscopy.

J Clin Gastroenterol. 2004 Apr;38(4):346-9.

[Edna TH, Bjerkeset T, Skreden K.](#)

Abdominal surgery for Crohn's disease during 30 years in Middle Norway.

Hepatogastroenterology. 2004 Mar-Apr;51(56):481-4.

[Sasaki I, Shibata C, Funayama Y, Fukushima K, Takahashi KI, Ogawa H, Ueno T, Hashimoto A, Nagao M, Watanabe K, Haneda S, Shiiba KI, Rikiyama T, Naito H.](#)

New Reconstructive Procedure After Intestinal Resection for Crohn's Disease: Modified Side-to-Side Isoperistaltic Anastomosis With Double Heineke-Mikulicz Procedure.
Dis Colon Rectum. 2004 Apr 13

[Parsi MA, Lashner BA, Achkar JP, Connor JT, Brzezinski A.](#)

Type of fistula determines response to infliximab in patients with fistulous Crohn's disease.

Am J Gastroenterol. 2004 Mar;99(3):445-9.

[Karaoglu AO, Yukselen V.](#)

Obstructing Crohn's disease of the duodenum: is surgery always mandatory?

Int J Clin Pract. 2004 Feb;58(2):221-3

[Marchal L, D'Haens G, Van Assche G, Vermeire S, Noman M,](#)

[Ferrante M, Hiele M, Bueno De Mesquita M, D'Hoore A, Penninckx F, Rutgeerts P.](#)

The risk of post-operative complications associated with infliximab therapy for Crohn's disease: a controlled cohort study.
Aliment Pharmacol Ther. 2004 Apr 1;19(7):749-54.

[Michelassi F, Upadhyay GA.](#)

Side-to-side isoperistaltic strictureplasty in the treatment of extensive Crohn's disease.

J Surg Res. 2004 Mar;117(1):71-8.

[Tonelli F, Fedi M, Paroli GM, Fazi M.](#)

Indications and results of side-to-side isoperistaltic strictureplasty in Crohn's disease.

Dis Colon Rectum. 2004 Apr;47(4):494-501.

[Ryan WR, Allan RN, Yamamoto T, Keighley MR.](#)

Crohn's disease patients who quit smoking have a reduced risk of reoperation for recurrence.

Am J Surg. 2004 Feb;187(2):219-25

Crohn's disease - Medical treatment

[Mardini HE, Kip KE, Wilson JW.](#)

Crohn's disease: a two-year prospective study of the association between psychological distress and disease activity.

Dig Dis Sci. 2004 Mar;49(3):492-7.

[Minderhoud IM, Oldenburg B, Wismeijer JA, van Berge](#)

[Henegouwen GP, Smout AJ.](#)

IBS-like symptoms in patients with inflammatory bowel disease in remission; relationships with quality of life and coping behavior.

Dig Dis Sci. 2004 Mar;49(3):469-74.

[Ludvigsson JF, Krantz M, Bodin L, Stenhammar L, Lindquist B.](#)

Elemental versus polymeric enteral nutrition in paediatric Crohn's disease: a multicentre randomized controlled trial.

Acta Paediatr. 2004 Mar;93(3):327-35.

[Joos S, Brinkhaus B, Maluche C, Maupai N, Kohnen R, Kraehmer](#)

[N, Hahn EG, Schuppan D.](#)

Acupuncture and Moxibustion in the Treatment of Active Crohn's Disease: A Randomized Controlled Study.

Digestion. 2004 Apr 26

[Schultz M, Timmer A, Herfarth HH, Sartor RB, Vanderhoof JA,](#)

[Rath HC.](#)

Lactobacillus GG in inducing and maintaining remission of Crohn's disease.

BMC Gastroenterol. 2004 Mar 15;4(1):5.

[Moskovitz DN, Bodian C, Chapman ML, Marion JF, Rubin PH,](#)

[Scherl E, Present DH.](#)

The effect on the fetus of medications used to treat pregnant inflammatory bowel-disease patients.

Am J Gastroenterol. 2004 Apr;99(4):656-61.

[Bischoff SC, Schwengberg S, Lorentz A, Manns MP, Bektas H, Sann H, Levi-Schaffer F, Shanahan F, Schemann M.](#)

Substance P and other neuropeptides do not induce mediator release in isolated human intestinal mast cells.

Neurogastroenterol Motil. 2004 Apr;16(2):185-93.

[de Jong DJ, Goulet M, Naber TH.](#)

Side effects of azathioprine in patients with Crohn's disease.

Eur J Gastroenterol Hepatol. 2004 Feb;16(2):207-12.

[Higuero T, Merle C, Thieffin G, Coussinet S, Jolly D, Diebold MD, Zeitoun P, Cadiot G.](#)

Jejunoleal Crohn's disease: a case-control study.

Gastroenterol Clin Biol. 2004 Feb;28(2):160-6.

[Ito H, Takazoe M, Fukuda Y, Hibi T, Kusugami K, Andoh A, Matsumoto T, Yamamura T, Azuma J, Nishimoto N, Yoshizaki K, Shimoyama T, Kishimoto T.](#)

A pilot randomized trial of a human anti-interleukin-6 receptor monoclonal antibody in active Crohn's disease.

Gastroenterology. 2004 Apr;126(4):989-96; discussion 947.

[Casellas F, Alcalá MJ, Prieto L, Miro JR, Malagelada JR.](#)

Assessment of the influence of disease activity on the quality of life of patients with inflammatory bowel disease using a short questionnaire.

Am J Gastroenterol. 2004 Mar;99(3):457-61.

[Newman B, Silverberg MS, Gu X, Zhang Q, Lazaro A, Steinhart AH, Greenberg GR, Griffiths AM, McLeod RS, Cohen Z, Fernandez-Vina M, Amos CI, Siminovitch K.](#)

CARD15 and HLA DRB1 alleles influence susceptibility and disease localization in Crohn's disease.

Am J Gastroenterol. 2004 Feb;99(2):306-15.

[Esters N, Pierik M, van Steen K, Vermeire S, Claessens G, Joossens S, Vlietinck R, Rutgeerts P.](#)

Transmission of CARD15 (NOD2) variants within families of patients with inflammatory bowel disease.

Am J Gastroenterol. 2004 Feb;99(2):299-305.

[Biancone L, Tosti C, Geremia A, Fina D, Petruzzello C, Emerenziani S, Pallone F.](#)

Rofecoxib and early relapse of inflammatory bowel disease: an open-label trial.

Aliment Pharmacol Ther. 2004 Apr 1;19(7):755-64.

[Walker LJ, Aldhous MC, Drummond HE, Smith BR, Nimmo ER, Arnott ID, Satsangi J.](#)

Anti-Saccharomyces cerevisiae antibodies (ASCA) in Crohn's disease are associated with disease severity but not NOD2/CARD15 mutations.

Clin Exp Immunol. 2004 Mar;135(3):490-6.

[Annese V, Palmieri O, Latiano A, Ardizzone S, Castiglione F, Cottone M, D'Inca R, Gionchetti P, Papi C, Riegler G, Vecchi M, Andriulli A; Italian Group for Inflammatory Bowel Disease.](#)

Frequency of NOD2/CARD15 variants in both sporadic and familial cases of Crohn's disease across Italy. An Italian Group for Inflammatory Bowel Disease Study.

Dig Liver Dis. 2004 Feb;36(2):121-4.

[Hershfield NB.](#)

Disappearance of Crohn's ulcers in the terminal ileum after thalidomide therapy.

Can J Gastroenterol. 2004 Feb;18(2):101-4.

[Sands BE, Anderson FH, Bernstein CN, Chey WY, Feagan BG, Fedorak RN, Kamm MA, Korzenik JR, Lashner BA, Onken JE, Rachmilewitz D, Rutgeerts P, Wild G, Wolf DC, Marsters PA, Travers SB, Blank MA, van Deventer SJ.](#)

Infliximab maintenance therapy for fistulizing Crohn's disease. N Engl J Med. 2004 Feb 26;350(9):876-85

[Schroder O, Blumenstein I, Schulte-Bockholt A, Stein J.](#)

Combining infliximab and methotrexate in fistulizing Crohn's disease resistant or intolerant to azathioprine.

Aliment Pharmacol Ther. 2004 Feb 1;19(3):295-301.

[Jess T, Winther KV, Munkholm P, Langholz E, Binder V.](#)

Intestinal and extra-intestinal cancer in Crohn's disease: follow-up of a population-based cohort in Copenhagen County, Denmark.

Aliment Pharmacol Ther. 2004 Feb 1;19(3):287-93.

[Rutgeerts P, Feagan BG, Lichtenstein GR, Mayer LF, Schreiber S, Colombel JF, Rachmilewitz D, Wolf DC, Olson A, Bao W, Hanauer SB.](#)

Comparison of scheduled and episodic treatment strategies of infliximab in Crohn's disease.

Gastroenterology. 2004 Feb;126(2):402-13.

[Card T, Logan RF, Rodrigues LC, Wheeler JG.](#)

Antibiotic use and the development of Crohn's disease.

Gut. 2004 Feb;53(2):246-50.

[Herfarth H, Gross V, Andus T, Caesar I, Vogelsang H, Adler G, Malchow H, Petri A, Gierend M, Scholmerich J; German/Austrian Budesonide Study Group.](#)

Analysis of the therapeutic efficacy of different doses of budesonide in patients with active Crohn's ileocolitis depending

on disease activity and localization.
Int J Colorectal Dis. 2004 Mar;19(2):147-52.

Fecal incontinence

[Bretagnol F, Rullier E, Laurent C, Zerbib F, Gontier R, Saric J.](#)
Comparison of Functional Results and Quality of Life Between
Intersphincteric Resection and Conventional Coloanal
Anastomosis for Low Rectal Cancer.

Dis Colon Rectum. 2004 Apr 19

[Matzel KE, Kamm MA, Stosser M, Baeten CG, Christiansen J,
Madoff R, Mellgren A, Nicholls RJ, Rius J, Rosen H.](#)

Sacral spinal nerve stimulation for faecal incontinence:
multicentre study.

Lancet. 2004 Apr 17;363(9417):1270-6.

[Enck P, Hinninghofen H, Wietek B, Becker HD.](#)

Functional Asymmetry of Pelvic Floor Innervation and Its Role in
the Pathogenesis of Fecal Incontinence.

Digestion. 2004 Apr 14

[Altomare DF, Rinaldi M, Petrolino M, Ripetti V, Masin A, Ratto C,
Trerotoli P, Monitillo V, Lobascio P, De Fazio M, Guglielmi A,
Memeo V.](#)

Reliability of Electrophysiologic Anal Tests in Predicting the
Outcome of Sacral Nerve Modulation for Fecal Incontinence.

Dis Colon Rectum. 2004 Apr 19

[Oberwalder M, Dinnewitzer A, Baig MK, Thaler K, Cotman K,
Nogueras JJ, Weiss EG, Efron J, Vernava AM 3rd, Wexner SD.](#)

The association between late-onset fecal incontinence and
obstetric anal sphincter defects.

Arch Surg. 2004 Apr;139(4):429-32.

[Yuan ZW, Wang WL, Bai YZ, Wang W.](#)

[Long-term outcomes of individualized biofeedback training
based on the underlying dysfunction for patients with
imperforate anus]

Zhonghua Yi Xue Za Zhi. 2004 Mar;84(6):478-81. Chinese.

[Bretagnol F, Troubat H, Laurent C, Zerbib F, Saric J, Rullier E.](#)

Long-term functional results after sphincter-saving resection for
rectal cancer.

Gastroenterol Clin Biol. 2004 Feb;28(2):155-9.

[Sartore A, De Seta F, Maso G, Pregazzi R, Grimaldi E, Guaschino
S.](#)

The effects of mediolateral episiotomy on pelvic floor function after vaginal delivery.

Obstet Gynecol. 2004 Apr;103(4):669-73.

[da Silva GM, Jorge JM, Belin B, Nogueras JJ, Weiss EG, Vernava AM 3rd, Habr-Gama A, Wexner SD.](#)

New surgical options for fecal incontinence in patients with imperforate anus.

Dis Colon Rectum. 2004 Feb;47(2):204-9.

[Gardiner A, Kaur G, Cundall J, Duthie GS.](#)

Neural network analysis of anal sphincter repair.

Dis Colon Rectum. 2004 Feb;47(2):192-6; discussion 196-7.

[Oberwalder M, Thaler K, Baig MK, Dinnewitzer A, Efron J, Weiss EG, Vernava AM 3rd, Nogueras JJ, Wexner SD.](#)

Anal ultrasound and endosonographic measurement of perineal body thickness: a new evaluation for fecal incontinence in females.

Surg Endosc. 2004 Mar 19

[Martel P, Malafosse M, Lecomte P, Gallot D.](#)

[Fecal incontinence following anal sphincter rupture: influence of the aetiology on the repair results]

Ann Chir. 2004 Feb;129(1):20-4. French.

[Rongen MJ, Beets-Tan RG, Backes WH, Baeten CG.](#)

The effects of high field strength MRI on electrodes and pulse generator in dynamic graciloplasty.

Colorectal Dis. 2004 Mar;6(2):113-6.

[Kenefick NJ, Christiansen J.](#)

A review of sacral nerve stimulation for the treatment of faecal incontinence.

Colorectal Dis. 2004 Mar;6(2):75-80.

[Uustal Fornell E, Wingren G, Kjolhede P.](#)

Factors associated with pelvic floor dysfunction with emphasis on urinary and fecal incontinence and genital prolapse: an epidemiological study.

Acta Obstet Gynecol Scand. 2004 Apr;83(4):383-9.

[Lunniss PJ, Gladman MA, Hetzer FH, Williams NS, Scott SM.](#)

Risk factors in acquired faecal incontinence.

J R Soc Med. 2004 Mar;97(3):111-6.

[Rieger N, Perera S, Stephens J, Coates D, Po D.](#)

Anal sphincter function and integrity after primary repair of third-degree tear: uncontrolled prospective analysis.

ANZ J Surg. 2004 Mar;74(3):122-4.

[Saunders JR, Williams NS, Eccersley AJ.](#) The combination of electrically stimulated gracilis neoanal sphincter and continent

colonic conduit: a step forward for total anorectal reconstruction? *Dis Colon Rectum*. 2004 Mar;47(3):354-63; discussion 363-6.

[Russo A, Botten R, Kong MF, Chapman IM, Fraser RJ, Horowitz M, Sun WM.](#) Effects of acute hyperglycaemia on anorectal motor and sensory function in diabetes mellitus. *Diabet Med*. 2004 Feb;21(2):176-82.

Colorectal Polyps

[Buchanan GN, Owen HA, Torkington J, Lunniss PJ, Nicholls RJ, Cohen CR.](#)

Long-term outcome following loose-seton technique for external sphincter preservation in complex anal fistula.

Br J Surg. 2004 Apr;91(4):476-80.

[Ohya T, Usui Y, Okamoto K, Inoue Y, Arie S, Iwai T.](#)

Management for fistula-in-ano with Ginseng and Tang-kuei Ten Combination.

Pediatr Int. 2004 Feb;46(1):72-6.

[Sands BE, Anderson FH, Bernstein CN, Chey WY, Feagan BG, Fedorak RN, Kamm MA, Korzenik JR, Lashner BA, Onken JE, Rachmilewitz D, Rutgeerts P, Wild G, Wolf DC, Marsters PA, Travers SB, Blank MA, van Deventer SJ.](#)

Infliximab maintenance therapy for fistulizing Crohn's disease. *N Engl J Med*. 2004 Feb 26;350(9):876-85.

[Loungnarath R, Dietz DW, Mutch MG, Birnbaum EH, Kodner IJ, Fleshman JW.](#)

Fibrin glue treatment of complex anal fistulas has low success rate.

Dis Colon Rectum. 2004 Apr;47(4):432-6.

[Hamel CT, Marti WR, Oertli D.](#)

Simplified placement and management of cutting setons in the treatment of transsphincteric anal fistula: technical note.

Int J Colorectal Dis. 2004 Feb 4

[Ryan R, Neary P, Stone J, Mulcahy H, O'Donoghue D, Sheahan K, Hyland J.](#)

An evaluation of left sided colonic polyps as a marker for right sided cancers.

Ir Med J. 2004 Feb;97(2):41-3.

[Dobrowolski S, Dobosz M, Babicki A, Dymecki D, Hac S.](#)

Prophylactic submucosal saline-adrenaline injection in colonoscopic polypectomy: Prospective randomized study.

Surg Endosc. 2004 Apr 27 [

[Sass DA, Schoen RE, Weissfeld JL, Weissfeld L, Thaete FL, Kuller LH, McAdams M, Lanza E, Schatzkin A.](#)

Relationship of visceral adipose tissue to recurrence of adenomatous polyps.

Am J Gastroenterol. 2004 Apr;99(4):687-93.

[Johnson CD, MacCarty RL, Welch TJ, Wilson LA, Harmsen WS, Ilstrup DM, Ahlquist DA.](#)

Comparison of the relative sensitivity of CT colonography and double-contrast barium enema for screen detection of colorectal polyps.

Clin Gastroenterol Hepatol. 2004 Apr;2(4):314-21.

[Anderson JC, Alpern Z, Messina CR, Lane B, Hubbard P, Grimson R, Ells PF, Brand DL.](#)

Predictors of proximal neoplasia in patients without distal adenomatous pathology.

Am J Gastroenterol. 2004 Mar;99(3):472-7.

[Jacobson-Brown P, Neuman MG.](#)

Colorectal polyposis and immune-based therapies.

Can J Gastroenterol. 2004 Apr;18(4):239-49.

[Serracino-Inglott F, Atkinson HD, Jha P, Parker I, Anderson DN.](#)

Early experiences with computed axial tomography colonography.

Am J Surg. 2004 Apr;187(4):511-4.

[Cho JH, Lee SK, Kim TI, Kim WH.](#)

[Characteristics and risk factors of synchronous and metachronous polyp in colorectal cancer]

Korean J Gastroenterol. 2004 Mar;43(3):168-75.

[Ullah N, Qureshi K, Hatfield J, Sochacki P, David D, Albatineh H, Mejia L, Kenkre C, Lawson M, Tobi M.](#)

Small early tubular adenomas and mixed colonic polyps found on screening flexible sigmoidoscopy do not predict proximal neoplasia in males.

Clin Gastroenterol Hepatol. 2004 Mar;2(3):246-51.

[Church JM.](#)

Clinical significance of small colorectal polyps.

Dis Colon Rectum. 2004 Apr;47(4):481-5.

[Clipp EC, Carver EH, Pollak KI, Puleo E, Emmons KM, Onken J, Farraye FA, McBride CM.](#)

Age-related vulnerabilities of older adults with colon adenomas: evidence from Project Prevent.

Cancer. 2004 Mar 1;100(5):1085-94.

[Hurlstone DP, Cross SS, Slater R, Sanders DS, Brown S.](#)

Detecting diminutive colorectal lesions at colonoscopy: a randomised controlled trial of pan-colonic versus targeted chromoscopy.

Gut. 2004 Mar;53(3):376-80.

[Macari M, Bini EJ, Jacobs SL, Naik S, Lui YW, Milano A, Rajapaksa R, Meqibow AJ, Babb J.](#)

Colorectal polyps and cancers in asymptomatic average-risk patients: evaluation with CT colonography.

Radiology. 2004 Mar;230(3):629-36.

Anal fissure

[Novell F, Novell Costa F, Novell J.](#) Topical glyceryl trinitrate in the treatment of nal fissure.

Rev Esp Enferm Dig. 2004 Apr;96(4):255-8. English, Spanish.

[Giral A, Memisoglu K, Gultekin Y, Imeryuz N, Kalayci C, Ulusoy NB, Tozun N.](#)

Botulinum toxin injection versus lateral internal sphincterotomy in the treatment of chronic anal fissure: a non-randomized controlled trial.

BMC Gastroenterol. 2004 Mar 22;4(1):7.

[Brisinda G, Albanese A, Cadeddu F, Bentivoglio AR, Mabisombi A, Marniga G, Maria G.](#)

Botulinum neurotoxin to treat chronic anal fissure: results of a randomized "Botox vs. Dysport" controlled trial. Aliment Pharmacol Ther. 2004 Mar 15;19(6):695-701.

[Parellada C.](#) Randomized, prospective trial comparing 0.2 percent isosorbide dinitrate ointment with sphincterotomy in treatment of chronic anal fissure: a two-year follow-up. Dis Colon Rectum. 2004 Apr;47(4):437-43.

[Nelson R.](#)

A systematic review of medical therapy for anal fissure. Dis Colon Rectum. 2004 Apr;47(4):422-31

[Lindsey I, Jones OM, Cunningham C, Mortensen NJ.](#)

Chronic anal fissure.

Br J Surg. 2004 Mar;91(3):270-9.

[Aysan E, Aren A, Ayar E.](#)

A prospective, randomized, controlled trial of primary wound closure after lateral internal sphincterotomy.

Am J Surg. 2004 Feb;187(2):291-4.

[Jones OM, Brading AF, Mortensen NJ.](#)

Mechanism of action of botulinum toxin on the internal anal sphincter.

Br J Surg. 2004 Feb;91(2):224-8

Anal fistula

[Ryan R, Neary P, Stone J, Mulcahy H, O'Donoghue D, Sheahan K, Hyland J.](#)

An evaluation of left sided colonic polyps as a marker for right sided cancers.

Ir Med J. 2004 Feb;97(2):41-3.

[Dobrowolski S, Dobosz M, Babicki A, Dymecki D, Hac S.](#)

Prophylactic submucosal saline-adrenaline injection in colonoscopic polypectomy: Prospective randomized study.

Surg Endosc. 2004 Apr 27 [

[Sass DA, Schoen RE, Weissfeld JL, Weissfeld L, Thaete FL, Kuller LH, McAdams M, Lanza E, Schatzkin A.](#)

Relationship of visceral adipose tissue to recurrence of adenomatous polyps.

Am J Gastroenterol. 2004 Apr;99(4):687-93.

[Johnson CD, MacCarty RL, Welch TJ, Wilson LA, Harmsen WS, Ilstrup DM, Ahlquist DA.](#)

Comparison of the relative sensitivity of CT colonography and double-contrast barium enema for screen detection of colorectal polyps.

Clin Gastroenterol Hepatol. 2004 Apr;2(4):314-21.

[Anderson JC, Alpern Z, Messina CR, Lane B, Hubbard P, Grimson R, Ells PF, Brand DL.](#)

Predictors of proximal neoplasia in patients without distal adenomatous pathology.

Am J Gastroenterol. 2004 Mar;99(3):472-7.

[Jacobson-Brown P, Neuman MG.](#)

Colorectal polyposis and immune-based therapies.

Can J Gastroenterol. 2004 Apr;18(4):239-49.

[Serracino-Inglott F, Atkinson HD, Jha P, Parker I, Anderson DN.](#)

Early experiences with computed axial tomography colonography.

Am J Surg. 2004 Apr;187(4):511-4.

[Cho JH, Lee SK, Kim TI, Kim WH.](#)

[Characteristics and risk factors of synchronous and metachronous polyp in colorectal cancer]

Korean J Gastroenterol. 2004 Mar;43(3):168-75.

[Ullah N, Qureshi K, Hatfield J, Sochacki P, David D, Albatineh H, Mejia L, Kenkre C, Lawson M, Tobi M.](#)

Small early tubular adenomas and mixed colonic polyps found on screening flexible sigmoidoscopy do not predict proximal neoplasia in males.

Clin Gastroenterol Hepatol. 2004 Mar;2(3):246-51.

[Church JM.](#)

Clinical significance of small colorectal polyps.

Dis Colon Rectum. 2004 Apr;47(4):481-5.

[Clipp EC, Carver EH, Pollak KI, Puleo E, Emmons KM, Onken J, Farraye FA, McBride CM.](#)

Age-related vulnerabilities of older adults with colon adenomas: evidence from Project Prevent.

Cancer. 2004 Mar 1;100(5):1085-94.

[Hurlstone DP, Cross SS, Slater R, Sanders DS, Brown S.](#)

Detecting diminutive colorectal lesions at colonoscopy: a randomised controlled trial of pan-colonic versus targeted chromoscopy.

Gut. 2004 Mar;53(3):376-80.

[Macari M, Bini EJ, Jacobs SL, Naik S, Lui YW, Milano A, Rajapaksa R, Megibow AJ, Babb J.](#)

Colorectal polyps and cancers in asymptomatic average-risk patients: evaluation with CT colonography.

Radiology. 2004 Mar;230(3):629-36.

Rectal prolapse

[Chun SW, Pikarsky AJ, You SY, Gervaz P, Efron J, Weiss E,](#)

[Nogueras JJ, Wexner SD.](#) Perineal rectosigmoidectomy for rectal prolapse: role of levatorplasty.

Tech Coloproctol. 2004 Mar;8(1):3-8; discussion 8-9

[Dvorkin LS, Chan CL, Knowles CH, Williams NS, Lunniss PJ, Scott](#)

[SM.](#) Anal sphincter morphology in patients with full-thickness rectal prolapse. Dis Colon Rectum. 2004 Feb;47(2):198-203.

[Elhalaby EA, Hashish A, Elbarbary MM, Soliman HA, Wishahy MK,](#)

[Elkholy A, Abdelhay S, Elbehery M, Halawa N, Gobran T, Shehata S, Elkholy N, Hamza AF.](#) Transanal one-stage ndorectal pull-

**through for hirschsprung's disease: a multicenter study.
J Pediatr Surg. 2004 Mar;39(3):345-51; discussion 345-51.**