

Overview on Colorectal papers

Vol 3 Number 6 June/2004

A ProctoSite's e-publication

www.proctosite.com

March 2004 / May 2004

Surgical treatment

[Cummins ER, Vick KD, Poole GV.](#) Incurable colorectal carcinoma: the role of surgical palliation. *Am Surg.* 2004 May;70(5):433-7.

[Capussotti L, Massucco P, Muratore A, Amisano M, Bima C, Zorzi D.](#) Laparoscopy as a prognostic factor in curative resection for node positive colorectal cancer: Results for a single-institution nonrandomized prospective trial. *Surg Endosc.* 2004 May 27

[Chen WS, Chung MY, Liu JH, Liu JM, Lin JK.](#) Impact of Circulating Free Tumor Cells in the Peripheral Blood of Colorectal Cancer Patients during Laparoscopic Surgery. *World J Surg.* 2004 May 20

[Liang JL, Wan DS, Pan ZZ, Zhou ZW, Chen G, Li LR, Lu ZH, Wu XJ.](#) Multivariate regression analysis of recurrence following curative surgery for colorectal cancer *Ai Zheng.* 2004 May;23(5):564-7.

[Clinical Outcomes of Surgical Therapy Study Group.](#) A comparison of laparoscopically assisted and open colectomy for colon cancer. *N Engl J Med.* 2004 May 13;350(20):2050-9.

[Gavagan JA, Whiteford MH, Swanstrom LL.](#) Full-thickness intraperitoneal excision by transanal endoscopic microsurgery does not increase short-term complications. *Am J Surg.* 2004 May;187(5):630-4.

[Elias D, Delperro JR, Sideris L, Benhamou E, Pocard M, Baton O, Giovannini M, Lasser P.](#) Treatment of peritoneal carcinomatosis from colorectal cancer: impact of complete cytoreductive surgery and difficulties in conducting randomized trials. *Ann Surg Oncol.* 2004 May;11(5):518-21.

[McArdle CS, Hole DJ.](#) Influence of volume and specialization on survival following surgery for colorectal cancer. *Br J Surg.* 2004 May;91(5):610-7.

[McArdle CS, Hole DJ.](#) Emergency presentation of colorectal cancer is associated with poor 5-year survival. *Br J Surg.* 2004 May;91(5):605-9.

[Kam MH, Eu KW, Barben CP, Seow-Choen F.](#) Colorectal cancer in the young: a 12-year review of patients 30 years or less. *Colorectal Dis.* 2004 May;6(3):191-4.

[Takeuchi K, Tsuzuki Y, Ando T, Sekihara M, Hara T, Kori T, Nakajima H, Asao T, Kuwano H.](#) Should patients over 85 years old be operated on for colorectal cancer? *J Clin Gastroenterol.* 2004 May-Jun;38(5):408-13

[Rabeneck L, Davila JA, Thompson M, El-Serag HB.](#) Surgical volume and long-term survival following surgery for colorectal cancer in the Veterans Affairs Health-Care System. *Am J Gastroenterol.* 2004 Apr;99(4):668-75.

[Smith RL, Bohl JK, McElearney ST, Friel CM, Barclay MM, Sawyer RG, Foley EF.](#) Wound infection after elective colorectal resection. *Ann Surg.* 2004 May;239(5):599-605; discussion 605-7.

[Leung KL, Kwok SP, Lam SC, Lee JF, Yiu RY, Ng SS, Lai PB, Lau WY.](#) Laparoscopic resection of rectosigmoid carcinoma: prospective randomised trial. *Lancet.* 2004 Apr 10;363(9416):1187-92.

[Olsson L, Bergkvist L, Ekblom A.](#) Symptom duration versus survival in non-emergency colorectal cancer. *Scand J Gastroenterol.* 2004 Mar;39(3):252-8.

[Verwaal VJ, Boot H, Aleman BM, van Tinteren H, Zoetmulder FA.](#) Recurrences after peritoneal carcinomatosis of colorectal origin treated by cytoreduction and hyperthermic intraperitoneal chemotherapy: location, treatment, and outcome. *Ann Surg Oncol.* 2004 Apr;11(4):375-9.

[Gunderson LL, Sargent DJ, Tepper JE, Wolmark N, O'Connell MJ, Begovic M, Allmer C, Colangelo L, Smalley SR, Haller DG, Martenson JA, Mayer RJ, Rich TA, Ajani JA, MacDonald JS, Willett CG, Goldberg RM.](#) Impact of T and N stage and treatment on survival and relapse in adjuvant rectal cancer: a pooled analysis. *J Clin Oncol.* 2004 May 15;22(10):1785-96.

[Harvey EH, Young MR, Flanigan TL, Carlin AM, White MT, Tyburski JG, Weaver DW.](#) Complications are increased with the need for an abdominal-assisted Kraske procedure. *Am Surg.* 2004 Mar;70(3):193-6

[Platell CF, Thompson PJ, Makin GB.](#) Sexual health in women following pelvic surgery for rectal cancer. *Br J Surg.* 2004 Apr;91(4):465-8.

[Chambers WM, Khan U, Gagliano A, Smith RD, Sheffield J, Nicholls RJ.](#) Tumour morphology as a predictor of outcome after local excision of rectal cancer. *Br J Surg.* 2004 Apr;91(4):457-9.

[Janson M, Bjorholt I, Carlsson P, Haglund E, Henriksson M, Lindholm E, Anderberg B.](#) Randomized clinical trial of the costs of open and laparoscopic surgery for colonic cancer. *Br J Surg.* 2004 Apr;91(4):409-17.

[Wang HS, Lin JK, Mou CY, Lin TC, Chen WS, Jiang JK, Yang SH.](#) Long-term prognosis of patients with obstructing carcinoma of the right colon. *Am J Surg.* 2004 Apr;187(4):497-500.

[Howie SB, Amigo PH, O'Kelly K, Fainsinger RL.](#) Palliation of malignant bowel obstruction using a percutaneous cecostomy. *J Pain Symptom Manage.* 2004 Mar;27(3):282-5.

[Ali AA, McMillan DC, Mataika II, McNicol AM, McArdle CS.](#) Tumour T-lymphocyte subset infiltration and tumour recurrence following curative resection for colorectal cancer. *Eur J Surg Oncol.* 2004 Apr;30(3):292-5.

[Verwaal VJ, Zoetmulder FA](#). Follow-up of patients treated by cytoreduction and chemotherapy for peritoneal carcinomatosis of colorectal origin. *Eur J Surg Oncol*. 2004 Apr;30(3):280-5

[Kim JC, Lee KH, Yu CS, Kim HC, Kim JR, Chang HM, Kim JH, Kim JS, Kim TW](#). The clinicopathological significance of inferior mesenteric lymph node metastasis in colorectal cancer. *Eur J Surg Oncol*. 2004 Apr;30(3):271-9.

[Bittorf B, Stadelmaier U, Gohl J, Hohenberger W, Matzel KE](#). Functional outcome after intersphincteric resection of the rectum with coloanal anastomosis in low rectal cancer. *Eur J Surg Oncol*. 2004 Apr;30(3):260-5.

[Johnson R, Marsh R, Corson J, Seymour K](#). A comparison of two methods of palliation of large bowel obstruction due to irremovable colon cancer. *Ann R Coll Surg Engl*. 2004 Mar;86(2):99-103.

[Bertoglio S, Sandrucci S, Percivale P, Goss M, Gipponi M, Moresco L, Mussa B, Mussa A](#). Prognostic value of sentinel lymph node biopsy in the pathologic staging of colorectal cancer patients. *J Surg Oncol*. 2004 Mar;85(3):166-70.

[Canessa CE, Miegge LM, Bado J, Silveri C, Labandera D](#). Anatomic study of lateral pelvic lymph nodes: implications in the treatment of rectal cancer. *Dis Colon Rectum*. 2004 Mar;47(3):297-303.

[Agaba EA](#). Does rectal washout during anterior resection prevent local tumor recurrence? *Dis Colon Rectum*. 2004 Mar;47(3):291-6.

[Moore HG, Gittleman AE, Minsky BD, Wong D, Paty PB, Weiser M, Temple L, Saltz L, Shia J, Guillem JG](#). Rate of pathologic complete response with increased interval between preoperative combined modality therapy and rectal cancer resection. *Dis Colon Rectum*. 2004 Mar;47(3):279-86

[Saito N, Ono M, Sugito M, Ito M, Morihiro M, Kosugi C, Sato K, Kotaka M, Nomura S, Arai M, Kobatake T](#). Early results of intersphincteric resection for patients with very low rectal cancer: an active approach to avoid a permanent colostomy. *Dis Colon Rectum*. 2004 Apr;47(4):459-66.

[Eckmann C, Kujath P, Schiedeck TH, Shekarriz H, Bruch HP](#). Anastomotic leakage following low anterior resection: results of a standardized diagnostic and therapeutic approach. *Int J Colorectal Dis*. 2004 Mar;19(2):128-33.

[Chen JS, Hsieh PS, Hung SY, Tang R, Tsai WS, Changchien CR, Lin PY, Wang JY, Yeh CY](#). Clinical significance of signet ring cell rectal carcinoma. *Int J Colorectal Dis*. 2004 Mar;19(2):102-7.

[Malik A, Hull TL, Floruta C](#). What is the best surgical treatment for anorectal melanoma? *Int J Colorectal Dis*. 2004 Mar;19(2):121-3

Adjuvant therapy

[Labianca R, Fossati R, Zaniboni A, Torri V, Marsoni S, Nitti D, Boffi L, Scatizzi M, Tardio B, Mastrodonato N, Banducci S, Consani G, Pancera G; ACOI/GIVIO/GISCAD Investigators](#). Randomized trial of intraportal and/or

systemic adjuvant chemotherapy in patients with colon carcinoma. *J Natl Cancer Inst.* 2004 May 19;96(10):750-8.

[Gill S, Loprinzi CL, Sargent DJ, Thome SD, Alberts SR, Haller DG, Benedetti J, Francini G, Shepherd LE, Francois Seitz J, Labianca R, Chen W, Cha SS, Heldebrant MP, Goldberg RM.](#) Pooled analysis of fluorouracil-based adjuvant therapy for stage II and III colon cancer: who benefits and by how much? *J Clin Oncol.* 2004 May 15;22(10):1797-806.

[Grothey A, Sargent D, Goldberg RM, Schmoll HJ.](#) Survival of patients with advanced colorectal cancer improves with the availability of fluorouracil-leucovorin, irinotecan, and oxaliplatin in the course of treatment. *J Clin Oncol.* 2004 Apr 1;22(7):1209-14.

[Chau I, Allen MJ, Cunningham D, Norman AR, Brown G, Ford HE, Tebbutt N, Tait D, Hill M, Ross PJ, Oates J.](#) The value of routine serum carcino-embryonic antigen measurement and computed tomography in the surveillance of patients after adjuvant chemotherapy for colorectal cancer. *J Clin Oncol.* 2004 Apr 15;22(8):1420-9.

Risk factors, staging, follow-up and screening

[Vella M, MacKenzie S, Young E, Molloy RG, O'Dwyer PJ.](#) Impact of video colonoscopy on stage and outcome of patients with symptomatic colorectal cancer. *Surg Endosc.* 2004 May 28

[Pinol V, Andreu M, Castells A, Paya A, Bessa X, Jover R.](#) Synchronous Colorectal Neoplasms in Patients With Colorectal Cancer: Predisposing Individual and Familial Factors. *Dis Colon Rectum.* 2004 May 28

[Kronberg U, Lopez-Kostner F, Soto G, Zuniga A A, Wistuba I, Miranda V, Pinto E, Viviani P, Marshall G](#) Detection of Lymphatic Micrometastases in Patients With Stages I and II Colorectal Cancer: Impact on Five-Year Survival. *Dis Colon Rectum.* 2004 May 28

[Thygesen LC, Gronbaek M, Johansen C.](#) Colorectal Cancer in Denmark 1943-1997. *Dis Colon Rectum.* 2004 May 28

[Yuan Y, Ye J, Zheng S; International Collaborative Group.](#) Clinical and genetic features of International Collaborative Group-hereditary nonpolyposis colorectal cancer families and suspected hereditary nonpolyposis colorectal cancer families. *Chin Med J (Engl).* 2004 May;117(5):748-52.

[Church TR, Yeazel MW, Jones RM, Kochevar LK, Watt GD, Mongin SJ, Cordes JE, Engelhard D.](#) A randomized trial of direct mailing of fecal occult blood tests to increase colorectal cancer screening. *J Natl Cancer Inst.* 2004 May 19;96(10):770-80

[Chen K, Yu WP, Ma XY, Yao KY, Zheng S, Jiang QT.](#) Association of drinking water source and colorectal cancer incidence: a prospect cohort study *Ai Zheng.* 2004 May;23(5):550-4.

[Worrell S, Horvath K, Blakemore T, Flum D.](#) Endorectal ultrasound detection of focal carcinoma within rectal adenomas. *Am J Surg.* 2004 May;187(5):625-9; discussion 629.

[Simpson H, Jeffery M, Hickey B, Frizelle F, Frampton C.](#) Postoperative follow-up strategies for patients after potentially curative surgery for colorectal cancer at Christchurch Hospital. *N Z Med J.* 2004 May 07;117(1193):U873.

[Borie F, Combescure C, Daures JP, Tretarre B, Millat B.](#) Cost-effectiveness of Two Follow-up Strategies for Curative Resection of Colorectal Cancer: Comparative Study Using a Markov Model. *World J Surg.* 2004 May 6

[Cho E, Smith-Warner SA, Ritz J, van den Brandt PA, Colditz GA, Folsom AR, Freudenheim JL, Giovannucci E, Goldbohm RA, Graham S, Holmberg L, Kim DH, Malila N, Miller AB, Pietinen P, Rohan TE, Sellers TA, Speizer FE, Willett WC, Wolk A, Hunter DJ.](#) Alcohol intake and colorectal cancer: a pooled analysis of 8 cohort studies. *Ann Intern Med.* 2004 Apr 20;140(8):603-13.

[Hilsden RJ, Bryant HE, Sutherland LR, Brasher PM, Fields AL.](#) A retrospective study on the use of post-operative colonoscopy following potentially curative surgery for colorectal cancer in a Canadian province. *BMC Cancer.* 2004 Apr 19;4(1):14.

[Johnson CD, MacCarty RL, Welch TJ, Wilson LA, Harmsen WS, Ilstrup DM, Ahlquist DA.](#) Comparison of the relative sensitivity of CT colonography and double-contrast barium enema for screen detection of colorectal polyps. *Clin Gastroenterol Hepatol.* 2004 Apr;2(4):314-21.

[Slattery ML, Samowitz W, Hoffman M, Ma KN, Levin TR, Neuhausen S.](#) Aspirin, NSAIDs, and colorectal cancer: possible involvement in an insulin-related pathway. *Cancer Epidemiol Biomarkers Prev.* 2004 Apr;13(4):538-45.

[Rosen AB, Schneider EC.](#) Colorectal cancer screening disparities related to obesity and gender. *J Gen Intern Med.* 2004 Apr;19(4):332-8.

[Spigelman AD, Dwyer P.](#) Is there a link between work-related stress and colorectal cancer? *Med J Aust.* 2004 Apr 5;180(7):339-40.

[Mostafa G, Matthews BD, Norton HJ, Kercher KW, Sing RF, Heniford BT.](#) Influence of demographics on colorectal cancer. *Am Surg.* 2004 Mar;70(3):259-64.

[Nkondjock A, Ghadirian P.](#) Dietary carotenoids and risk of colon cancer: case-control study. *Int J Cancer.* 2004 May 20;110(1):110-6.

[Asano TK, McLeod RS.](#) Nonsteroidal anti-inflammatory drugs and aspirin for the prevention of colorectal adenomas and cancer: a systematic review. *Dis Colon Rectum.* 2004 May;47(5):665-73. Epub 2004 Apr 02.

[Kojima M, Wakai K, Tokudome S, Tamakoshi K, Toyoshima H, Watanabe Y, Hayakawa N, Suzuki K, Hashimoto S, Ito Y, Tamakoshi A; JACC Study Group.](#) Bowel movement frequency and risk of colorectal cancer in a large cohort study of Japanese men and women. *Br J Cancer.* 2004 Apr 5;90(7):1397-401.

[Myers RE, Turner B, Weinberg D, Hyslop T, Hauck WW, Brigham T, Rothermel T, Grana J, Schlackman N.](#) Impact of a physician-oriented intervention on follow-up in colorectal cancer screening. *Prev Med.* 2004 Apr;38(4):375-81.

[Yamaji Y, Mitsushima T, Ikuma H, Watabe H, Okamoto M, Kawabe T, Wada R, Doi H, Omata M.](#) Incidence and recurrence rates of colorectal adenomas estimated by annually repeated colonoscopies on asymptomatic Japanese. *Gut.* 2004 Apr;53(4):568-72.

[Tamakoshi K, Wakai K, Kojima M, Watanabe Y, Hayakawa N, Toyoshima H, Yatsuya H, Kondo T, Tokudome S, Hashimoto S, Suzuki K, Ito Y, Tamakoshi A; JACC Study Group.](#) A prospective study on the possible association between having children and colon cancer risk: findings from the JACC Study. *Cancer Sci.* 2004 Mar;95(3):243-7.

[Angell-Andersen E, Tretli S, Coleman MP, Langmark F, Grotmol T.](#) Colorectal cancer survival trends in Norway 1958-1997. *Eur J Cancer.* 2004 Mar;40(5):734-42.

[Barwick TW, Scott SB, Ambrose NS.](#) The two week referral for colorectal cancer: a retrospective analysis. *Colorectal Dis.* 2004 Mar;6(2):85-91

[Ho JW, Lam TH, Tse CW, Chiu LK, Lam HS, Leung PF, Ng KC, Ho SY, Woo J, Leung SS, Yuen ST.](#) Smoking, drinking and colorectal cancer in Hong Kong Chinese: a case-control study. *Int J Cancer.* 2004 Apr 20;109(4):587-97.

[Berchi C, Bouvier V, Reaud JM, Launoy G.](#) Cost-effectiveness analysis of two strategies for mass screening for colorectal cancer in France. *Health Econ.* 2004 Mar;13(3):227-38.

[Maekawa SJ, Aoyama N, Shirasaka D, Kuroda K, Tamura T, Kuroda Y, Kasuga M.](#) Excessive alcohol intake enhances the development of synchronous cancerous lesion in colorectal cancer patients. *Int J Colorectal Dis.* 2004 Mar;19(2):171-5.

Metastatic disease

[Yasui K, Shimizu Y, Hirai T, Kanemitsu Y, Kato T.](#) Surgical treatment for colorectal liver metastases--results of multi-institute study for effects of radical hepatectomy *Gan To Kagaku Ryoho.* 2004 May;31(5):690-4.

[Julianov A, Karashmalakov A, Rachkov I, Hristov H.](#) Treatment of colorectal cancer with synchronous bilobar liver metastases with simultaneous bowel and liver resection plus radiofrequency ablation. *Hepatogastroenterology.* 2004 May-Jun;51(57):643-5.

[Dawson LA, Lawrence TS.](#) The role of radiotherapy in the treatment of liver metastases. *Cancer J.* 2004 Mar-Apr;10(2):139-44.

[Elaraj DM, Alexander HR.](#) Current role of hepatic artery infusion and isolated liver perfusion for the treatment of colorectal cancer liver metastases. *Cancer J.* 2004 Mar-Apr;10(2):128-38.

[Nelson RL, Freels S.](#) A systematic review of hepatic artery chemotherapy after hepatic resection of colorectal cancer metastatic to the liver. *Dis Colon Rectum*. 2004 May;47(5):739-45. Epub 2004 Mar 25.

Molecular biology

[Galizia G, Lieto E, Ferraraccio F, Orditura M, De Vita F, Castellano P, Imperatore V, Romano C, Ciardiello F, Agostini B, Pignatelli C.](#) Determination of molecular marker expression can predict clinical outcome in colon carcinomas. *Clin Cancer Res*. 2004 May 15;10(10):3490-9.

[Gal R, Sadikov E, Sulkes J, Klein B, Koren R.](#) Deleted in Colorectal Cancer Protein Expression as a Possible Predictor of Response to Adjuvant Chemotherapy in Colorectal Cancer Patients. *Dis Colon Rectum*. 2004 May 20

[Gertler R, Rosenberg R, Stricker D, Friederichs J, Hoos A, Werner M, Ulm K, Holzmann B, Nekarda H, Siewert JR.](#) Telomere length and human telomerase reverse transcriptase expression as markers for progression and prognosis of colorectal carcinoma. *J Clin Oncol*. 2004 May 15;22(10):1807-14.

[Patten LC, Berger DH, Rodriguez-Bigas M, Mansfield P, Delpassand E, Cleary KR, Fagan SP, Curley SA, Hunt KK, Feig BW.](#) A prospective evaluation of radiocolloid and immunohistochemical staining in colon carcinoma lymphatic mapping. *Cancer*. 2004 May 15;100(10):2104-9.

[Li SY, Yu B, An P, Wei JC, Zuo FY, Cai HY.](#) Influence of FasL gene expression on hepatic metastasis of colorectal carcinoma. *Hepatobiliary Pancreat Dis Int*. 2004 May;3(2):226-9.

[Song K, Fendrick AM, Ladabaum U.](#) Fecal DNA testing compared with conventional colorectal cancer screening methods: a decision analysis. *Gastroenterology*. 2004 May;126(5):1270-9.

[Schiemann U, Muller-Koch Y, Gross M, Daum J, Lohse P, Baretton G, Muders M, Mussack T, Kopp R, Holinski-Feder E.](#) Extended Microsatellite Analysis in Microsatellite Stable, MSH2 and MLH1 Mutation-Negative HNPCC Patients: Genetic Reclassification and Correlation with Clinical Features. *Digestion*. 2004 Apr 28 [

[Garrity MM, Burgart LJ, Mahoney MR, Windschitl HE, Salim M, Wiesenfeld M, Krook JE, Michalak JC, Goldberg RM, O'Connell MJ, Furth AF, Sargent DJ, Murphy LM, Hill E, Riehle DL, Meyers CH, Witzig TE; North Central Cancer Treatment Group.](#) Prognostic value of proliferation, apoptosis, defective DNA mismatch repair, and p53 overexpression in patients with resected Dukes' B2 or C colon cancer: a North Central Cancer Treatment Group Study. *J Clin Oncol*. 2004 May 1;22(9):1572-82.

[Brink M, Weijenberg MP, De Goeij AF, Schouten LJ, Koedijk FD, Roemen GM, Lentjes MH, De Bruine AP, Goldbohm RA, Van Den Brandt PA.](#) Fat and K-ras mutations in sporadic colorectal cancer in The Netherlands Cohort Study. *Carcinogenesis*. 2004 Apr 29

[Vironen J, Kellokumpu S, Andersson LC, Kellokumpu I.](#) Comparison of a peanut agglutinin test and an immunochemical faecal occult blood test in detecting colorectal neoplasia in

symptomatic patients.

Scand J Clin Lab Invest. 2004 Apr;64(2):140-5.

[Muller HM, Oberwalder M, Fiegl H, Morandell M, Goebel G, Zitt M, Muhlthaler M, Ofner D, Margreiter R, Widschwendter M.](#) Methylation changes in faecal DNA: a marker for colorectal cancer screening?

Lancet. 2004 Apr 17;363(9417):1283-5.

[Cruz-Correa M, Cui H, Giardiello FM, Powe NR, Hylind L, Robinson A, Hutcheon DF, Kafonek DR, Brandenburg S, Wu Y, He X, Feinberg AP.](#) Loss of imprinting of insulin growth factor II gene: a potential heritable biomarker for colon neoplasia predisposition. Gastroenterology. 2004 Apr;126(4):964-70.

[Wang Y, Jatko T, Zhang Y, Mutch MG, Talantov D, Jiang J, McLeod HL, Atkins D.](#) Gene expression profiles and molecular markers to predict recurrence of Dukes' B colon cancer. J Clin Oncol. 2004 May 1;22(9):1564-71.

[Ishida H, Miwa H, Tatsuta M, Masutani S, Imamura H, Shimizu J, Ezumi K, Kato H, Kawasaki T, Furukawa H, Kawakami H.](#) Ki-67 and CEA expression as prognostic markers in Dukes' C colorectal cancer. Cancer Lett. 2004 Apr 15;207(1):109-15.

[Phillips SM, Banerjea A, Feakins R, Li SR, Bustin SA, Dorudi S.](#) Tumour-infiltrating lymphocytes in colorectal cancer with microsatellite instability are activated and cytotoxic. Br J Surg. 2004 Apr;91(4):469-75.

[Tsuji T, Sawai T, Yamashita H, Takeshita H, Nakagoe T, Shindou H, Fukuoka H, Yoshinaga M, Hidaka S, Yasutake T, Nagayasu T, Tagawa Y.](#) Platelet-derived endothelial cell growth factor expression is an independent prognostic factor in colorectal cancer patients after curative surgery. Eur J Surg Oncol. 2004 Apr;30(3):296-302.

[Balcerczak M, Balcerczak E, Pasz-Walczak G, Kordek R, Mirowski M.](#) Expression of the p65 gene in patients with colorectal cancer: comparison with some histological typing, grading and clinical staging.

Eur J Surg Oncol. 2004 Apr;30(3):266-70.

[Schmitz V, Wang L, Barajas M, Gomar C, Prieto J, Qian C.](#) Treatment of colorectal and hepatocellular carcinomas by adenoviral mediated gene transfer of endostatin and angiostatin-like molecule in mice.

Gut. 2004 Apr;53(4):561-7.

[Liang JT, Huang KC, Jeng YM, Lee PH, Lai HS, Hsu HC.](#) Microvessel density, cyclo-oxygenase 2 expression, K-ras mutation and p53 overexpression in colonic cancer. Br J Surg. 2004 Mar;91(3):355-61.

[Menon AG, Janssen-van Rhijn CM, Morreau H, Putter H, Tollenaar RA, van de Velde CJ, Fleuren GJ, Kuppen PJ.](#) Immune system and prognosis in colorectal cancer: a detailed immunohistochemical analysis. Lab Invest. 2004

Apr;84(4):493-501.

[Parc Y, Gueroult S, Mourra N, Serfaty L, Flejou JF, Tiret E, Parc R.](#) Prognostic significance of microsatellite instability determined by immunohistochemical

staining of MSH2 and MLH1 in sporadic T3N0M0 colon cancer. Gut. 2004 Mar;53(3):371-5.

[Lechpammer M, Lukac J, Lechpammer S, Kovacevic D, Loda M, Kusic Z.](#) Humoral immune response to p53 correlates with clinical course in colorectal cancer patients during adjuvant chemotherapy. Int J Colorectal Dis. 2004 Mar;19(2):114-20.

[Lassmann S, Bauer M, Rosenberg R, Nekarda H, Soong R, Ruger R, Hofler H, Werner M.](#) Identification of occult tumor cells in node negative lymph nodes of colorectal cancer patients by cytokeratin 20 gene and protein expression. Int J Colorectal Dis. 2004 Mar;19(2):87-94