

Overview of Colorectal papers

Volume 3 Number 7 July 2004

A ProctoSite's e-publication
www.proctosite.com

April 2004 / June 2004

Ulcerative Colitis

Surgical treatment

[Elkowitz D, Daum F, Markowitz J, Proccaccino J, Boas E, Cuomo J, Kahn E.](#)

Risk factors for carcinoma of the pelvic ileal pouch/anal canal in ulcerative colitis. *Ann Clin Lab Sci.* 2004 Spring;34(2):143-9.

[Ikeuchi H, Nakano H, Uchino M, Nakamura M, Yanagi H, Noda M, Yamamura T.](#)

Incidence and Therapeutic Outcome of Pouchitis for Ulcerative Colitis in Japanese Patients. *Dig Surg.* 2004 Jun 23

[Wolf JM, Achkar JP, Lashner BA, Delaney CP, Petras RE, Goldblum JR, Connor](#)

[JT, Remzi FH, Fazio VW.](#) Afferent limb ulcers predict Crohn's disease in patients with ileal pouch-anal anastomosis. *Gastroenterology.* 2004 Jun;126(7):1686-91.

[Berndtsson I, Oresland T, Hulten L.](#) Sexuality in patients with ulcerative colitis

before and after restorative proctocolectomy: a prospective study. *Scand J Gastroenterol.* 2004 Apr;39(4):374-9.

[Ohrstrom M, Jansson O, Wohlfart B, Ekelund M.](#) Working capacity and resting

energy expenditure after ileal pouch-anal anastomosis. *Br J Surg.* 2004 May;91(5):618-24.

[Karoui M, Cohen R, Nicholls J.](#) Results of surgical removal of the pouch after

failed restorative proctocolectomy. *Dis Colon Rectum.* 2004 Jun;47(6):869-75.

[Pishori T, Dinnewitzer A, Zmora O, Oberwalder M, Hajjar L, Cotman K,](#)

[Vernava AM 3rd, Efron J, Weiss EG, Noguerras JJ, Wexner SD.](#) Outcome of patients with indeterminate colitis undergoing a double-stapled ileal pouch-anal anastomosis. *Dis Colon Rectum.* 2004 May;47(5):717-21.

[Matzke GM, Kang AS, Dozois EJ, Sandborn WJ.](#) Mid pouch strictureplasty for

Crohn's disease after ileal pouch-anal anastomosis: an alternative to pouch excision. *Dis Colon Rectum.* 2004 May;47(5):782-6.

[Hueting WE, Gooszen HG, van Laarhoven CJ.](#) Sexual function and continence

after ileo pouch anal anastomosis: a comparison between a meta-analysis and a questionnaire survey. *Int J Colorectal Dis.* 2004 May;19(3):215-8.

[Ikeuchi H, Shoji Y, Kusunoki M, Yanagi H, Noda M, Yamamura T.](#) Clinical results after restorative proctocolectomy without diverting ileostomy for ulcerative colitis. *Int J Colorectal Dis.* 2004 May;19(3):234-8.

Medical treatment

[Lupascu A, Armuzzi A, De Pascalis B, Carloni E, Lauritano EC, Gasbarrini A, Pola P, Gasbarrini A.](#) Sacroileitis and peripheral arthropathy associated with ulcerative colitis: effect of infliximab on both articular and intestinal symptoms. *Dig Liver Dis.* 2004 Jun;36(6):423-5.

[Lopez San Roman A, Bermejo F, Aldanondo I, Carrera E, Boixeda D, Munoz Zato E.](#) Pyoderma gangrenosum associated with ulcerative colitis: response to infliximab. *Rev Esp Enferm Dig.* 2004 Jun;96(6):420-4. English, Spanish.

[Mantzaris GJ, Sfakianakis M, Archavlis E, Petraki K, Christidou A, Karagiannidis A, Triadaphyllou G.](#) A prospective randomized observer-blind 2-year trial of azathioprine monotherapy versus azathioprine and olsalazine for the maintenance of remission of steroid-dependent ulcerative colitis. *Am J Gastroenterol.* 2004 Jun;99(6):1122-8.

[Isaacs KL, Sartor RB.](#) Treatment of inflammatory bowel disease with antibiotics. *Gastroenterol Clin North Am.* 2004 Jun;33(2):335-45,

[Harrell LE, Hanauer SB.](#) Mesalamine derivatives in the treatment of Crohn's disease. *Gastroenterol Clin North Am.* 2004 Jun;33(2):303-17

[Haghighi DB, Lashner BA.](#) Left-sided ulcerative colitis. *Gastroenterol Clin North Am.* 2004 Jun;33(2):271-84

[Papachristou GI, Plevy S.](#) Novel biologics in inflammatory bowel disease. *Gastroenterol Clin North Am.* 2004 Jun;33(2):251-69

[Chang JC, Cohen RD.](#) Medical management of severe ulcerative colitis. *Gastroenterol Clin North Am.* 2004 Jun;33(2):235-50

[Friedman S.](#) General principles of medical therapy of inflammatory bowel disease. *Gastroenterol Clin North Am.* 2004 Jun;33(2):191-208

[Katz JA.](#) Treatment of inflammatory bowel disease with corticosteroids. *Gastroenterol Clin North Am.* 2004 Jun;33(2):171-89

[Sartor RB.](#) Therapeutic manipulation of the enteric microflora in inflammatory bowel diseases: antibiotics, probiotics, and prebiotics. *Gastroenterology.* 2004 May;126(6):1620-33. Review.

[De Lange T, Larsen S, Aabakken L.](#) Inter-observer agreement in the assessment of endoscopic findings in ulcerative colitis. *BMC Gastroenterol.* 2004 May 18;4(1):9.

[Ozdil S, Akyuz F, Pinarbasi B, Demir K, Karaca C, Boztas G, Kaymakoglu S, Mungan Z, Besisik F, Cakaloglu Y, Okten A.](#) Ulcerative colitis: analyses of 116 cases (do extraintestinal manifestations effect the time to catch remission?). *Hepatogastroenterology.* 2004 May-Jun;51(57):768-70.

[Ho GT, Mowat C, Goddard CJ, Fennell JM, Shah NB, Prescott RJ, Satsangi J.](#) Predicting the outcome of severe ulcerative colitis: development of a novel risk score to aid early selection of patients for second-line medical therapy or surgery. *Aliment Pharmacol Ther.* 2004 May 15;19(10):1079-87.

[Ljung T, Karlen P, Schmidt D, Hellstrom PM, Lapidus A, Janczewska I, Sjoqvist U, Lofberg R.](#) Infliximab in inflammatory bowel disease: clinical outcome in a population based cohort from Stockholm County. *Gut.* 2004 Jun;53(6):849-53.

[Molinie F, Gower-Rousseau C, Yzet T, Merle V, Grandbastien B, Marti R, Lerebours E, Dupas JL, Colombel JF, Salomez JL, Cortot A.](#) Opposite evolution in incidence of Crohn's disease and ulcerative colitis in Northern France (1988-1999). *Gut.* 2004 Jun;53(6):843-8.

[Cui HH, Chen CL, Wang JD, Yang YJ, Cun Y, Wu JB, Liu YH, Dan HL, Jian YT, Chen XQ.](#) Effects of probiotic on intestinal mucosa of patients with ulcerative colitis. *World J Gastroenterol.* 2004 May 15;10(10):1521-5.

[Kuhbacher T, Schreiber S, Folsch UR.](#) Ulcerative colitis: conservative management and long-term effects. *Langenbecks Arch Surg.* 2004 May 5

[Kitiyakara T, Bailey DM, McIntyre AS, Gorard DA.](#) Adenomatous colonic polyps are rare in ulcerative colitis. *Aliment Pharmacol Ther.* 2004 Apr 15;19(8):879-87.

[Bloom S, Kiilerich S, Lassen MR, Forbes A, Leiper K, Langholz E, Irvine EJ, O'Morain C, Lawson D, Orm S.](#) Low molecular weight heparin (tinzaparin) vs. placebo in the treatment of mild to moderately active ulcerative colitis. *Aliment Pharmacol Ther.* 2004 Apr 15;19(8):871-8.

[Mow WS, Abreu-Martin MT, Papadakis KA, Pitchon HE, Targan SR, Vasiliauskas EA.](#) High incidence of anergy in inflammatory bowel disease patients limits the usefulness of PPD screening before infliximab therapy. *Clin Gastroenterol Hepatol.* 2004 Apr;2(4):309-13.

[Langmead L, Feakins RM, Goldthorpe S, Holt H, Tsironi E, De Silva A, Jewell DP, Rampton DS.](#) Randomized, double-blind, placebo-controlled trial of oral aloe vera gel for active ulcerative colitis. *Aliment Pharmacol Ther.* 2004 Apr 1;19(7):739-47

Colonoscopy

[Petelenz M, Gonciarz M, Macfarlane P, Rudner R, Kawecki P, Musialik J, Jalowiecki P, Gonciarz Z.](#) Sympathovagal balance fluctuates during colonoscopy. *Endoscopy.* 2004 Jun;36(6):508-14.

[Leaper M, Johnston MJ, Barclay M, Dobbs BR, Frizelle FA.](#) Reasons for failure to diagnose colorectal carcinoma at colonoscopy. *Endoscopy.* 2004 Jun;36(6):499-503.

[Hurlstone DP, Cross SS, Drew K, Adam I, Shorthouse AJ, Brown S, Sanders DS, Lobo AJ.](#) An evaluation of colorectal endoscopic mucosal resection using

high-magnification chromoscopic colonoscopy: a prospective study of 1000 colonoscopies. *Endoscopy*. 2004 Jun;36(6):491-8.

[Bretthauer M, Hoff G, Severinsen H, Erga J, Sauar J, Huppertz-Hauss G.](#) [Systematic quality control programme for colonoscopy in an endoscopy centre in Norway] *Tidsskr Nor Laegeforen*. 2004 May 20;124(10):1402-5. Norwegian.

[Reilly T, Walker G.](#) Reasons for poor colonic preparation with inpatients. *Gastroenterol Nurs*. 2004 May-Jun;27(3):115-7.

[Holzer K, Thalhammer A, Bechstein WO.](#) [Splenic Trauma - a Rare Complication during Colonoscopy] *Z Gastroenterol*. 2004 Jun;42(6):509-12. German.

[Wilkins T, Jester D, Kenrick J, Dahl J.](#) The current state of colonoscopy training in family medicine residency programs. *Fam Med*. 2004 Jun;36(6):407-11.

[Cohen LB, Hightower CD, Wood DA, Miller KM, Aisenberg J.](#) Moderate level sedation during endoscopy: a prospective study using low-dose propofol, meperidine/fentanyl, and midazolam. *Gastrointest Endosc*. 2004 Jun;59(7):795-803.

[Luo MY, Shan H, Yao LQ, Zhou KR, Liang WW.](#) Postprocessing techniques of CT colonography in detection of colorectal carcinoma. *World J Gastroenterol*. 2004 Jun 1;10(11):1574-7.

[Arya N, Marcon NE.](#) Endoscopic Management of Lower Gastrointestinal Bleeding. *Curr Treat Options Gastroenterol*. 2004 Jun;7(3):241-247

[Law WL, Choi HK, Chu KW, Ho JW, Wong L.](#) Bowel preparation for colonoscopy: a randomized controlled trial comparing polyethylene glycol solution, one dose and two doses of oral sodium phosphate solution. *Asian J Surg*. 2004 Apr;27(2):120-4.

[Harewood GC, Wright CA, Baron TH.](#) Assessment of patients' perceptions of bowel preparation quality at colonoscopy. *Am J Gastroenterol*. 2004 May;99(5):839-43.

[Allan L, Johns E, Doshi M, Anne Kenny R, Newton JL.](#) Abnormalities of sympathetic and parasympathetic autonomic function in subjects with defaecation syncope. *Europace*. 2004 May;6(3):192-8.

[Rejchrt S, Bures J, Siroky M, Kopacova M, Slezak L, Langr F.](#) A prospective, observational study of colonic mucosal abnormalities associated with orally administered sodium phosphate for colon cleansing before colonoscopy. *Gastrointest Endosc*. 2004 May;59(6):651-4.

[Hurlstone DP, Cross SS, Brown S, Sanders DS, Lobo AJ.](#) A prospective evaluation of high-magnification chromoscopic colonoscopy in predicting completeness of EMR. *Gastrointest Endosc*. 2004 May;59(6):642-50.

[Eschinger EJ, Littman JJ, Meyer K, Katz LC, Milman PJ, Kastenber DM.](#) Safety of sodium phosphate tablets in patients receiving propofol-based sedation for colonoscopy. *J Clin Gastroenterol.* 2004 May-Jun;38(5):425-8.

[Hoppe H, Quattropani C, Spreng A, Mattich J, Netzer P, Dinkel HP.](#) Virtual colon dissection with CT colonography compared with axial interpretation and conventional colonoscopy: preliminary results. *AJR Am J Roentgenol.* 2004 May;182(5):1151-8.

[Cotton PB, Durkalski VL, Pineau BC, Palesch YY, Mauldin PD, Hoffman B, Vining DJ, Small WC, Affronti J, Rex D, Kopecky KK, Ackerman S, Burdick JS, Brewington C, Turner MA, Zfass A, Wright AR, Iyer RB, Lynch P, Sivak MV, Butler H.](#) Computed tomographic colonography (virtual colonoscopy): a multicenter comparison with standard colonoscopy for detection of colorectal neoplasia. *JAMA.* 2004 Apr 14;291(14):1713-9.

[Lee DW, Chan AC, Wong SK, Li AC, Sze TS, Chung SC.](#) The safety, feasibility, and acceptability of patient-controlled sedation for colonoscopy: prospective study. *Hong Kong Med J.* 2004 Apr;10(2):84-8.

[Hilsden RJ.](#) Patterns of use of flexible sigmoidoscopy, colonoscopy and gastroscopy: a population-based study in a Canadian province. *Can J Gastroenterol.* 2004 Apr;18(4):213-9.

[Rostom A, Jolicoeur E.](#) Validation of a new scale for the assessment of bowel preparation quality. *Gastrointest Endosc.* 2004 Apr;59(4):482-6.

Constipation

[Bouchoucha M, Faye A, Savarieau B, Arsac M.](#) Effect of an oral bulking agent and a rectal laxative administered alone or in combination for the treatment of constipation. *Gastroenterol Clin Biol.* 2004 May;28(5):438-43.

[Nakaji S, Matsuzaka M, Umeda T, Shimoyama T, Sugawara K, Sakamoto J, Wada S, Tokunaga S.](#) A population-based study on defecatory conditions in Japanese subjects: methods for self-evaluation. *Tohoku J Exp Med.* 2004 Jun;203(2):97-104.

[Cronje HS, De Beer JA, Bam R.](#) The pathophysiology of an enterocele and its management. *J Obstet Gynaecol.* 2004 Jun;24(4):408-13

[Adeniji OA, Barnett CB, Di Palma JA.](#) Durability of the diagnosis of irritable bowel syndrome based on clinical criteria. *Dig Dis Sci.* 2004 Apr;49(4):572-4.

[Zaslavsky C, De Barros SG, Gruber AC, Maclel AC, Da Silveira TR.](#) Chronic functional constipation in adolescents: clinical findings and motility studies. *J Adolesc Health.* 2004 Jun;34(6):517-22.

[Kim HJ, Camilleri M, Carlson PJ, Cremonini F, Ferber I, Stephens D, McKinzie S, Zinsmeister AR, Urrutia R.](#) Association of distinct alpha(2) adrenoceptor and serotonin transporter polymorphisms with constipation and somatic symptoms in functional gastrointestinal disorders. *Gut.* 2004 Jun;53(6):829-37.

[Holzer P.](#) Opioids and opioid receptors in the enteric nervous system: from a problem in opioid analgesia to a possible new prokinetic therapy in humans. *Neurosci Lett.* 2004 May 6;361(1-3):192-5.

[Gwee KA, Wee S, Wong ML, Png DJ.](#) The prevalence, symptom characteristics, and impact of irritable bowel syndrome in an asian urban community. *Am J Gastroenterol.* 2004 May;99(5):924-31.

[Locke GR 3rd, Yawn BP, Wollan PC, Melton LJ 3rd, Lydick E, Talley NJ.](#) Incidence of a clinical diagnosis of the irritable bowel syndrome in a United States population. *Aliment Pharmacol Ther.* 2004 May 1;19(9):1025-31.

[Brown AJ, Anderson JH, McKee RF, Finlay IG.](#) Surgery for occult rectal prolapse. *Colorectal Dis.* 2004 May;6(3):176-9.

[Crowell MD.](#) Role of serotonin in the pathophysiology of the irritable bowel syndrome. *Br J Pharmacol.* 2004 Apr;141(8):1285-93.

[Higgins PD, Johanson JF.](#) Epidemiology of constipation in North America: a systematic review. *Am J Gastroenterol.* 2004 Apr;99(4):750-9. Review.

[Ayav A, Bresler L, Brunaud L, Boissel P.](#) Long-term results of transanal repair of rectocele using linear stapler. *Dis Colon Rectum.* 2004 Jun;47(6):889-94.

[Mercer-Jones MA, Sprowson A, Varma JS.](#) Outcome after transperineal mesh repair of rectocele: a case series. *Dis Colon Rectum.* 2004 Jun;47(6):864-8.

[Bouhnik Y, Neut C, Raskine L, Michel C, Riottot M, Andrieux C, Guillemot E, Dyard F, Flourie B.](#) Prospective, randomized, parallel-group trial to evaluate the effects of lactulose and polyethylene glycol-4000 on colonic flora in chronic idiopathic constipation. *Aliment Pharmacol Ther.* 2004 Apr 15;19(8):889-99.

[Galligan JJ.](#) Enteric P2X receptors as potential targets for drug treatment of the irritable bowel syndrome. *Br J Pharmacol.* 2004 Apr;141(8):1294-302.

[Abdel-Fattah M, Barrington J, Yousef M, Mostafa A.](#) Effect of total abdominal hysterectomy on pelvic floor function. *Obstet Gynecol Surv.* 2004 Apr;59(4):299-304. Review.

[Altman D, Zetterstrom J, Lopez A, Pollack J, Nordenstam J, Mellgren A.](#) Effect of hysterectomy on bowel function. *Dis Colon Rectum.* 2004 Apr;47(4):502-8; discussion 508-9.

Hemorrhoids

[Narro JL.](#) [Hemorrhoid Therapy with Doppler Guided Hemorrhoidal Artery Ligation via Proctoscope KM-25. A New Alternative to Hemorrhoidectomy and Rubber Band Ligation?] *Zentralbl Chir.* 2004 Jun;129(3):208-10. German.

[Petersen S, Hellmich G, Schumann D, Schuster A, Ludwig K.](#) Early rectal stenosis following stapled rectal mucosectomy for hemorrhoids. *BMC Surg.* 2004 May 21;4(1):6.

[Lienert M, Ulrich B.](#) [Doppler-guided ligation of the hemorrhoidal arteries. Report of experiences with 248 patients] *Dtsch Med Wochenschr.* 2004 Apr 23;129(17):947-50. German

[Nicholson TJ, Armstrong D.](#) Topical metronidazole (10 percent) decreases posthemorrhoidectomy pain and improves healing. *Dis Colon Rectum.* 2004 May;47(5):711-6.

[La Torre F, Nicolai AP.](#) Clinical use of micronized purified flavonoid fraction for treatment of symptoms after hemorrhoidectomy: results of a randomized, controlled, clinical trial. *Dis Colon Rectum.* 2004 May;47(5):704-10.

[Mathur P, Ho T, Spalinger R, Chirurgie FM, Seow-Choen F.](#) The "winged" circular anal dilator in stapled hemorrhoidectomy. *Dis Colon Rectum.* 2004 Apr;47(4):542-3

[Zmora O, Colquhoun P, Abramson S, Weiss EG, Efron J, Vernava AM 3rd, Noguerras JJ, Wexner SD.](#) Can the procedure for prolapsing hemorrhoids (PPH) be done twice? Results of a porcine model. *Surg Endosc.* 2004 May;18(5):757-61.

Diverticular disease

[West AB, Losada M.](#) The pathology of diverticulosis coli. *J Clin Gastroenterol.* 2004 May-Jun;38(5 Suppl):S11-6.

[Peppercorn MA.](#) The overlap of inflammatory bowel disease and diverticular disease. *J Clin Gastroenterol.* 2004 May-Jun;38(5 Suppl):S8-10.

[Brandimarte G, Tursi A.](#) Rifaximin plus mesalazine followed by mesalazine alone is highly effective in obtaining remission of symptomatic uncomplicated diverticular disease. *Med Sci Monit.* 2004 May;10(5):PI 70-3.

[da Silva GM, Kaiser R, Borjesson L, Colquhoun P, Lobo C, Khandwala F, Thornton J, Efron J, Vernava AM 3rd, Weiss EG, Wexner SD, Gervaz P, Noguerras JJ.](#) The effect of diverticular disease on the colonic J pouch. *Colorectal Dis.* 2004 May;6(3):171-5

[Poletti PA, Platon A, Rutschmann O, Kinkel K, Nyikus V, Ghiorghiu S, Morel P, Terrier F, Becker CD.](#) Acute left colonic diverticulitis: can CT findings be used to predict recurrence? *AJR Am J Roentgenol.* 2004 May;182(5):1159-65.

[Clemens CH, Samsom M, Roelofs J, van Berge Henegouwen GP, Smout AJ.](#) Colorectal visceral perception in diverticular disease. *Gut.* 2004 May;53(5):717-22.

[Kang JY, Dhar A, Pollok R, Leicester RJ, Benson MJ, Kumar D, Melville D, Neild PJ, Tibbs CJ, Maxwell JD.](#) Diverticular disease of the colon: ethnic differences in frequency. *Aliment Pharmacol Ther.* 2004 Apr 1;19(7):765-9.

[Schwandner O, Farke S, Fischer F, Eckmann C, Schiedeck TH, Bruch HP.](#)

Laparoscopic colectomy for recurrent and complicated diverticulitis: a prospective study of 396 patients. *Langenbecks Arch Surg.* 2004 Apr;389(2):97-103. Epub 2004 Feb 17.