

Overview of Colorectal papers

Volume 3 Number 10 October 2004

A ProctoSite's e-publication
www.proctosite.com

July 2004 / September 2004

Ulcerative Colitis

Surgical Treatment

[Gosselink MP, Schouten WR, van Lieshout LM, Hop WC, Laman JD, Ruseler-van Embden JG.](#) Eradication of pathogenic bacteria and restoration of normal pouch flora: comparison of etronidazole and ciprofloxacin in the treatment of pouchitis. *Dis Colon Rectum*. 2004 Sep;47(9):1519-25.

[Gorfine SR, Harris MT, Bub DS, Bauer JJ.](#) Restorative proctocolectomy for ulcerative colitis complicated by colorectal cancer. *Dis Colon Rectum*. 2004 Sep;47(9):1377-85.

[Lin JJ, Song ZF, Xu JH.](#) The prognosis of the total proctocolectomy and ileal-pouch anal anastomosis *Zhonghua Wai Ke Za Zhi*. 2004 Jul 21;42(14):861-3

[Ceriati E, Deganello F, De Peppo F, Ciprandi G, Silveri M, Marchetti P, Rava L, Rivosecchi M.](#) Surgery for ulcerative colitis in pediatric patients: functional results of 10-year follow-up with straight endorectal pull-through. *Pediatr Surg Int*. 2004 Aug;20(8):573-8.

[Shen B, Lashner BA, Bennett AE, Remzi FH, Brzezinski A, Achkar JP, Bast J, Bambrick ML, Fazio VW.](#) Treatment of rectal cuff inflammation (cuffitis) in patients with ulcerative colitis following restorative proctocolectomy and ileal pouch-anal anastomosis. *Am J Gastroenterol*. 2004 Aug;99(8):1527-31.

[Berdah SV, Barthet M, Emungania O, Orsoni P, Alliot P, Grimaud JC, Brunet C.](#) Two stage videoassisted restorative proctocolectomy. Early experience of 12 cases *Ann Chir*. 2004 Jul-Aug;129(6-7):332-6.

[Yantiss RK, Sapp HL, Farraye FA, El-Zammar O, O'Brien MJ, Fruin AB, Stucchi AF, Brien TP, Becker JM, Odze RD.](#) Histologic predictors of pouchitis in patients with chronic ulcerative colitis. Am J Surg Pathol. 2004 Aug;28(8):999-1006.

[Kornbluth A, Sachar DB; Practice Parameters Committee of the American College of Gastroenterology.](#) Ulcerative colitis practice guidelines in adults (update): American College of gastroenterology, Practice Parameters Committee. Am J Gastroenterol. 2004 Jul;99(7):1371-85.

[Odze RD, Farraye FA, Hecht JL, Hornick JL.](#) Long-term follow-up after polypectomy treatment for adenoma-like dysplastic lesions in ulcerative colitis. Clin Gastroenterol Hepatol. 2004 Jul;2(7):534-41.

[Zinicola R, Nicholls RJ.](#) Restorative proctocolectomy in patients with ulcerative colitis having a recto-vaginal fistula. Colorectal Dis. 2004 Jul;6(4):261-4.

[Maartense S, Dunker MS, Slors JF, Gouma DJ, Bemelman WA.](#) Restorative proctectomy after emergency laparoscopic colectomy for ulcerative colitis: a case-matched study. Colorectal Dis. 2004 Jul;6(4):254-7.

[Florin TH, Pandeya N, Radford-Smith GL.](#) Epidemiology of appendicectomy in primary sclerosing cholangitis and ulcerative colitis: its influence on the clinical behaviour of these diseases. Gut. 2004 Jul;53(7):973-9.

[Johnson P, Richard C, Ravid A, Spencer L, Pinto E, Hanna M, Cohen Z, McLeod R.](#) Female infertility after ileal pouch-anal anastomosis for ulcerative colitis. Dis Colon Rectum. 2004 Jul;47(7):1119-26.

[Hahnloser D, Pemberton JH, Wolff BG, Larson D, Harrington J, Farouk R, Dozois RR.](#) Pregnancy and delivery before and after ileal pouch-anal anastomosis for inflammatory bowel disease: immediate and long-term consequences and outcomes. Dis Colon Rectum. 2004 Jul;47(7):1127-35.

[Jayaprakash A, Creed T, Stewart L, Colton B, Mountford R, Standen G, Probert C.](#) Should we monitor vitamin B12 levels in

patients who have had end-ileostomy for inflammatory bowel disease? Int J Colorectal Dis. 2004 Jul;19(4):316-8.

Medical Treatment

Baumgart DC, Wiedenmann B, Dignass AU.

Successful Therapy of Refractory Pyoderma Gangrenosum and Periorbital Phlegmona With Tacrolimus (FK506) in Ulcerative Colitis. Inflamm Bowel Dis. 2004 Jul;10(4):421-424.

Kooros K, Katz AJ. Infliximab Therapy in Pediatric Crohn's Pouchitis. Inflamm Bowel Dis. 2004 Jul;10(4):417-420.

Hauser W, Dietz N, Steder-Neukamm U, Janke KH, Stallmach A.

Biopsychosocial Determinants of Health-Related Quality of Life After Ileal Pouch Anal Anastomosis for Ulcerative Colitis. Inflamm Bowel Dis. 2004 Jul;10(4):399-407.

Alcala MJ, Casellas F, Fontanet G, Prieto L, Malagelada JR.

Shortened Questionnaire on Quality of Life for Inflammatory Bowel Disease. Inflamm Bowel Dis. 2004 Jul;10(4):383-391.

Pascu M, Roznowski AB, Muller HP, Adler A, Wiedenmann B, Dignass AU.

Clinical Relevance of Transabdominal Ultrasonography and Magnetic Resonance Imaging in Patients With Inflammatory Bowel Disease of the Terminal Ileum and Large Bowel. Inflamm Bowel Dis. 2004 Jul;10(4):373-382.

Vermeire S, Van Assche G, Rutgeerts P. C-reactive protein as a marker for inflammatory bowel disease. Inflamm Bowel Dis. 2004 Sep;10(5):661-5.

Maunder RG, Greenberg GR. Comparison of a disease activity index and patients' self-reported symptom severity in ulcerative colitis. Inflamm Bowel Dis. 2004 Sep;10(5):632-6.

Cioffi M, Riegler G, Vietri MT, Pilla P, Caserta L, Carratu R, Sica V, Molinari AM.

Serum p53 Antibodies in Patients Affected with Ulcerative Colitis. Inflamm Bowel Dis. 2004 Sep;10(5):606-11.

Barmada MM, Brant SR, Nicolae DL, Achkar JP, Panhuysen CI, Bayless TM, Cho JH, Duerr RH.

A genome scan in 260

inflammatory bowel disease-affected relative pairs. *Inflamm Bowel Dis.* 2004 Sep;10(5):513-20.

[Bullock NR, Booth JC, Gibson GR.](#) Comparative composition of bacteria in the human intestinal microflora during remission and active ulcerative colitis. *Curr Issues Intest Microbiol.* 2004 Sep;5(2):59-64.

[Reinisch W, Dejaco C, Knoflach P, Petritsch W, Vogelsang H, Tilg H.](#) Immunosuppressive Therapy for Inflammatory Bowel Disease: Consensus by the Austrian Working Group on IBD *Z Gastroenterol.* 2004 Sep;42(9):1033-45.

[Hammond A, Andus T, Gierend M, Ecker KW, Scholmerich J, Herfarth H; German Budesonide Foam Study Group.](#) Controlled, open, randomized multicenter trial comparing the effects of treatment on quality of life, safety and efficacy of budesonide foam and betamethasone enemas in patients with active distal ulcerative colitis. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1345-9.

[Gill HS, Guarner F.](#) Probiotics and human health: a clinical perspective. *Postgrad Med J.* 2004 Sep;80(947):516-26.

[Reynisdottir I, Gudbjartsson DF, Johannsson JH, Manolescu I, Kristjansson K, Stefansson K, Gulcher J, Bjornsson S.](#) A genetic contribution to inflammatory bowel disease in Iceland: a genealogic approach. *Clin Gastroenterol Hepatol.* 2004 Sep;2(9):806-12.

[Ohkusa T, Nomura T, Sato N.](#) The role of bacterial infection in the pathogenesis of inflammatory bowel disease. *Intern Med.* 2004 Jul;43(7):534-9.

[Chermesh I, Eliakim R.](#) Mesalazine-induced reversible infertility in a young male. *Dig Liver Dis.* 2004 Aug;36(8):551-2.

[Soon SY, Ansari A, Yaneza M, Raoof S, Hirst J, Sanderson JD.](#) Experience with the use of low-dose methotrexate for inflammatory bowel disease. *Eur J Gastroenterol Hepatol.* 2004 Sep;16(9):921-6.

[Kaufman I, Caspi D, Yeshurun D, Dotan I, Yaron M, Elkayam O.](#)

The effect of infliximab on extraintestinal manifestations of Crohn's disease.
Rheumatol Int. 2004 Aug 12 [Epub ahead of print]

[Hanai H, Watanabe F, Yamada M, Sato Y, Takeuchi K, Iida T, Tozawa K, Tanaka T, Maruyama Y, Matsushita I, Iwaoka Y, Saniabadi A.](#) Correlation of serum soluble TNF-alpha receptors I and II levels with disease activity in patients with ulcerative colitis. Am J Gastroenterol. 2004 Aug;99(8):1532-8.

[Masala G, Bagnoli S, Ceroti M, Saieva C, Trallori G, Zanna I, D'Albasio G, Palli D.](#) Divergent patterns of total and cancer mortality in ulcerative colitis and Crohn's disease patients: the Florence IBD study 1978-2001. Gut. 2004 Sep;53(9):1309-13.

[Ohno K, Masunaga Y, Ogawa R, Hashiguchi M, Ogata H.](#) A systematic review of the clinical effectiveness of azathioprine in patients with ulcerative colitis Yakugaku Zasshi. 2004 Aug;124(8):555-60.

[Benazzato L, D'Inca R, Grigoletto F, Perissinotto E, Medici V, Angriman I, Sturniolo GC.](#) Prognosis of severe attacks in ulcerative colitis: effect of intensive medical treatment. Dig Liver Dis. 2004 Jul;36(7):461-6.

[Robert ME, Skacel M, Ullman T, Bernstein CN, Easley K, Goldblum JR.](#) Patterns of colonic involvement at initial presentation in ulcerative colitis: a retrospective study of 46 newly diagnosed cases. Am J Clin Pathol. 2004 Jul;122(1):94-9.

[Russell GH, Katz AJ.](#) Infliximab is effective in acute but not chronic childhood ulcerative colitis. J Pediatr Gastroenterol Nutr. 2004 Aug;39(2):166-70.

Colonoscopy

[Holte K, Nielsen KG, Madsen JL, Kehlet H.](#) Physiologic effects of bowel preparation. Dis Colon Rectum. 2004 Aug;47(8):1397-402.

[Senore C, Segnan N, Bonelli L, Sciallero S, Pennazio M, Angioli D, Crosta C, Gasperoni S, Malfitana G; SCORE Working Group.](#)

Predicting proximal advanced neoplasms at screening sigmoidoscopy. *Dis Colon Rectum*. 2004 Aug;47(8):1331-40.

[Cobb WS, Heniford BT, Sigmon LB, Hasan R, Simms C, Kercher KW, Matthews BD.](#) Colonoscopic perforations: incidence, anagement, and outcomes. *Am Surg*. 2004 Sep;70(9):750-7; discussion 757-8.

[Mahmood T, Darzi A.](#) The learning curve for a colonoscopy simulator in the absence of any feedback: No feedback, no learning. *Surg Endosc*. 2004 Aug;18(8):1224-30.

[Tang SJ, Christodoulou D, Zanati S, Dubcenco E, Petroniene R, Cirocco M, Kandel G, Haber GB, Kortan P, Marcon NE.](#) Wireless capsule endoscopy for obscure gastrointestinal bleeding: a single-centre, one-year experience. *Can J Gastroenterol*. 2004 Sep;18(9):559-65.

[Madan A, Minocha A.](#) Who is willing to undergo endoscopy without sedation: patients, nurses, or the physicians? *South Med J*. 2004 Sep;97(9):800-5.

[Su MY, Ho YP, Chen PC, Chiu CT, Wu CS, Hsu CM, Tung SY.](#) Magnifying endoscopy with indigo carmine contrast for differential diagnosis of neoplastic and nonneoplastic colonic polyps. *Dig Dis Sci*. 2004 Aug;49(7-8):1123-7.

[Ball JE, Osbourne J, Jowett S, Pellen M, Welfare MR.](#) Quality improvement programme to achieve acceptable colonoscopy completion rates: prospective before and after study. *BMJ*. 2004 Sep 18;329(7467):665-7.

[Mihara Y, Kubota K, Nagata H, Takagi K, Horie T, Oda N, Ogura R, Watanabe Y, Terano A, Honma K.](#) Total intraoperative enteroscopy using a colonoscope for detecting the bleeding point. *Hepatogastroenterology*. 2004 Sep-Oct;51(59):1401-3.

[Van Gelder RE, Birnie E, Florie J, Schutter MP, Bartelsman JF, Snel P, Lameris JS, Bonsel GJ, Stoker J.](#) CT Colonography and Colonoscopy: Assessment of Patient Preference in a 5-week Follow-up Study. *Radiology*. 2004 Sep 9

[Edwards JK, Norris TE.](#) Colonoscopy in rural communities: can family physicians perform the procedure with safe and

efficacious results? J Am Board Fam Pract. 2004 Sep-Oct;17(5):353-8.

[Ramakrishnan S, Yiannakou JY, Ellis WR, Bain IM.](#)

Assessment of patient pain at colonoscopy: are nurses better than endoscopists? J R Soc Med. 2004 Sep;97(9):432-3.

[Vijan S, Inadomi J, Hayward RA, Hofer TP, Fendrick AM.](#)

Projections of demand and capacity for colonoscopy related to increasing rates of colorectal cancer screening in the United States. Aliment Pharmacol Ther. 2004 Sep 1;20(5):507-15.

[Arora A, Singh P.](#) Colonoscopy in patients 80 years of age and older is safe, with high success rate and diagnostic yield. Gastrointest Endosc. 2004 Sep;60(3):408-13.

[Yousfi M, Gostout CJ, Baron TH, Hernandez JL, Keate R, Fleischer DE, Sorbi D.](#) Postpolypectomy lower gastrointestinal bleeding: potential role of aspirin. Am J Gastroenterol. 2004 Sep;99(9):1785-9.

[Dickey W.](#) Does fluoroscopic imaging still have a role in colonoscopy? J Clin Gastroenterol. 2004 Sep;38(8):676-9.

[Mysliwiec PA, Brown ML, Klabunde CN, Ransohoff DF.](#)

Are physicians doing too much colonoscopy? A national survey of colorectal surveillance after polypectomy. Ann Intern Med. 2004 Aug 17;141(4):264-71.

[Hurlstone DP, Sanders DS, Cross SS, Adam I, Shorthouse AJ, Brown S, Drew K, Lobo AJ.](#) Colonoscopic resection of lateral spreading tumours: a prospective analysis of endoscopic mucosal resection. Gut. 2004 Sep;53(9):1334-9.

[Zhou PH, Yao LQ, Zhong YS, He GJ, Xu MD, Qin XY.](#)

Role of endoscopic miniprobe ultrasonography in diagnosis of submucosal tumor of large intestine. World J Gastroenterol. 2004 Aug 15;10(16):2444-6.

[Yoong KY, Perkin D, Portal J, Strickland I, Heymann T.](#)

Intravenous hyoscine as a premedication for colonoscopy: a randomized double-blind controlled trial. Endoscopy. 2004 Aug;36(8):720-2.

[Ge ZZ, Hu YB, Xiao SD.](#) Capsule endoscopy and push enteroscopy in the diagnosis of obscure gastrointestinal bleeding. Chin Med J (Engl). 2004 Jul;117(7):1045-9.

[Huppe D, Lemberg L, Felten G.](#) Effectiveness and patient tolerance of screening colonoscopy -- first results Z Gastroenterol. 2004 Jul;42(7):591-8.

[Carroll RE.](#) Colon preparation for magnification endoscopy: a rapid novel approach. Endoscopy. 2004 Jul;36(7):609-11.

[Mata A, Bordas JM, Feu F, Gines A, Pellise M, Fernandez-Esparrach G, Balaguer F, Pique JM, Llach J.](#) Wireless capsule endoscopy in patients with obscure gastrointestinal bleeding: a comparative study with push enteroscopy. Aliment Pharmacol Ther. 2004 Jul 15;20(2):189-94.

[Gorard DA, McIntyre AS.](#) Completion rate to caecum as a quality measure of colonoscopy in a district general hospital. Colorectal Dis. 2004 Jul;6(4):243-9.

[Park UC, Chung SS, Kim KR, Seong MK, Yoon WH, Kim YJ, Baik HK, Yu CS, Kim JH.](#) Single-stage procedure with intraoperative colonoscopy and colonic irrigation in patients with obstructing left-sided colonic cancer. Int J Colorectal Dis. 2004 Sep;19(5):487-92.

Constipation

[Karlhom U, Graf W, Nilsson S, Pahlman L.](#) The accuracy of clinical examination in the diagnosis of rectal intussusception. Dis Colon Rectum. 2004 Sep;47(9):1533-8.

[Gearhart SL, Pannu HK, Cundiff GW, Buller JL, Bluemke DA, Kaufman HS.](#) Perineal descent and levator ani hernia: a dynamic magnetic resonance imaging study. Dis Colon Rectum. 2004 Sep;47(9):1298-304

[Boccasanta P, Venturi M, Stuto A, Bottini C, Caviglia A, Carriero A, Mascagni D, Mauri R, Sofo L, Landolfi V.](#) Stapled transanal

rectal resection for outlet obstruction: a prospective, multicenter trial. *Dis Colon Rectum*. 2004 Sep;47(9):1285-97

[Demirbas S, Ogun I, Celenk T, Akin ML, Erenoglu C, Yldz M.](#) Early outcomes of laparoscopic procedures performed on military personnel with total rectal prolapse and follow-up. *Surg Laparosc Endosc Percutan Tech*. 2004 Aug;14(4):194-200.

[McDonald LA, Rennie AC, Tappin DM.](#) Constipation and soiling--outcome of treatment at one year. *Scott Med J*. 2004 Aug;49(3):98-100.

[Jarrett ME, Mowatt G, Glazener CM, Fraser C, Nicholls RJ, Grant AM, Kamm MA.](#) Systematic review of sacral nerve stimulation for faecal incontinence and constipation. *Br J Surg*. 2004 Sep 29

[Keshtgar AS, Ward HC, Clayden GS, Sanei A.](#) Thickening of the internal anal sphincter in idiopathic constipation in children. *Pediatr Surg Int*. 2004 Sep 28

[Ohlen K.](#) The effect of polyethylene glycol in chronic constipation is not sufficiently evaluated. A systematic literature review] *Lakartidningen*. 2004 Aug 19;101(34):2568-72.

[Palsson OS, Morteau O, Bozyski EM, Woosley JT, Sartor RB, Davies MJ, Johnson DA, Turner MJ, Whitehead WE.](#) Elevated vasoactive intestinal peptide concentrations in patients with irritable bowel syndrome. *Dig Dis Sci*. 2004 Aug;49(7-8):1236-43.

[Sobrado CW, Kiss DR, Nahas SC, Araujo SE, Seid VE, Cotti G, Habr-Gama A.](#) Surgical treatment of rectal prolapse: experience and late results with 51 patients. *Rev Hosp Clin Fac Med Sao Paulo*. 2004 Jul-Aug;59(4):168-71.

[Johanson JF, Wald A, Tougas G, Chey WD, Novick JS, Lembo AJ, Fordham F, Guella M, Nault B.](#) Effect of tegaserod in chronic constipation: a randomized, double-blind, controlled trial. *Clin Gastroenterol Hepatol*. 2004 Sep;2(9):796-805.

[Watanabe T, Nakaya N, Kurashima K, Kuriyama S, Tsubono Y, Tsuji I.](#) Constipation, laxative use and risk of colorectal cancer:

The Miyagi Cohort Study. *Eur J Cancer*. 2004 Sep;40(14):2109-15.

[Lees NP, Hodson P, Hill J, Pearson RC, MacLennan I.](#)

Long-term results of the antegrade continent enema procedure for constipation in adults. *Colorectal Dis*. 2004 Sep;6(5):362-8.

[Karlhom U, Lundin E, Graf W, Pahlman L.](#) Anorectal physiology in relation to clinical subgroups of patients with severe constipation. *Colorectal Dis*. 2004 Sep;6(5):343-9.

[Chitkara DK, Bredenoord AJ, Cremonini F, Delgado-Aros S, Smoot RL, El-Youssef M, Freese D, Camilleri M.](#) The role of pelvic floor dysfunction and slow colonic transit in adolescents with refractory constipation. *Am J Gastroenterol*. 2004 Aug;99(8):1579-84.

[Herve S, Savoye G, Behbahani A, Leroi AM, Denis P, Ducrotte P.](#)

Results of 24-h manometric recording of colonic motor activity with endoluminal instillation of bisacodyl in patients with severe chronic slow transit constipation. *Neurogastroenterol Motil*. 2004 Aug;16(4):397-402.

[Adolfsson O, Meydani SN, Russell RM.](#) Yogurt and gut function. *Am J Clin Nutr*. 2004 Aug;80(2):245-56.

[Bharucha AE, Locke GR 3rd, Seide BM, Zinsmeister AR.](#) A new questionnaire for constipation and faecal incontinence. *Aliment Pharmacol Ther*. 2004 Aug 1;20(3):355-64.

[Shafik A, Shafik AA, El-Sibai O, Ahmed I.](#) Colonic pacing: a therapeutic option for the treatment of constipation due to total colonic inertia. *Arch Surg*. 2004 Jul;139(7):775-9.

[Kurzrock EA, Karpman E, Stone AR.](#) Colonic tubes for the antegrade continence enema: comparison of surgical technique. *J Urol*. 2004 Aug;172(2):700-2.

[Link RE, Su LM, Bhayani SB, Wright EJ.](#) Laparoscopic sacral colpoperineopexy for treatment of perineal body descent and vaginal vault prolapse. *Urology*. 2004 Jul;64(1):145-7.

[Wilson S, Roberts L, Roalfe A, Bridge P, Singh S.](#) Prevalence of irritable bowel syndrome: a community survey. Br J Gen Pract. 2004 Jul;54(504):495-502.

[Dinning PG, Bampton PA, Andre J, Kennedy ML, Lubowski DZ, King DW, Cook IJ.](#) Abnormal predefecatory colonic motor patterns define constipation in obstructed defecation. Gastroenterology. 2004 Jul;127(1):49-56.

[Bardhan KD, Forbes A, Marsden CL, Mason T, Short G.](#) The effects of withdrawing tegaserod treatment in comparison with continuous treatment in irritable bowel syndrome patients with abdominal pain/discomfort, bloating and constipation: a clinical study. Aliment Pharmacol Ther. 2004 Jul 15;20(2):213-22.

[Ziegenhagen DJ, Kruis W.](#) Cisapride treatment of constipation-predominant irritable bowel syndrome is not superior to placebo. J Gastroenterol Hepatol. 2004 Jul;19(7):744-9.

[Tong WD, Liu BH, Zhang LY, Zhang SB, Lei Y.](#) Decreased interstitial cells of Cajal in the sigmoid colon of patients with slow transit constipation. Int J Colorectal Dis. 2004 Sep;19(5):467-73.

[Bouchoucha M, Devroede G, Arsac M.](#) Anismus: a marker of multi-site functional disorders? Int J Colorectal Dis. 2004 Jul;19(4):374-9.

[Boccasanta P, Venturi M, Salamina G, Cesana BM, Bernasconi F, Roviato G.](#) New trends in the surgical treatment of outlet obstruction: clinical and functional results of two novel transanal stapled techniques from a randomised controlled trial. Int J Colorectal Dis. 2004 Jul;19(4):359-69

Hemorrhoids

[Greenspon J, Williams SB, Young HA, Orkin BA.](#) Thrombosed external hemorrhoids: outcome after conservative or surgical management. Dis Colon Rectum. 2004 Sep;47(9):1493-8.

[Iyer VS, Shrier I, Gordon PH.](#) Long-term outcome of rubber band ligation for symptomatic primary and recurrent internal hemorrhoids. *Dis Colon Rectum*. 2004 Sep;47(9):1364-70.

[Gaj F, Trecca A.](#) [PATE 2000 Sorrento: a modern, effective instrument for defining haemorrhoids. A multicentre observational study conducted in 930 symptomatic patients] *Chir Ital*. 2004 Jul-Aug;56(4):509-15.

[Rohde H, Christ H.](#) [Haemorrhoids are too often assumed and treated. Survey of 548 patients with anal discomfort] *Dtsch Med Wochenschr*. 2004 Sep 17;129(38):1965-9.

[Meyer P, Stieger R.](#) Retroperitoneal hematoma due to seam insufficiency after stapled hemorrhoidectomy *Chirurg*. 2004 Aug 12

[Wehrmann T, Riphaut A, Feinstein J, Stergiou N.](#) Hemorrhoidal elastic band ligation with flexible videoendoscopes: a prospective, randomized comparison with the conventional technique that uses rigid proctoscopes. *Gastrointest Endosc*. 2004 Aug;60(2):191-5.

[Hasse C, Sitter H, Brune M, Wollenteit I, Lorenz W, Rothmund M.](#) Hemorrhoidectomy: conventional excision versus resection with the circular stapler. Prospective, randomized study *Dtsch Med Wochenschr*. 2004 Jul 23;129(30):1611-7.

[Lawes DA, Palazzo FF, Francis DL, Clifton MA.](#) One year follow up of a randomized trial comparing Ligasure with open hemorrhoidectomy. *Colorectal Dis*. 2004 Jul;6(4):233-5.

[Lunniss PJ, Mann CV.](#) Classification of internal haemorrhoids: a discussion paper. *Colorectal Dis*. 2004 Jul;6(4):226-32. Review.

[Arroyo A, Perez F, Miranda E, Serrano P, Candela F, Lacueva J, Hernandez H, Calpena R.](#) Open versus closed day-case hemorrhoidectomy: is there any difference? Results of a prospective randomised study. *Int J Colorectal Dis*. 2004 Jul;19(4):370-3.

[Esser S, Khubchandani I, Rakhmanine M.](#) Stapled hemorrhoidectomy with local anesthesia can be performed safely and cost-efficiently. *Dis Colon Rectum*. 2004 Jul;47(7):1164-9.

Diverticular Disease

[Schwandner O, Farke S, Bruch HP.](#) Laparoscopic colectomy for diverticulitis is not associated with increased morbidity when compared with non-diverticular disease. *Int J Colorectal Dis*. 2004 Sep 30

[Lawrimore T, Rhea JT.](#) Computed tomography evaluation of diverticulitis. *J Intensive Care Med*. 2004 Jul-Aug;19(4):194-204.

[Aydin HN, Remzi FH.](#) Diverticulitis: when and how to operate? *Dig Liver Dis*. 2004 Jul;36(7):435-45.

[Killingback M, Barron PE, Dent OF.](#) Elective surgery for diverticular disease: an audit of surgical pathology and treatment. *ANZ J Surg*. 2004 Jul;74(7):530-6.

[Guzzo J, Hyman N.](#) Diverticulitis in young patients: is resection after a single attack always warranted? *Dis Colon Rectum*. 2004 Jul;47(7):1187-90; discussion 1190-1.