

Overview of Colorectal papers

Volume 3 Number 11 November 2004

A ProctoSite's e-publication

www.proctosite.com

August 2004 / October 2004

Crohn's disease

Medical treatment and research

[Welcker K, Martin A, Kolle P, Siebeck M, Gross M.](#) Increased Intestinal Permeability in Patients with Inflammatory Bowel Disease. *Eur J Med Res.* 2004 Oct 29;9(10):456-460.

[Bouzaidi S, Ben Salem M, Mnif N, Ben Hammouda I, Ben Yedder J, Trabelsi S, Moussa A, Jemaa Y, Debbech R, Salem M, Najjar T, Hamza R.](#) [Bone mineral density in patients with Crohn's disease. about 53 cases] *Tunis Med.* 2004 Aug;82(8):753-9.

[Weigand K, Wagner-Thiessen E, Stolte M.](#) Esophagitis in an adolescent patient with Crohn's disease after changing treatment from prednisolone to budesonide. *Z Gastroenterol.* 2004 Oct;42(10):1179-81.

[Sapienza MS, Cohen S, Dimarino AJ.](#) Treatment of pyoderma gangrenosum with infliximab in Crohn's disease. *Dig Dis Sci.* 2004 Sep;49(9):1454-7.

[Ryan BM, Russel MG, Schurgers L, Wichers M, Sijbrandij J, Stockbrugger RW, Schoon E.](#) Effect of antitumor necrosis factor-alpha therapy on bone turnover in patients with active Crohn's disease: a prospective study. *Aliment Pharmacol Ther.* 2004 Oct 15;20(8):851-7.

[Weersma RK, Peters FT, Oostenbrug LE, van den Berg AP, van Haastert M, Ploeg RJ, Posthumus MD, Homan van der Heide JJ, Jansen PL, van Dullemen HM.](#) Increased incidence of azathioprine-induced pancreatitis in Crohn's disease compared with other diseases. *Aliment Pharmacol Ther.* 2004 Oct 15;20(8):843-50.

[Daperno M, D'Haens G, Van Assche G, Baert F, Bulois P, Maunoury V, Sostegni R, Rocca R, Pera A, Gevers A, Mary JY, Colombel JF, Rutgeerts P.](#) Development and validation of a new, simplified endoscopic activity score for Crohn's disease: the SES-CD. *Gastrointest Endosc.* 2004 Oct;60(4):505-12.

[Velayos FS, Sandborn WJ.](#) Pneumocystis carinii pneumonia during maintenance anti-tumor necrosis factor-alpha therapy with infliximab for Crohn's disease. *Inflamm Bowel Dis.* 2004 Sep;10(5):657-60.

[Herrlinger KR, Borutta A, Meinhardt G, Stange EF, Fellermann K.](#) Fatal staphylococcal sepsis in Crohn's disease after infliximab. *Inflamm Bowel Dis.* 2004 Sep;10(5):655-6.

[Leong RW, Lau JY, Sung JJ.](#) The epidemiology and phenotype of Crohn's disease in the Chinese population. *Inflamm Bowel Dis.* 2004 Sep;10(5):646-51.

[Winter TA, O'keefe SJ, Callanan M, Marks T.](#) Impaired gastric acid and pancreatic enzyme secretion in patients with Crohn's disease may be a consequence of a poor nutritional state. *Inflamm Bowel Dis.* 2004 Sep;10(5):618-25.

[Di Sabatino A, Ciccocioppo R, Armellini E, Morera R, Ricevuti L, Cazzola P, Fulle I, Corazza GR.](#) Serum bFGF and VEGF correlate respectively with bowel wall thickness and intramural blood flow in Crohn's disease. *Inflamm Bowel Dis.* 2004 Sep;10(5):573-7.

[Barmada MM, Brant SR, Nicolae DL, Achkar JP, Panhuysen CI, Bayless TM, Cho JH, Duerr RH.](#) A genome scan in 260 inflammatory bowel disease-affected relative pairs. *Inflamm Bowel Dis.* 2004 Sep;10(5):513-20.

[Witthoft T, Ludwig D.](#) Effectiveness and tolerability of repeated treatment with infliximab in patients with Crohn's disease: a retrospective data analysis in Germany. *Int J Colorectal Dis.* 2004 Sep 30;

[Holtmann MH, Neurath MF.](#) Anti-TNF strategies in stenosing and fistulizing Crohn's disease. *Int J Colorectal Dis.* 2004 Sep 30;

[Kratzer W, Foeller T, Kaechele V, Reinshagen M, Tirpitz CV, Haenle MM.](#) [Intestinal wall vascularisation in Crohn's disease] *Z Gastroenterol.* 2004 Sep;42(9):973-8.

[Gay G, Delvaux M, Rey JF.](#) The role of video capsule endoscopy in the diagnosis of digestive diseases: a review of current possibilities. *Endoscopy.* 2004 Oct;36(10):913-20.

[Sandborn WJ, Hanauer S, Loftus EV Jr, Tremaine WJ, Kane S, Cohen R, Hanson K, Johnson T, Schmitt D, Jeche R.](#) An open-label study of the human anti-TNF monoclonal antibody adalimumab in subjects with prior loss of response or intolerance to infliximab for Crohn's disease. *Am J Gastroenterol.* 2004 Oct;99(10):1984-9.

[Chowers Y, Odes S, Bujanover Y, Eliakim R, Bar Meir S, Avidan B.](#) The month of birth is linked to the risk of Crohn's disease in the Israeli population. *Am J Gastroenterol.* 2004 Oct;99(10):1974-6.

[Nos P, Bastida G, Garrigues V, Calvo F, Ponce M, Maroto N, Ponce J.](#) [Factors influencing the decision to administer systemic corticosteroids in Crohn's disease] *Gastroenterol Hepatol.* 2004 Oct;27(8):444-9.

[Mow WS, Landers CJ, Steinhart AH, Feagan BG, Croitoru K, Seidman E, Greenberg GR, Targan SR.](#) High-level serum antibodies to bacterial antigens are associated with antibiotic-induced clinical remission in Crohn's disease: a pilot study. *Dig Dis Sci.* 2004 Aug;49(7-8):1280-6

[Hanauer SB, Korelitz BI, Rutgeerts P, Peppercorn MA, Thisted RA, Cohen RD, Present DH.](#) Postoperative maintenance of Crohn's disease remission with 6-

mercaptopurine, mesalamine, or placebo: a 2-year trial. *Gastroenterology*. 2004 Sep;127(3):723-9.

[Sandborn WJ, Feagan BG, Radford-Smith G, Kovacs A, Enns R, Innes A, Patel J](#). CDP571, a humanised monoclonal antibody to tumour necrosis factor alpha, for moderate to severe Crohn's disease: a randomised, double blind, placebo controlled trial. *Gut*. 2004 Oct;53(10):1485-93.

[Bassi A, Dodd S, Williamson P, Bodger K](#). Cost of illness of inflammatory bowel disease in the UK: a single centre retrospective study. *Gut*. 2004 Oct;53(10):1471-8.

[Reynisdottir I, Gudbjartsson DF, Johannsson JH, Manolescu I, Kristjansson K, Stefansson K, Gulcher J, Bjornsson S](#). A genetic contribution to inflammatory bowel disease in Iceland: a genealogic approach. *Clin Gastroenterol Hepatol*. 2004 Sep;2(9):806-12.

[Wolters FL, Russel MG, Stockbrugger RW](#). Systematic review: has disease outcome in Crohn's disease changed during the last four decades? *Aliment Pharmacol Ther*. 2004 Sep 1;20(5):483-96.

[Eliakim R, Suissa A, Yassin K, Katz D, Fischer D](#). Wireless capsule video endoscopy compared to barium follow-through and computerised tomography in patients with suspected Crohn's disease--final report. *Dig Liver Dis*. 2004 Aug;36(8):519-22.

[Wedemeyer J, Kirchhoff T, Sellge G, Bachmann O, Lotz J, Galanski M, Manns MP, Gebel MJ, Bleck JS](#). Transcutaneous perianal sonography: a sensitive method for the detection of perianal inflammatory lesions in Crohn's disease. *World J Gastroenterol*. 2004 Oct 1;10(19):2859-63.

[Soon SY, Ansari A, Yaneza M, Raoof S, Hirst J, Sanderson JD](#). Experience with the use of low-dose methotrexate for inflammatory bowel disease. *Eur J Gastroenterol Hepatol*. 2004 Sep;16(9):921-6.

[Masala G, Bagnoli S, Ceroti M, Saieva C, Trallori G, Zanna I, D'Albasio G, Palli D](#). Divergent patterns of total and cancer mortality in ulcerative colitis and Crohn's disease patients: the Florence IBD study 1978-2001. *Gut*. 2004 Sep;53(9):1309-13.

[Zhan J, Xia ZS, Zhong YQ, Zhang SN, Wang LY, Shu H, Zhu ZH](#). Clinical analysis of primary small intestinal disease: A report of 309 cases. *World J Gastroenterol*. 2004 Sep 1;10(17):2585-7.

[Ito H](#). Novel therapy for Crohn's disease targeting IL-6 signalling. *Expert Opin Ther Targets*. 2004 Aug;8(4):287-94.

[Wenzl HH, Reinisch W, Jahnel J, Stockenhuber F, Tilg H, Kirchgatterer A, Petritsch W](#). Austrian infliximab experience in Crohn's disease: a nationwide cooperative study with long-term follow-up. *Eur J Gastroenterol Hepatol*. 2004 Aug;16(8):767-73.

[Nishimoto N, Kishimoto T](#). Inhibition of IL-6 for the treatment of inflammatory diseases. *Curr Opin Pharmacol*. 2004 Aug;4(4):386-91.

[Forcione DG, Rosen MJ, Kisiel JB, Sands BE.](#) Anti-Saccharomyces cerevisiae antibody (ASCA) positivity is associated with increased risk for early surgery in Crohn's disease. Gut. 2004 Aug;53(8):1117-22.

Crohn's disease

Surgical treatment

[Casillas S, Delaney CP, Senagore AJ, Brady K, Fazio VW.](#) Does conversion of a laparoscopic colectomy adversely affect patient outcome? Dis Colon Rectum. 2004 Oct;47(10):1680-5.

[Sands BE, Blank MA, Patel K, van Deventer SJ; ACCENT II Study.](#) Long-term treatment of rectovaginal fistulas in Crohn's disease: response to infliximab in the ACCENT II Study. Clin Gastroenterol Hepatol. 2004 Oct;2(10):912-20.

[Alves A, Panis Y, Joly F, Pocard M, Lavergne-Slove A, Bouhnik Y, Valleur P.](#) Could immunosuppressive drugs reduce recurrence rate after second resection for Crohn disease? Inflamm Bowel Dis. 2004 Sep;10(5):491-5.

[Otterson MF, Lundeen SJ, Spinelli KS, Sudakoff GS, Telford GL, Hatoum OA, Saeian K, Yun H, Binion DG.](#) Radiographic underestimation of small bowel stricturing Crohn's disease: a comparison with surgical findings. Surgery. 2004 Oct;136(4):854-60.

[Castiglione F, de Sio I, Cozzolino A, Rispo A, Manguso F, Del Vecchio Blanco G, Di Girolamo E, Castellano L, Ciacci C, Mazzacca G.](#) Bowel wall thickness at abdominal ultrasound and the one-year-risk of surgery in patients with Crohn's disease. Am J Gastroenterol. 2004 Oct;99(10):1977-83.

[Ardizzone S, Maconi G, Sampietro GM, Russo A, Radice E, Colombo E, Imbesi V, Molteni M, Danelli PG, Taschieri AM, Bianchi Porro G.](#) Azathioprine and mesalamine for prevention of relapse after conservative surgery for Crohn's disease. Gastroenterology. 2004 Sep;127(3):730-40.

[Bataille F, Klebl F, Rummele P, Schroeder J, Farkas S, Wild PJ, Furst A, Hofstadter F, Scholmerich J, Herfarth H, Rogler G.](#) Morphological characterisation of Crohn's disease fistulae. Gut. 2004 Sep;53(9):1314-21.

[Poritz LS, Gagliano GA, McLeod RS, MacRae H, Cohen Z.](#) Surgical management of entero and colcutaneous fistulae in Crohn's disease: 17 year's experience. Int J Colorectal Dis. 2004 Sep;19(5):481-5; discussion 486.

Fecal Incontinence

[Matzel KE, Stadelmaier U, Hohenberger W.](#) Innovations in fecal incontinence: sacral nerve stimulation. Dis Colon Rectum. 2004 Oct;47(10):1720-8.

[Koch SM, Uludag O, Rongen MJ, Baeten CG, van Gemert W.](#) Dynamic graciloplasty in patients born with an anorectal malformation. Dis Colon Rectum. 2004 Oct;47(10):1711-9.

[Lewicky CE, Valentin C, Saclarides TJ](#). Sexual function following sphincteroplasty for women with third- and fourth-degree perineal tears. *Dis Colon Rectum*. 2004 Oct;47(10):1650-4.

[Lindsey I, Jones OM, Smilgin-Humphreys MM, Cunningham C, Mortensen NJ](#). Patterns of fecal incontinence after anal surgery. *Dis Colon Rectum*. 2004 Oct;47(10):1643-9.

[Crowell MD, Lacy BE, Schettler VA, Dineen TN, Olden KW, Talley NJ](#). Subtypes of anal incontinence associated with bowel dysfunction: clinical, physiologic, and psychosocial characterization. *Dis Colon Rectum*. 2004 Oct;47(10):1627-35.

[Kairaluoma MV, Raivio P, Aarnio MT, Kellokumpu IH](#). Immediate repair of obstetric anal sphincter rupture: medium-term outcome of the overlap technique. *Dis Colon Rectum*. 2004 Aug;47(8):1358-63.

[Uludag O, Koch SM, van Gemert WG, Dejong CH, Baeten CG](#). Sacral neuromodulation in patients with fecal incontinence: a single-center study. *Dis Colon Rectum*. 2004 Aug;47(8):1350-7.

[Macmillan AK, Merrie AE, Marshall RJ, Parry BR](#). The prevalence of fecal incontinence in community-dwelling adults: a systematic review of the literature. *Dis Colon Rectum*. 2004 Aug;47(8):1341-9. Review.

[Gearhart SL, Pannu HK, Cundiff GW, Buller JL, Bluemke DA, Kaufman HS](#). Perineal descent and levator ani hernia: a dynamic magnetic resonance imaging study. *Dis Colon Rectum*. 2004 Aug;47(8):1298-304.

[Mahony RT, Malone PA, Nalty J, Behan M, O'connell PR, O'herlihy C](#). Randomized clinical trial of intra-anal electromyographic biofeedback physiotherapy with intra-anal electromyographic biofeedback augmented with electrical stimulation of the anal sphincter in the early treatment of postpartum fecal incontinence. *Am J Obstet Gynecol*. 2004 Sep;191(3):885-90.

[Nichols CM, Gill EJ, Nguyen T, Barber MD, Hurt WG](#). Anal sphincter injury in women with pelvic floor disorders. *Obstet Gynecol*. 2004 Oct;104(4):690-6.

[Jarrett ME, Mowatt G, Glazener CM, Fraser C, Nicholls RJ, Grant AM, Kamm MA](#). Systematic review of sacral nerve stimulation for faecal incontinence and constipation. *Br J Surg*. 2004 Sep 29;91(12):1559-1569

[Norderval S, Nsubuga D, Bjelke C, Frasurek J, Myklebust I, Vonen B](#). Anal incontinence after obstetric sphincter tears: incidence in a Norwegian county. *Acta Obstet Gynecol Scand*. 2004 Oct;83(10):989-94.

[Pinta TM, Kylanpaa ML, Teramo KA, Luukkonen PS](#). Sphincter rupture and anal incontinence after first vaginal delivery. *Acta Obstet Gynecol Scand*. 2004 Oct;83(10):917-22.

[Osterberg A, Edebol Eeg-Olofsson K, Hallden M, Graf W](#). Randomized clinical trial comparing conservative and surgical treatment of neurogenic faecal incontinence. *Br J Surg*. 2004 Sep;91(9):1131-7.

[Herndon CD, Rink RC, Cain MP, Lerner M, Kaefer M, Yerkes E, Casale AJ.](#) In situ Malone antegrade continence enema in 127 patients: a 6-year experience. *J Urol.* 2004 Oct;172(4 Pt 2):1689-91.

[La Torre F, Masoni L, Montori J, Ruggeri E, Montori A.](#) The surgical treatment of fecal incontinence with artificial anal sphincter implant. Preliminary clinical report. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1358-61.

[Tariq SH.](#) Geriatric fecal incontinence. *Clin Geriatr Med.* 2004 Aug;20(3):571-87, ix. Review.

[Gregory WT, Lou JS, Stuyvesant A, Clark AL.](#) Quantitative electromyography of the anal sphincter after uncomplicated vaginal delivery. *Obstet Gynecol.* 2004 Aug;104(2):327-35.

[Wax JR, Cartin A, Pinette MG, Blackstone J.](#) Patient choice cesarean: an evidence-based review. *Obstet Gynecol Surv.* 2004 Aug;59(8):601-16. Review.

[Bharucha AE, Locke GR 3rd, Seide BM, Zinsmeister AR.](#) A new questionnaire for constipation and faecal incontinence. *Aliment Pharmacol Ther.* 2004 Aug 1;20(3):355-64.

[Buntzen S, Rasmussen OO, Ryhammer AM, Sorensen M, Laurberg S, Christiansen J.](#) Sacral nerve stimulation for treatment of fecal incontinence in a patient with muscular dystrophy: report of a case *Dis Colon Rectum.* 2004 Aug;47(8):1409-11.

Colorectal Polyps

[Senore C, Segnan N, Bonelli L, Sciallero S, Pennazio M, Angioli D, Crosta C, Gasperoni S, Malfitana G; SCORE Working Group.](#) Predicting proximal advanced neoplasms at screening sigmoidoscopy. *Dis Colon Rectum.* 2004 Aug;47(8):1331-40.

[Su MY, Ho YP, Chen PC, Chiu CT, Wu CS, Hsu CM, Tung SY.](#) Magnifying endoscopy with indigo carmine contrast for differential diagnosis of neoplastic and nonneoplastic colonic polyps. *Dig Dis Sci.* 2004 Aug;49(7-8):1123-7.

[Nakama H, Zhang B, Kamijo N.](#) Sensitivity of immunochemical fecal occult blood test for colorectal flat adenomas. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1333-6.

[Pickhardt PJ, Nugent PA, Mysliwiec PA, Choi JR, Schindler WR.](#) Location of adenomas missed by optical colonoscopy. *Ann Intern Med.* 2004 Sep 7;141(5):352-9.

[Oncel M, Remzi FH, Church JM, Connor JT, Fazio VW.](#) Benefits of 'clean sweep' in Peutz-Jeghers patients. *Colorectal Dis.* 2004 Sep;6(5):332-5.

[Yousfi M, Gostout CJ, Baron TH, Hernandez JL, Keate R, Fleischer DE, Sorbi D.](#) Postpolypectomy lower gastrointestinal bleeding: potential role of aspirin. *Am J Gastroenterol.* 2004 Sep;99(9):1785-9.

[Mysliwiec PA, Brown ML, Klabunde CN, Ransohoff DF.](#) Are physicians doing too much colonoscopy? A national survey of colorectal surveillance after polypectomy. *Ann Intern Med.* 2004 Aug 17;141(4):264-71.

[Conio M, Repici A, Demarquay JF, Bianchi S, Dumas R, Filiberti R.](#) EMR of large sessile colorectal polyps. *Gastrointest Endosc.* 2004 Aug;60(2):234-41.

[Vogt C, Cohnen M, Beck A, vom Dahl S, Aurich V, Modder U, Haussinger D.](#) Detection of colorectal polyps by multislice CT colonography with ultra-low-dose technique: comparison with high-resolution videocolonoscopy. *Gastrointest Endosc.* 2004 Aug;60(2):201-9.

[Loeve F, Boer R, Zauber AG, Van Ballegooijen M, Van Oortmarssen GJ, Winawer SJ, Habbema JD.](#) National Polyp Study data: evidence for regression of adenomas. *Int J Cancer.* 2004 Sep 10;111(4):633-9.

Anal Fissure

[Arroyo A, Perez F, Serrano P, Candela F, Calpena R.](#) Long-term results of botulinum toxin for the treatment of chronic anal fissure: prospective clinical and manometric study. *Int J Colorectal Dis.* 2004 Oct 30;

[Weinstein D, Halevy A, Negri M, Levy N, Gelertner I, Ziv Y.](#) A prospective, randomized double-blind study on the treatment of anal fissures with Nitroglycerin ointment Harefuah. 2004 Oct;143(10):713-7, 767, 766.

[Arroyo A, Perez F, Serrano P, Candela F, Calpena R.](#) Open versus closed lateral sphincterotomy performed as an outpatient procedure under local anesthesia for chronic anal fissure: prospective randomized study of clinical and manometric longterm results. *J Am Coll Surg.* 2004 Sep;199(3):361-7.

[Boschetto S, Giovannone M, Tosoni M, Barberani F.](#) Hydropneumatic anal dilation in conservative treatment of chronic anal fissure: clinical outcomes and randomized comparison with topical nitroglycerin. *Tech Coloproctol.* 2004 Aug;8(2):89-92; discussion 92-3.

[Gupta PJ.](#) Hypertrophied anal papillae and fibrous anal polyps, should they be removed during anal fissure surgery? *World J Gastroenterol.* 2004 Aug 15;10(16):2412-4.

Anal Fistula

[Pye PK, Dada T, Duthie G, Phillips K.](#) Surgisistrade mark mesh: a novel approach to repair of a recurrent rectovaginal fistula. *Dis Colon Rectum.* 2004 Sep;47(9):1554-6.

[Tonkin DM, Murphy E, Brooke-Smith M, Hollington P, Rieger N, Hockley S, Richardson N, Wattchow DA.](#) Perianal abscess: a pilot study comparing packing with nonpacking of the abscess cavity. *Dis Colon Rectum.* 2004 Sep;47(9):1510-4.

[Hammond TM, Grahn MF, Lunniss PJ.](#) Fibrin glue in the management of anal fistulae. *Colorectal Dis.* 2004 Sep;6(5):308-19.

[Sudol-Szopinska I, Szczepkowski M, Panorska AK, Szopinski T, Jakubowski W.](#) Comparison of contrast-enhanced with non-contrast endosonography in the diagnostics of anal fistulas. Eur Radiol. 2004 Aug 5;

[Lee RC, Rotmensch J.](#) Rectovaginal radiation fistula repair using an obturator fasciocutaneous thigh flap. Gynecol Oncol. 2004 Aug;94(2):277-82.

[Chen YJ, Zhang TC, Zhang JZ.](#) Transanal approach in repairing acquired rectovestibular fistula in females. World J Gastroenterol. 2004 Aug 1;10(15):2299-300.

[Naru T, Rizvi JH, Talati J.](#) Surgical repair of genital fistulae. J Obstet Gynaecol Res. 2004 Aug;30(4):293-6.

Rectal Prolapse

[Ayav A, Bresler L, Brunaud L, Zarnegar R, Boissel P.](#) Surgical management of combined rectal and genital prolapse in young patients: transabdominal approach Int J Colorectal Dis. 2004 Oct 13;

[Demirbas S, Ogun I, Celenk T, Akin ML, Erenoglu C, Yldz M.](#) Early outcomes of laparoscopic procedures performed on military personnel with total rectal prolapse and follow-up. Surg Laparosc Endosc Percutan Tech. 2004 Aug;14(4):194-200.

[Salkeld G, Bagia M, Solomon M.](#) Economic impact of laparoscopic versus open abdominal rectopexy. Br J Surg. 2004 Sep;91(9):1188-91.