

Overview of Colorectal papers

Volume 3 Number 12 December 2004

A ProctoSite's e-publication

www.proctosite.com

September/October/November 2004

Colorectal Câncer Surgical treatment

[Anwar S, Hughes S, Eadie AJ, Scott NA.](#) Anastomotic technique and survival after right hemicolectomy for colorectal cancer. *Surgeon.* 2004 Oct;2(5):277-80.

[Rabeneck L, Davila JA, Thompson M, El-Serag HB.](#) Outcomes in elderly patients following surgery for colorectal cancer in the veterans affairs health care system. *Aliment Pharmacol Ther.* 2004 Nov 15;20(10):1115-24.

[Hilska M, Roberts PJ, Kossi J, Paajanen H, Collan Y, Laato M.](#) The influence of training level and surgical experience on survival in colorectal cancer. *Langenbecks Arch Surg.* 2004 Nov;389(6):524-31.

[Moore HG, Shoup M, Riedel E, Minsky BD, Alektiar KM, Ercolani M, Paty PB, Wong WD, Guillem JG.](#) Colorectal cancer pelvic recurrences: determinants of resectability. *Dis Colon Rectum.* 2004 Oct;47(10):1599-606.

[Berberoglu U.](#) Prognostic significance of total lymph node number in patients with T1-4N0M0 colorectal cancer. *Hepatogastroenterology.* 2004 Nov-Dec;51(60):1689-93.

[Kirman I, Cekic V, Poltoratskaia N, Sylla P, Jain S, Forde KA, Whelan RL.](#) Open surgery induces a dramatic decrease in circulating intact IGFBP-3 in patients with colorectal cancer not seen with laparoscopic surgery. *Surg Endosc.* 2004 Nov 11;

[Gonzalez R, Smith CD, Ritter EM, Mason E, Duncan T, Ramshaw BJ.](#) Laparoscopic palliative surgery for complicated colorectal cancer. *Surg Endosc.* 2004 Nov 11;

[Cooney A, Gattellari M, Donnelly N, Ward J.](#) Impact of national guidelines about the management of colorectal cancer on Australian surgeons' awareness of evidence: a pre/post survey. *Colorectal Dis.* 2004 Nov;6(6):418-27.

[Lu CH, Chao PC, Borel CO, Yang CP, Yeh CC, Wong CS, Wu CT.](#) Preincisional intravenous pentoxifylline attenuating perioperative cytokine response, reducing morphine consumption, and improving recovery of bowel function in patients undergoing colorectal cancer surgery. *Anesth Analg.* 2004 Nov;99(5):1465-71;

[Chan CL, Chafai N, Rickard MJ, Dent OF, Chapuis PH, Bokey EL.](#) What pathologic features influence survival in patients with local residual tumor after resection of colorectal cancer? *J Am Coll Surg.* 2004 Nov;199(5):680-6.

[Tanis PJ, Steller EP.](#) [Sentinel node metastasis in the case of colorectal cancer. No role for sentinel node biopsy at present] *Ned Tijdschr Geneeskd.* 2004 Sep 11;148(37):1805-8. Review. Dutch.

[Jesus E, Karliczek A, Matos D, Castro A, Atallah A.](#) Prophylactic anastomotic drainage for colorectal surgery. *Cochrane Database Syst Rev.* 2004 Oct 18;(4):CD002100.

[Mukai M, Sato S, Tajima T, Ninomiya H, Kimura T, Komatsu N, Nakasaki H, Makuuchi H.](#) Predicting recurrence and metastasis of stage II/Dukes' B colorectal cancer without lymph node metastasis. *Oncol Rep.* 2004 Nov;12(5):1127-30.

[Guimaraes GC, Terabe F, Rossi BM, Aguiar Junior S, Ferreira FD, Nakagawa WT, Lopes A.](#) The double-barreled wet ileostomy: an alternative method for simultaneous urinary and intestinal diversion without intestinal anastomosis after total colectomy and pelvic exenteration. *Int J Colorectal Dis.* 2004 Oct 15;

[Loy TS, Kaplan PA.](#) Villous adenocarcinoma of the colon and rectum: a clinicopathologic study of 36 cases. *Am J Surg Pathol.* 2004 Nov;28(11):1460-5.

[Carne PW, Frye JN, Robertson GM, Frizelle FA.](#) Stents or open operation for palliation of colorectal cancer: a retrospective, cohort study of perioperative outcome and long-term survival. *Dis Colon Rectum.* 2004 Sep;47(9):1455-61. Epub 2004 Jul 08.

[Hida J, Yoshifuji T, Tokoro T, Inoue K, Matsuzaki T, Okuno K, Shiozaki H, Yasutomi M.](#) Long-term functional outcome of low anterior resection with colonic J-pouch reconstruction for rectal cancer in the elderly. *Dis Colon Rectum.* 2004 Sep;47(9):1448-54.

[Shirouzu K, Ogata Y, Araki Y.](#) Oncologic and functional results of total mesorectal excision and autonomic nerve-preserving operation for advanced lower rectal cancer. *Dis Colon Rectum.* 2004 Sep;47(9):1442-7.

[Senagore AJ, Warmuth AJ, Delaney CP, Tekkis PP, Fazio VW.](#) POSSUM, p-POSSUM, and Cr-POSSUM: implementation issues in a United States health care system for prediction of outcome for colon cancer resection. *Dis Colon Rectum.* 2004 Sep;47(9):1435-41.

[van den Brink M, Stiggelbout AM, van den Hout WB, Kievit J, Klein Kranenbarg E, Marijnen CA, Nagtegaal ID, Rutten HJ, Wiggers T, van de Velde CJ.](#) Clinical nature and prognosis of locally recurrent rectal cancer after total mesorectal excision with or without preoperative radiotherapy. *J Clin Oncol.* 2004 Oct 1;22(19):3958-64.

[Pessaux P, Pocard M, Elias D, Duvillard P, Avril MF, Zimmerman P, Lasser P.](#) Surgical management of primary anorectal melanoma. *Br J Surg.* 2004 Sep;91(9):1183-7.

[Clark AJ, Stockton D, Elder A, Wilson RG, Dunlop MG.](#) Assessment of outcomes after colorectal cancer resection in the elderly as a rationale for screening and early detection. *Br J Surg.* 2004 Oct;91(10):1345-51.

[Tsunoda A, Shibusawa M, Tanizaki H, Kusano M.](#) Hypogastric nerve preservation does not increase local recurrence after surgical treatment of rectal carcinoma. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1354-7.

[Sakakura C, Hagiwara A, Yamazaki J, Takagi T, Hosokawa K, Shimomura K, Kin S, Nakase Y, Fukuda K, Yamagishi H.](#) Management of postoperative follow-up and surgical treatment for Krukenberg tumor from colorectal cancers. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1350-3.

[Temple LK, Hsieh L, Wong WD, Saltz L, Schrag D.](#) Use of surgery among elderly patients with stage IV colorectal cancer. *J Clin Oncol.* 2004 Sep 1;22(17):3475-84.

[Solum AM, Riffenburgh RH, Johnstone PA.](#) Survival of patients with untreated rectal cancer. *J Surg Oncol.* 2004 Sep 15;87(4):157-61. Review.

[Miller EA, Woosley J, Martin CF, Sandler RS.](#) Hospital-to-hospital variation in lymph node detection after colorectal resection. *Cancer.* 2004 Sep 1;101(5):1065-71

[Maeda K, Maruta M, Sato H, Hanai T, Masumori K, Matumoto M, Koide Y, Matuoka H, Katuno H.](#) Outcomes of novel transanal operation for selected tumors in the rectum. *J Am Coll Surg.* 2004 Sep;199(3):353-60.

[Mendenhall WM, Amos EH, Rout WR, Zlotecki RA, Hochwald SN, Cance WG.](#) Adjuvant postoperative radiotherapy for colon carcinoma. *Cancer.* 2004 Sep 15;101(6):1338-44. Review.

[Hurlstone DP, Sanders DS, Cross SS, Adam I, Shorthouse AJ, Brown S, Drew K, Lobo AJ.](#) Colonoscopic resection of lateral spreading tumours: a prospective analysis of endoscopic mucosal resection. *Gut.* 2004 Sep;53(9):1334-9

[Bipat S, Glas AS, Slors FJ, Zwinderman AH, Bossuyt PM, Stoker J.](#) Rectal cancer: local staging and assessment of lymph node involvement with endoluminal US, CT, and MR imaging--a meta-analysis. *Radiology.* 2004 Sep;232(3):773-83. Epub 2004 Jul 23.

[Rosenberg R, Friederichs J, Gertler R, Hoos A, Mueller J, Nahrig J, Nekarda H, Siewert JR.](#) Prognostic evaluation and review of immunohistochemically detected disseminated tumor cells in peritumoral lymph nodes of patients with pN0 colorectal cancer. *Int J Colorectal Dis.* 2004 Sep;19(5):430-7.

[Even-Sapir E, Parag Y, Lerman H, Gutman M, Levine C, Rabau M, Figer A, Metser U.](#) Detection of recurrence in patients with rectal cancer: PET/CT after abdominoperineal or anterior resection. *Radiology.* 2004 Sep;232(3):815-22.

[O'Connell JB, Maggard MA, Ko CY.](#) Colon cancer survival rates with the new American Joint Committee on Cancer sixth edition staging. *J Natl Cancer Inst.* 2004 Oct 6;96(19):1420-5.

[Kieff BJ, Eckert GJ, Imperiale TF.](#) Is diverticulosis associated with colorectal neoplasia? A cross-sectional colonoscopic study. *Am J Gastroenterol.* 2004 Oct;99(10):2007-11.

[Bertagnolli M, Miedema B, Redston M, Dowell J, Niedzwiecki D, Fleshman J, Bem J, Mayer R, Zinner M, Compton C.](#) Sentinel node staging of resectable colon cancer: results of a multicenter study. *Ann Surg.* 2004 Oct ;240(4):624-8; discussion 628-30.

Colorectal Câncer

Adjuvant therapy

[Conroy T, Gory-Delabaere G, Adenis A, Bosquet L, Bouche O, Louvet C, Mitry E, Becouarn Y, Bosset JF, Ducreux M, Etienne PL, Merrouche Y, Monges G, Rougier P; Federation Nationale des Centres de Lutte Contre le Cancer \(FNCLCC\); Federation Hospitaliere de France \(FHF\); Federation Nationale de Cancerologie des Centres Hospitaliers Regionaux et Universitaires \(FNCCHRU\); Federation Francaise de Cancerologie des Centres Hospitaliers Generaux \(FFCCHG\); Centres Regionaux de Lutte Contre le Cancer \(CRLCC\); Federation Francaise de Cancerologie Digestive \(FFCD\); Societe Nationale Francaise de Gastro-Enterologie \(SNFGE\); Groupe cooperateur multidisciplinaire en oncologie \(Gercor\).](#) Clinical practice guideline: 2003 update of Standards, Options et Recommendations for first line palliative chemotherapy in patients with metastatic colorectal cancer (summary report) *Bull Cancer.* 2004 Oct;91(10):759-68. French.

[Feliu J, Vicent JM, Garcia-Giron C, Constela M, Fonseca E, Aparicio J, Lomas M, Anton-Aparicio L, Dorta FJ, Gonzalez-Baron M; Oncopaz Cooperative Group and Associated Hospitals.](#) Phase II study of UFT and oxaliplatin in first-line treatment of advanced colorectal cancer. *Br J Cancer.* 2004 Nov 15;91(10):1758-62.

[Sauer R, Becker H, Hohenberger W, Rodel C, Wittekind C, Fietkau R, Martus P, Tschmelitsch J, Hager E, Hess CF, Karstens JH, Liersch T, Schmidberger H, Raab R; German Rectal Cancer Study Group.](#) Preoperative versus postoperative chemoradiotherapy for rectal cancer. *N Engl J Med.* 2004 Oct 21;351(17):1731-40.

[Grothey A, Goldberg RM.](#) A review of oxaliplatin and its clinical use in colorectal cancer. *Expert Opin Pharmacother.* 2004 Oct;5(10):2159-70.

[Thirion P, Michiels S, Pignon JP, Buyse M, Braud AC, Carlson RW, O'Connell M, Sargent P, Piedbois P; Meta-Analysis Group in Cancer.](#) Modulation of fluorouracil by leucovorin in patients with advanced colorectal cancer: an updated meta-analysis. *J Clin Oncol.* 2004 Sep 15;22(18):3766-75.

[Kinoshita H, Watanabe T, Yanagisawa A, Nagawa H, Kato Y, Muto T.](#) Pathological changes of advanced lower-rectal cancer by preoperative radiotherapy. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1362-6.

Colorectal Câncer

Risk factors, staging, follow-up and screening

[Jacobs ET, Jiang R, Alberts DS, Greenberg ER, Gunter EW, Karagas MR, Lanza E, Ratnasinghe L, Reid ME, Schatzkin A, Smith-Warner SA, Wallace K, Martinez ME.](#) Selenium and colorectal adenoma: results of a pooled analysis. *J Natl Cancer Inst.* 2004 Nov 17;96(22):1669-75.

[Kono S, Toyomura K, Yin G, Nagano J, Mizoue T.](#) A case-control study of colorectal cancer in relation to lifestyle factors and genetic polymorphisms: design and conduct of the Fukuoka colorectal cancer study. *Asian Pac J Cancer Prev.* 2004 Oct-Dec;5(4):393-400

[Rothenberger DA, Dalberg DL, Leininger A.](#) Minnesota Colorectal Cancer Initiative: successful development and implementation of a community-based colorectal cancer registry. *Dis Colon Rectum.* 2004 Oct;47(10):1571-7.

[Gomez D, Dalal Z, Raw E, Roberts C, Lyndon PJ.](#) Anatomical distribution of colorectal cancer over a 10 year period in a district general hospital: is there a true "rightward shift"? *Postgrad Med J.* 2004 Nov;80(949):667-9.

[Heo M, Allison DB, Fontaine KR.](#) Overweight, obesity, and colorectal cancer screening: disparity between men and women. *BMC Public Health.* 2004 Nov 08;4(1):53

[Nelson RL, Schwartz A.](#) A survey of individual preference for colorectal cancer screening technique. *BMC Cancer.* 2004 Nov 08;4(1):76.

[Hsieh SC, Chan WP, Yu C.](#) Barium enema "shoulder" sign; A useful predictor of pericolonic fat invasion in colorectal cancer. *Clin Imaging.* 2004 Nov-Dec;28(6):428-31.

[Trickett JP, Donaldson DR, Bearn PE, Scott HJ, Hassall AC.](#) A study on the routes of referral for patients with colorectal cancer and its affect on the time to surgery and pathological stage. *Colorectal Dis.* 2004 Nov;6(6):428-31

[Hemminki K, Chen B.](#) Familial association of colorectal adenocarcinoma with cancers at other sites. *Eur J Cancer.* 2004 Nov;40(16):2480-7.

[Kronborg O, Jorgensen OD, Fenger C, Rasmussen M.](#) Randomized study of biennial screening with a faecal occult blood test: results after nine screening rounds. *Scand J Gastroenterol.* 2004 Sep;39(9):846-51.

[Tuyman JB, Peppelenbosch MP, Richel DJ.](#) COX-2 inhibition as a tool to treat and prevent colorectal cancer. *Crit Rev Oncol Hematol.* 2004 Nov;52(2):81-101.

[Corbett M, Chambers SL, Shadbolt B, Hillman LC, Taupin D.](#) Colonoscopy screening for colorectal cancer: the outcomes of two recruitment methods. *Med J Aust.* 2004 Oct 18;181(8):423-7.

[Clark AJ, Stockton D, Elder A, Wilson RG, Dunlop MG.](#) Assessment of outcomes after colorectal cancer resection in the elderly as a rationale for screening and early detection. *Br J Surg.* 2004 Oct;91(10):1345-51.

[Sakakura C, Hagiwara A, Yamazaki J, Takagi T, Hosokawa K, Shimomura K, Kin S, Nakase Y, Fukuda K, Yamagishi H.](#) Management of postoperative follow-up and surgical treatment for Krukenberg tumor from colorectal cancers. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1350-3.

[Chiang JM, Yeh CY, Changehien CR, Chen JS, Tang R, Tsai WS, Fan CW.](#) Clinical features of second other-site primary cancers among sporadic colorectal cancer patients--a hospital-based study of 3,722 cases. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1341-4.

[Nagata K, Endo S, Kudo SE, Kitanosono T, Kushihashi T.](#) CT Air-Contrast Enema as a Preoperative Examination for Colorectal Cancer. *Dig Surg.* 2004 Oct 12;21(5):352-358

[Chen K, Jiang QT, Yu WP, Ma XY, Zheng S, Jin MJ.](#) [Alcohol drinking and colorectal cancer: a population-based prospective cohort study.] *Zhejiang Da Xue Xue Bao Yi Xue Ban.* 2004 Sep;33(5):411-5

[Yu JK, Yang MQ, Jiang TJ, Zheng S.](#) The optimal combination of serum tumor markers with bioinformatics in diagnosis of colorectal carcinoma. *Zhejiang Da Xue Xue Bao Yi Xue Ban.* 2004 Sep;33(5):407-10. Chinese.

[Navarro A, Munoz SE, Lantieri MJ, del Pilar Diaz M, Cristaldo PE, de Fabro SP, Eynard AR.](#) Meat cooking habits and risk of colorectal cancer in Cordoba, Argentina. *Nutrition.* 2004 Oct;20(10):873-7

[Tavani A, La Vecchia C.](#) Coffee, decaffeinated coffee, tea and cancer of the colon and rectum: a review of epidemiological studies, 1990-2003. *Cancer Causes Control.* 2004 Oct;15(8):743-57.

[Borrego Dorado I, Gomez Camarero P, Ruiz Franco-Baux J, Vazquez Albertino R.](#) [Evaluation of efficacy and clinical impact of FDG-PET in patients with suspicion of recurrent colorectal cancer] *Rev Esp Med Nucl.* 2004 Sep-Oct;23(5):313-23. Spanish.

[Dixon LB, Balder HF, Virtanen MJ, Rashidkhani B, Mannisto S, Krogh V, van Den Brandt PA, Hartman AM, Pietinen P, Tan F, Virtamo J, Wolk A, Goldbohm RA.](#) Dietary patterns associated with colon and rectal cancer: results from the Dietary Patterns and Cancer (DIETSCAN) Project. *Am J Clin Nutr.* 2004 Oct;80(4):1003-11.

[Chiang JM, Yeh CY, Changehien CR, Chen JS, Tang R, Tsai WS, Fan CW.](#) Clinical features of second other-site primary cancers among sporadic colorectal cancer patients--a hospital-based study of 3,722 cases. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1341-4.

[Doria-Rose VP, Levin TR, Selby JV, Newcomb PA, Richert-Boe KE, Weiss NS.](#) The incidence of colorectal cancer following a negative screening sigmoidoscopy: implications for screening interval. *Gastroenterology.* 2004 Sep;127(3):714-22.

[Turner F, Smith G, Sachse C, Lightfoot T, Garner RC, Wolf CR, Forman D, Bishop DT, Barrett JH.](#) Vegetable, fruit and meat consumption and potential risk modifying genes in relation to colorectal cancer. *Int J Cancer*. 2004 Nov 1;112(2):259-64.

[Lan YT, Lin JK, Li AF, Lin TC, Chen WS, Jiang JK, Yang SH, Wang HS, Chang SC.](#) Metachronous colorectal cancer: necessity of post-operative colonoscopic surveillance. *Int J Colorectal Dis*. 2004 Sep 2;

[English DR, MacInnis RJ, Hodge AM, Hopper JL, Haydon AM, Giles GG.](#) Red meat, chicken, and fish consumption and risk of colorectal cancer. *Cancer Epidemiol Biomarkers Prev*. 2004 Sep;13(9):1509-14

[Watanabe T, Nakaya N, Kurashima K, Kuriyama S, Tsubono Y, Tsuji I.](#) Constipation, laxative use and risk of colorectal cancer: The Miyagi Cohort Study. *Eur J Cancer*. 2004 Sep;40(14):2109-15.

[Hoff G, Grotmol T, Thiis-Evensen E, Bretthauer M, Gondal G, Vatn MH.](#) Testing for faecal calprotectin (PhiCal) in the Norwegian Colorectal Cancer Prevention trial on flexible sigmoidoscopy screening: comparison with an immunochemical test for occult blood (FlexSure OBT). *Gut*. 2004 Sep;53(9):1329-33.

Colorectal Cancer Metastatic disease

[Christophi C, Nikfarjam M, Malcontenti-Wilson C, Muralidharan V.](#) Long-term survival of patients with unresectable colorectal liver metastases treated by percutaneous interstitial laser thermotherapy. *World J Surg*. 2004 Oct;28(10):987-94.

[Zalcberg JR, Kemeny NE.](#) Systemic or regional chemotherapy for liver metastases from colorectal cancer: has the wheel stopped spinning? *Cancer J*. 2004 Sep-Oct;10(5):271-9.

[Conzelmann M, Linnemann U, Berger MR.](#) Molecular detection of clinical colorectal cancer metastasis: how should multiple markers be put to use? *Int J Colorectal Dis*. 2004 Sep 30;

[Aschele C, Debernardis D, Lonardi S, Bandelloni R, Casazza S, Monfardini S, Gallo L.](#) Deleted in colon cancer protein expression in colorectal cancer metastases: a major predictor of survival in patients with unresectable metastatic disease receiving palliative fluorouracil-based chemotherapy. *J Clin Oncol*. 2004 Sep 15;22(18):3758-65.

Colorectal Câncer Molecular biology

[Chai SM, Zeps N, Shearwood AM, Grieu F, Charles A, Harvey J, Goldblatt J, Joseph D, Iacopetta B.](#) Screening for defective DNA mismatch repair in stage II and III colorectal cancer patients. *Clin Gastroenterol Hepatol*. 2004 Nov;2(11):1017-25.

[Calistri D, Rengucci C, Lattuneddu A, Francioni G, Polifemo AM, Nanni O, Saragoni L, Monti F, Ravaioli A, Zoli W, Amadori D.](#) Detection of colorectal cancer by a quantitative fluorescence determination of DNA amplification in stool. *Neoplasia*. 2004 Sep-Oct;6(5):536-40

[Tada T, Watanabe T, Kanazawa T, Kazama S, Koketsu S, Nagawa H.](#) Genetic characterization of colorectal cancers in young patients based on chromosomal loss and microsatellite instability. *Scand J Gastroenterol*. 2004 Nov;39(11):1134-40.

[Bertario L, Russo A, Sala P, Varesco L, Crucianelli R, Frattini M, Pierotti MA, Radice P; Hereditary Colorectal Tumors Registry.](#) APC genotype is not a prognostic factor in familial adenomatous polyposis patients with colorectal cancer. *Dis Colon Rectum*. 2004 Oct;47(10):1662-9.

[Dundas SR, Lawrie LC, Rooney PH, Murray GI.](#) Mortalin is over-expressed by colorectal adenocarcinomas and correlates with poor survival. *J Pathol*. 2004 Nov 8;205(1):74-81

[Haddad R, Ogilvie RT, Croitoru M, Muniz V, Gryfe R, Pollet A, Shanmugathasan P, Fitzgerald T, Law CH, Hanna SS, Jothy S, Redston M, Gallinger S, Smith AJ.](#) Microsatellite instability as a prognostic factor in resected colorectal cancer liver metastases. *Ann Surg Oncol*. 2004 Nov;11(11):977-82

[Charara M, Edmonston TB, Burkholder S, Walters R, Anne P, Mitchell E, Fry R, Boman B, Rose D, Fishel R, Curran W, Palazzo J.](#) Microsatellite status and cell cycle associated markers in rectal cancer patients undergoing a combined regimen of 5-FU and CPT-11 chemotherapy and radiotherapy. *Anticancer Res*. 2004 Sep-Oct;24(5B):3161-7.

[Whitney D, Skoletsky J, Moore K, Boynton K, Kann L, Brand R, Syngal S, Lawson M, Shuber A.](#) Enhanced retrieval of DNA from human fecal samples results in improved performance of colorectal cancer screening test. *J Mol Diagn*. 2004 Nov;6(4):386-95.

[Muller A, Giuffre G, Edmonston TB, Mathiak M, Roggendorf B, Heinmoller E, Brodegger T, Tuccari G, Mangold E, Buettner R, Ruschoff J; German HNPCC Consortium German Cancer Aid \(Deutsche Krebshilfe\).](#) Challenges and pitfalls in HNPCC screening by microsatellite analysis and immunohistochemistry. *J Mol Diagn*. 2004 Nov;6(4):308-15.

[Kakar S, Smyrk TC.](#) Signet ring cell carcinoma of the colorectum: correlations between microsatellite instability, clinicopathologic features and survival. *Mod Pathol*. 2004 Oct 15;

[Sarli L, Bottarelli L, Bader G, Iusco D, Pizzi S, Costi R, D'Adda T, Bertolani M, Roncoroni L, Bordi C.](#) Association between recurrence of sporadic colorectal cancer, high level of microsatellite instability, and loss of heterozygosity at chromosome 18q. *Dis Colon Rectum*. 2004 Sep;47(9):1467-82.

[Jia YT, Li ZX, He YT, Liang W, Yang HC, Ma HJ.](#) Expression of vascular endothelial growth factor-C and the relationship between lymphangiogenesis

and lymphatic metastasis in colorectal cancer. *World J Gastroenterol*. 2004 Nov 15;10(22):3261-3.

[Bilenker JH, Haller DG.](#) Future directions with angiogenesis inhibitors in colorectal cancer. *Clin Colorectal Cancer*. 2004 Oct;4 Suppl 2:S86-93.

[Konner J, Dupont J.](#) Use of soluble recombinant decoy receptor vascular endothelial growth factor trap (VEGF Trap) to inhibit vascular endothelial growth factor activity. *Clin Colorectal Cancer*. 2004 Oct;4 Suppl 2:S81-5.

[Penland SK, Goldberg RM.](#) Combining anti-VEGF approaches with oxaliplatin in advanced colorectal cancer. *Clin Colorectal Cancer*. 2004 Oct;4 Suppl 2:S74-80.

[Hurwitz H.](#) Integrating the anti-VEGF-A humanized monoclonal antibody bevacizumab with chemotherapy in advanced colorectal cancer. *Clin Colorectal Cancer*. 2004 Oct;4 Suppl 2:S62-8.

[Ellis LM.](#) Preclinical data targeting vascular endothelial growth factor in colorectal cancer. *Clin Colorectal Cancer*. 2004 Oct;4 Suppl 2:S55-61.

[Yu JK, Yang MQ, Jiang TJ, Zheng S.](#) The optimal combination of serum tumor markers with bioinformatics in diagnosis of colorectal carcinoma. *Zhejiang Da Xue Xue Bao Yi Xue Ban*. 2004 Sep;33(5):407-10. Chinese.

[Bahnassy AA, Zekri AR, El-Houssini S, El-Shehaby AM, Mahmoud MR, Abdallah S, El-Serafi M.](#) Cyclin A and cyclin D1 as significant prognostic markers in colorectal cancer patients. *BMC Gastroenterol*. 2004 Sep 23;4(1):22.

[Bocci G, Man S, Green SK, Francia G, Ebos JM, du Manoir JM, Weinerman A, Emmenegger U, Ma L, Thorpe P, Davidoff A, Huber J, Hicklin DJ, Kerbel RS.](#) Increased plasma vascular endothelial growth factor (VEGF) as a surrogate marker for optimal therapeutic dosing of VEGF receptor-2 monoclonal antibodies. *Cancer Res*. 2004 Sep 15;64(18):6616-25.

[Yuan HY, Cheng FL, Wei ZZ, Yang GL, Chen JK.](#) [Clinical significance of detecting lymph node micrometastasis of colorectal cancer by reverse transcriptase-polymerase chain reaction (RT-PCR)] *Ai Zheng*. 2004 Sep;23(9):1069-73. Chinese.

[Konner J, Dupont J.](#) Use of soluble recombinant decoy receptor vascular endothelial growth factor trap (VEGF Trap) to inhibit vascular endothelial growth factor activity. *Clin Colorectal Cancer*. 2004 Oct;4 Suppl 2:S81-5.

[Penland SK, Goldberg RM.](#) Combining anti-VEGF approaches with oxaliplatin in advanced colorectal cancer. *Clin Colorectal Cancer*. 2004 Oct;4 Suppl 2:S74-80.

[Hurwitz H.](#) Integrating the anti-VEGF-A humanized monoclonal antibody bevacizumab with chemotherapy in advanced colorectal cancer. *Clin Colorectal Cancer*. 2004 Oct;4 Suppl 2:S62-8.

[Ellis LM.](#) Preclinical data targeting vascular endothelial growth factor in colorectal cancer. *Clin Colorectal Cancer*. 2004 Oct;4 Suppl 2:S55-61.

[Bahnassy AA, Zekri AR, El-Houssini S, El-Shehaby AM, Mahmoud MR, Abdallah S, El-Serafi M.](#) Cyclin A and cyclin D1 as significant prognostic markers in colorectal cancer patients. *BMC Gastroenterol.* 2004 Sep 23;4(1):22.

[Bocci G, Man S, Green SK, Francia G, Ebos JM, du Manoir JM, Weinerman A, Emmenegger U, Ma L, Thorpe P, Davidoff A, Huber J, Hicklin DJ, Kerbel RS.](#) Increased plasma vascular endothelial growth factor (VEGF) as a surrogate marker for optimal therapeutic dosing of VEGF receptor-2 monoclonal antibodies. *Cancer Res.* 2004 Sep 15;64(18):6616-25.

[Kim BS, Kim I, Lee S, Kim S, Rha SY, Chung HC.](#) Statistical methods of translating microarray data into clinically relevant diagnostic information in colorectal cancer. *Bioinformatics.* 2004 Sep 16;

[Aschele C, Debernardis D, Lonardi S, Bandelloni R, Casazza S, Monfardini S, Gallo L.](#) Deleted in colon cancer protein expression in colorectal cancer metastases: a major predictor of survival in patients with unresectable metastatic disease receiving palliative fluorouracil-based chemotherapy. *J Clin Oncol.* 2004 Sep 15;22(18):3758-65.

[Yuan HY, Cheng FL, Wei ZZ, Yang GL, Chen JK.](#) [Clinical significance of detecting lymph node micrometastasis of colorectal cancer by reverse transcriptase-polymerase chain reaction (RT-PCR)] *Ai Zheng.* 2004 Sep;23(9):1069-73. Chinese.

[Jover R, Paya A, Alenda C, Poveda MJ, Peiro G, Aranda FI, Perez-Mateo M.](#) Defective mismatch-repair colorectal cancer: clinicopathologic characteristics and usefulness of immunohistochemical analysis for diagnosis. *Am J Clin Pathol.* 2004 Sep;122(3):389-94.

[Knutsen A, Adell G, Sun XF.](#) Survivin expression is an independent prognostic factor in rectal cancer patients with and without preoperative radiotherapy. *Int J Radiat Oncol Biol Phys.* 2004 Sep 1;60(1):149-55.

[Chen WC, Liu Q, Fu JX, Kang SY.](#) Expression of survivin and its significance in colorectal cancer. *World J Gastroenterol.* 2004 Oct 1;10(19):2886-9.

[Church RD, Yu J, Fleshman JW, Shannon WD, Govindan R, McLeod HL.](#) RNA profiling of cyclooxygenases 1 and 2 in colorectal cancer. *Br J Cancer.* 2004 Sep 13;91(6):1015-8.

[Jaszewski R, Levi E, Sochacki P, Frank J, Kucuk O, Axelrod BN, Majumdar AP.](#) Expression of epidermal growth factor-receptor related protein (ERRP) in human colorectal carcinogenesis. *Cancer Lett.* 2004 Sep 30;213(2):249-55.

[Koehler A, Bataille F, Schmid C, Ruemmele P, Waldeck A, Blaszyk H, Hartmann A, Hofstaedter F, Dietmaier W.](#) Gene expression profiling of colorectal cancer and metastases divides tumours according to their clinicopathological stage. *J Pathol.* 2004 Sep;204(1):65-74.

[Fernebro E, Bendahl PO, Dictor M, Persson A, Ferno M, Nilbert M.](#) Immunohistochemical patterns in rectal cancer: application of tissue microarray with prognostic correlations. *Int J Cancer.* 2004 Oct 10;111(6):921-8.

[Takayama O, Yamamoto H, Ikeda K, Ishida H, Kato T, Okuyama M, Kanou T, Fukunaga M, Tominaga S, Morita S, Fujie Y, Fukunaga H, Ikenaga M, Ikeda M, Ohue M, Sekimoto M, Kikkawa N, Monden M.](#) Application of RT-PCR to clinical diagnosis of micrometastasis of colorectal cancer: A translational research study. *Int J Oncol.* 2004 Sep;25(3):597-604.

[Lim SB, Jeong SY, Lee MR, Ku JL, Shin YK, Kim WH, Park JG.](#) Prognostic significance of microsatellite instability in sporadic colorectal cancer. *Int J Colorectal Dis.* 2004 Nov;19(6):533-7.

[Guba M, Seeliger H, Kleespies A, Jauch KW, Bruns C.](#) Vascular endothelial growth factor in colorectal cancer. *Int J Colorectal Dis.* 2004 Nov;19(6):510-7.

[de Hingh IH, Waas ET, Lomme RM, Wobbes T, Hendriks T.](#) Circulating matrix metalloproteinase-9 is transiently elevated after colorectal surgery. *Int J Colorectal Dis.* 2004 Sep;19(5):446-50.