

Overview on Colorectal papers

N° 8 -- April 2003

A ProctoSite's e-publication

www.proctosite.com

November 2002 / March 2003

Ulcerative Colitis

Surgical treatment

[Kayaalp C, Nessar G, Akoglu M, Atalay F.](#)

Elimination of mucosectomy during restorative proctocolectomy in patients with ulcerative colitis may provide better results in low-volume centers.

Am J Surg. 2003 Mar;185(3):268-72.

[Kienle P, Weitz J, Benner A, Herfarth C, Schmidt J.](#)

Laparoscopically assisted colectomy and ileoanal pouch procedure with and without protective ileostomy.

Surg Endosc. 2003 Mar 6

[Ishida H, Hashimoto D, Inokuma S, Nakada H, Ohsawa T, Hoshino T.](#)

Gasless laparoscopic surgery for ulcerative colitis and familial adenomatous polyposis.

Surg Endosc. 2003 Mar

[Fruin AB, El-Zammer O, Stucchi AF, O'Brien M, Becker JM.](#)

Colonic metaplasia in the ileal pouch is associated with inflammation and is not the result of long-term adaptation.

J Gastrointest Surg. 2003 Feb;7(2):246-54.

[Scalone O, Bonaventure C, Pasquier D, Faucheron JL.](#)

[Should liver biopsy be systematic during surgery for ulcerative colitis?]

Gastroenterol Clin Biol. 2003 Jan;27(1):94-9. French

[Alexander F, Sarigol S, Difiore J, Stallion A, Cotman K, Clark H, Lydzinski B, Fazio V.](#)

Fate of the pouch in 151 pediatric patients after ileal pouch anal anastomosis.

J Pediatr Surg. 2003 Jan;38(1):78-82.

[Poritz LS, Koltun WA.](#)

Surgical management of ulcerative colitis in the presence of primary sclerosing cholangitis.

Dis Colon Rectum. 2003 Feb;46(2):173-8

[Saigusa N, Belin BM, Choi HJ, Gervaz P, Efron JE, Weiss EG, Noguerras JJ, Wexner SD.](#)

Recovery of the rectoanal inhibitory reflex after restorative proctocolectomy: does it correlate with nocturnal continence?

Dis Colon Rectum. 2003 Feb;46(2):168-72.

[Herline AJ, Meisinger LL, Rusin LC, Roberts PL, Murray JJ, Collier JA, Marcello PW, Schoetz DJ.](#)

Is routine pouch surveillance for dysplasia indicated for ileoanal pouches?
Dis Colon Rectum. 2003 Feb;46(2):156-9.

[Olsen KO, Juul S, Bulow S, Jarvinen HJ, Bakka A, Bjork J, Oresland T, Laurberg S.](#)

Female fecundity before and after operation for familial adenomatous polyposis.
Br J Surg. 2003 Feb;90(2):227-31.

[Choi HJ, Saigusa N, Choi JS, Shin EJ, Weiss EG, Nogueras JJ, Wexner SD.](#)

How consistent is the anal transitional zone in the double-stapled ileoanal reservoir?
Int J Colorectal Dis. 2003 Mar;18(2):116-20.

[Prudhomme M, Dozois RR, Godlewski G, Mathison S, Fabbro-Peray P.](#)

Anal canal strictures after ileal pouch-anal anastomosis.
Dis Colon Rectum. 2003 Jan;46(1):20-3.

[Coull DB, Lee FD, Henderson AP, Anderson JH, McKee RF, Finlay IG.](#)

Risk of dysplasia in the columnar cuff after stapled restorative proctocolectomy.
Br J Surg. 2003 Jan;90(1):72-5.

[Elton C, Makin G, Hitos K, Cohen CR.](#)

Mortality, morbidity and functional outcome after ileorectal anastomosis.
Br J Surg. 2003 Jan;90(1):59-65.

[Andersson RE, Olaison G, Tysk C, Ekbohm A.](#)

Appendectomy is followed by increased risk of Crohn's disease.
Gastroenterology. 2003 Jan;124(1):40-6.

[Radford-Smith GL, Edwards JE, Purdie DM, Pandeya N, Watson M, Martin NG, Green A, Newman B, Florin TH.](#)

Protective role of appendectomy on onset and severity of ulcerative colitis and Crohn's disease.
Gut. 2002 Dec;51(6):808-13.

[Cosnes J, Carbonnel F, Beaugerie L, Blain A, Reijasse D, Gendre JP.](#)

Effects of appendectomy on the course of ulcerative colitis.
Gut. 2002 Dec;51(6):803-7.

[Selby WS, Griffin S, Abraham N, Solomon MJ.](#)

Appendectomy protects against the development of ulcerative colitis but does not affect its course.
Am J Gastroenterol. 2002 Nov;97(11):2834-8.

[Bruch HP, Schwandner O, Farke S, Nolde J.](#)

Pouch reconstruction in the pelvis.
Langenbecks Arch Surg. 2003 Mar;388(1):60-75.

[Jo Y, Matsumoto T, Yada S, Nakamura S, Yao T, Hotokezaka M, Mibu R, Iida M.](#)

Histological and immunological features of appendix in patients with ulcerative colitis.
Dig Dis Sci. 2003 Jan;48(1):99-108.

[Negi SS, Chaudhary A, Gondal R.](#)

Carcinoma of Pelvic Pouch following Restorative Proctocolectomy: Report of a Case and Review of the Literature.
Dig Surg. 2003;20(1):63-5.

Ulcerative Colitis

Clinical aspects and research

[Jowett SL, Seal CJ, Phillips E, Gregory W, Barton JR, Welfare MR.](#)

Defining relapse of ulcerative colitis using a symptom-based activity index. Scand J Gastroenterol. 2003 Feb;38(2):164-71.

[Lam EC, Bailey RJ.](#)

Infliximab salvage therapy after cyclosporine in an acute flare of chronic ulcerative colitis. Can J Gastroenterol. 2003 Mar;17(3):198-200.

[Saito S, Tsuno NH, Sunami E, Hori N, Kitayama J, Kazama S, Okaji Y, Kawai K, Kanazawa T, Watanabe T, Shibata Y, Nagawa H.](#)

Expression of platelet-derived endothelial cell growth factor in inflammatory bowel disease. J Gastroenterol. 2003;38(3):229-37.

[Schroder O, Stein J.](#)

Low dose methotrexate in inflammatory bowel disease: current status and future directions. Am J Gastroenterol. 2003 Mar;98(3):530-7. Review.

[Rai S, Hemingway D.](#)

Acute adrenal insufficiency presenting as high output ileostomy. Ann R Coll Surg Engl. 2003 Mar;85(2):105-6.

[Jo Y, Matsumoto T, Yada S, Nakamura S, Yao T, Hotokezaka M, Mibu R, Iida M.](#)

Histological and immunological features of appendix in patients with ulcerative colitis. Dig Dis Sci. 2003 Jan;48(1):99-108.

[Vernia P, Annese V, Bresci G, d'Albasio G, D'Inca R, Giaccari S, Ingrosso M, Mansi C, Riegler G, Valpiani D, Caprilli R.](#)

Topical butyrate improves efficacy of 5-ASA in refractory distal ulcerative colitis: results of a multicentre trial. Eur J Clin Invest. 2003 Mar;33(3):244-8.

[Kanauchi O, Serizawa I, Araki Y, Suzuki A, Andoh A, Fujiyama Y, Mitsuyama K, Takaki K, Toyonaga A, Sata M, Bamba T.](#)

Germinated barley foodstuff, a prebiotic product, ameliorates inflammation of colitis through modulation of the enteric environment. J Gastroenterol. 2003;38(2):134-41.

[Hisabe T, Matsui T, Sakurai T, Murakami Y, Tanabe H, Matake H, Yao T, Kamachi S, Iwashita A.](#)

Anti- Saccharomyces cerevisiae antibodies in Japanese patients with inflammatory bowel disease: diagnostic accuracy and clinical value. J Gastroenterol. 2003;38(2):121-6.

[Babic Z, Jagic V, Petrovic Z, Bilic A, Dinko K, Kubat G, Troskot R, Vukelic M.](#)

Elevated serum values of procollagen III peptide (PIIP) in patients with ulcerative colitis who will develop pseudopolyps. World J Gastroenterol. 2003 Mar;9(3):619-21.

[Okamura S, Aoki H, Ohashi S, Urano F, Shimodaira M, Kanamori S, Ishikawa H, Segawa K.](#)

Efficacy of cyclosporin with corticotropin for refractory ulcerative colitis.
HepatoGastroenterology. 2003 Jan-Feb;50(49):91-4.

[Seidelin JB, Nielsen OH.](#)

[Apoptosis in chronic inflammatory bowel disease. The importance for pathogenesis and treatment]

Ugeskr Laeger. 2003 Feb 17;165(8):790-2. Danish.

[Folwaczny C.](#)

[Coagulation system and inflammatory bowel disease: therapeutic and pathophysiologic implications]

Z Gastroenterol. 2002 Dec;40(12):991-8. Review. German.

[Fraser AG.](#)

Methotrexate: first-line or second-line immunomodulator?

Eur J Gastroenterol Hepatol. 2003 Mar;15(3):225-31.

[McGovern DP, Travis SP.](#)

Thiopurine therapy: when to start and when to stop.

Eur J Gastroenterol Hepatol. 2003 Mar;15(3):219-23.

[Collins SM, McHugh K, Croitoru K, Howorth M.](#)

The establishment of a national tissue bank for inflammatory bowel disease research in Canada.

Can J Gastroenterol. 2003 Feb;17(2):107-9.

[Vilalta Castel E, Alcazar Montero MS, Navarro Gaspar C, Gimeno Aranguéz M.](#)

[Role of Clostridium difficile infection in the relapse of ulcerative colitis]

An Med Interna. 2002 Dec;19(12):637-9. Spanish.

[Van Assche G, Dalle I, Noman M, Aerden I, Swijssen C, Asnong K, Maes B, Ceuppens J, Geboes K, Rutgeerts P.](#)

A pilot study on the use of the humanized anti-interleukin-2 receptor antibody daclizumab in active ulcerative colitis.

Am J Gastroenterol. 2003 Feb;98(2):369-76.

[Nohara H, Saito Y, Higaki S, Okayama N, Hamanaka Y, Okita K, Hinoda Y.](#)

Polymorphisms of the IL-1beta and IL-1beta-inducible genes in ulcerative colitis.

J Gastroenterol. 2002 Nov;37 Suppl 14:107-10.

[Mitsuyama K, Toyonaga A, Sata M.](#)

Intestinal microflora as a therapeutic target in inflammatory bowel disease.

J Gastroenterol. 2002 Nov;37 Suppl 14:73-7. Review.

[Kanauchi O, Suga T, Tochiwara M, Hibi T, Naganuma M, Homma T, Asakura H, Nakano H, Takahama K, Fujiyama Y, Andoh A, Shimoyama T, Hida N, Haruma K, Koga H, Mitsuyama K, Sata M, Fukuda M, Kojima A, Bamba T.](#)

Treatment of ulcerative colitis by feeding with germinated barley foodstuff: first report of a multicenter open control trial.

J Gastroenterol. 2002 Nov;37 Suppl 14:67-72.

[Ishikawa H, Akedo I, Umesaki Y, Tanaka R, Imaoka A, Otani T.](#)

Randomized controlled trial of the effect of bifidobacteria-fermented milk on ulcerative colitis.

J Am Coll Nutr. 2003 Feb;22(1):56-63.

[Andus T, Klebl F, Rogler G, Bregenzner N, Scholmerich J, Straub RH.](#)

Patients with refractory Crohn's disease or ulcerative colitis respond to dehydroepiandrosterone: a pilot study.

Aliment Pharmacol Ther. 2003 Feb;17(3):409-14.

[McKenna BJ, Appelman HD.](#)

Dysplasia can be a pain in the gut.

Pathology. 2002 Dec;34(6):518-28.

[Nielsen SE, Nielsen OH, Vainer B, Claesson MH.](#)

[Inflammatory bowel disease--do microorganisms play a role?]

Ugeskr Laeger. 2002 Dec 9;164(50):5947-50. Review. Danish.

[Ludwiczek O, Kaser A, Tilg H.](#)

Plasma levels of soluble CD40 ligand are elevated in inflammatory bowel diseases.

Int J Colorectal Dis. 2003 Mar;18(2):142-7.

[Paoluzi P, D'Albasio G, Pera A, Bianchi Porro G, Paoluzi OA, Pica R, Cottone M, Miglioli M, Prantera C, Sturniolo G, Ardizzone S.](#)

Oral and topical 5-aminosalicylic acid (mesalazine) in inducing and maintaining remission in mild-moderate relapse of ulcerative colitis: one-year randomised multicentre trial.

Dig Liver Dis. 2002 Nov;34(11):787-93.

[Carvalho AT, Elia CC, De Souza HS, Elias PR, Pontes EL, Lukashok HP, De Freitas FC, Lapa E Silva JR.](#)

Immunohistochemical study of intestinal eosinophils in inflammatory bowel disease.

J Clin Gastroenterol. 2003 Feb;36(2):120-5.

[Hart AL, Stagg AJ, Kamm MA.](#)

Use of probiotics in the treatment of inflammatory bowel disease.

J Clin Gastroenterol. 2003 Feb;36(2):111-9.

[Kane S, Huo D, Aikens J, Hanauer S.](#)

Medication nonadherence and the outcomes of patients with quiescent ulcerative colitis.

Am J Med. 2003 Jan;114(1):39-43.

[Abraham N, Selby W, Lazarus R, Solomon M.](#)

Is smoking an indirect risk factor for the development of ulcerative colitis? An age- and sex-matched case-control study.

J Gastroenterol Hepatol. 2003 Feb;18(2):139-46.

[Norgard B, Fonager K, Pedersen L, Jacobsen BA, Sorensen HT.](#)

Birth outcome in women exposed to 5-aminosalicylic acid during pregnancy: a Danish cohort study.

Gut. 2003 Feb;52(2):243-7.

[Richardson CE, Morgan JM, Jasani B, Green JT, Rhodes J, Williams GT, Lindstrom J, Wonnacott S, Peel S, Thomas GA.](#)

Effect of smoking and transdermal nicotine on colonic nicotinic acetylcholine receptors in ulcerative colitis.

QJM. 2003 Jan;96(1):57-65.

[Galandi D, Allgaier HP.](#)

[Diet therapy in chronic inflammatory bowel disease: results from meta-analysis and randomized controlled trials]

Schweiz Rundsch Med Prax. 2002 Nov 20;91(47):2041-9. Review. German.

[Pruitt R, Hanson J, Safdi M, Wruble L, Hardi R, Johanson J, Koval G, Riff D, Winston B, Cross A, Doty P, Johnson LK.](#)

Balsalazide is superior to mesalamine in the time to improvement of signs and symptoms of acute mild-to-moderate ulcerative colitis.

Am J Gastroenterol. 2002 Dec;97(12):3078-86.

[Piodi LP, Bardella M, Rocchia C, Cesana BM, Baldassarri A, Quatrini M.](#)

Possible protective effect of 5-aminosalicylic acid on Helicobacter pylori infection in patients with inflammatory bowel disease.

J Clin Gastroenterol. 2003 Jan;36(1):22-5.

[Simopoulos AP.](#)

Omega-3 Fatty acids in inflammation and autoimmune diseases.

J Am Coll Nutr. 2002 Dec;21(6):495-505.

[Jensen MB, Houborg KB, Vestergaard P, Kissmeyer-Nielsen P, Mosekilde L, Laurberg S.](#)

Improved physical performance and increased lean tissue and fat mass in patients with ulcerative colitis four to six years after ileoanal anastomosis with a J-pouch.

Dis Colon Rectum. 2002 Dec;45(12):1601-7.

[Montgomery SM, Lambe M, Wakefield AJ, Pounder RE, Ekbom A.](#)

Siblings and the risk of inflammatory bowel disease.

Scand J Gastroenterol. 2002 Nov;37(11):1301-8.

[Bentley E, Jenkins D, Campbell F, Warren B.](#)

How could pathologists improve the initial diagnosis of colitis? Evidence from an international workshop.

J Clin Pathol. 2002 Dec;55(12):955-60. Review.

[Shand A, Forbes A.](#)

Potential therapeutic role for cytokine or adhesion molecule manipulation in Crohn's disease: in the shadow of infliximab?

Int J Colorectal Dis. 2003 Jan;18(1):1-11.

[Eaden J, Abrams K, Shears J, Mayberry J.](#)

Randomized controlled trial comparing the efficacy of a video and information leaflet versus information leaflet alone on patient knowledge about surveillance and cancer risk in ulcerative colitis.

Inflamm Bowel Dis. 2002 Nov;8(6):407-12.

[McLaren WJ, Anikijenko P, Thomas SG, Delaney PM, King RG.](#)

In vivo detection of morphological and microvascular changes of the colon in association with colitis using fiberoptic confocal imaging (FOCI).

Dig Dis Sci. 2002 Nov;47(11):2424-33.

[Konig HH, Ulshofer A, Gregor M, von Tirpitz C, Reinshagen M, Adler G, Leidl R.](#)

Validation of the EuroQol questionnaire in patients with inflammatory bowel disease.

Eur J Gastroenterol Hepatol. 2002 Nov;14(11):1205-15.

[Garcia-Planella E, Domenech E, Cabre E, Bernal MI, Gassull MA.](#)

[Intravenous cyclosporine A in the treatment of refractory Crohn's disease]

Med Clin (Barc). 2002 Nov 9;119(16):610-2. Spanish.

[Lamb EJ, Wong T, Smith DJ, Simpson DE, Coakley AJ, Moniz C, Muller AF.](#)

Metabolic bone disease is present at diagnosis in patients with inflammatory bowel disease. *Aliment Pharmacol Ther.* 2002 Nov;16(11):1895-902.

[Rubin G, Hungin AP, Chinn D, Dwarakanath AD, Green L, Bates J.](#)

Long-term aminosalicylate therapy is under-used in patients with ulcerative colitis: a cross-sectional survey.

Aliment Pharmacol Ther. 2002 Nov;16(11):1889-93.

Colonoscopy

[Parithivel VS, Schein M, Gerst PH.](#)

Colonoscopy-assisted 'Trepine' sigmoid colostomy.

Dig Surg. 2003;20(2):103-6.

[Seinela L, Pehkonen E, Laasanen T, Ahvenainen J.](#)

Bowel preparation for colonoscopy in very old patients: a randomized prospective trial comparing oral sodium phosphate and polyethylene glycol electrolyte lavage solution.

Scand J Gastroenterol. 2003 Feb;38(2):216-20.

[Kmieciak Le Corquille M, Gaudric M, Sogni P, Roche H, Brezault C, Dieumegard B, Couturier D, Chaussade S.](#)

[Appropriateness of colonoscopy in a gastrointestinal unit in 2001: a prospective study using criteria established by a European panel of experts]

Gastroenterol Clin Biol. 2003 Feb;27(2 Pt 2):213-8. French.

[Ristvedt SL, McFarland EG, Weinstock LB, Thyssen EP.](#)

Patient preferences for CT colonography, conventional colonoscopy, and bowel preparation.

Am J Gastroenterol. 2003 Mar;98(3):578-85.

[Fasoli R, Repaci G, Comin U, Minoli G.](#)

A multi-centre North Italian prospective survey on some quality parameters in lower gastrointestinal endoscopy.

Dig Liver Dis. 2002 Dec;34(12):833-41.

[Nicollier-Fahrni A, Vader JP, Froehlich F, Gonvers JJ, Burnand B.](#)

Development of appropriateness criteria for colonoscopy: comparison between a standardized expert panel and an evidence-based medicine approach.

Int J Qual Health Care. 2003 Feb;15(1):15-22.

[Mann NS, Condon DS, Leung JW.](#)

Colonic preparation correlates with fasting breath hydrogen in patients undergoing colonoscopy.

Hepatogastroenterology. 2003 Jan-Feb;50(49):85-6.

[Church J, Delaney C.](#)

Randomized, controlled trial of carbon dioxide insufflation during colonoscopy.

Dis Colon Rectum. 2003 Mar;46(3):322-6.

[Hilzenrat N, Fich A, Odes HS, Krugliak P, Eidelman L, Gaspar N, Weisberg G, Rosenthal A, Delgado JL, Ginat R, Sperber AD.](#)

Does insertion of a rectal tube after colonoscopy reduce patient discomfort and improve satisfaction?

Gastrointest Endosc. 2003 Jan;57(1):54-7.

[Konishi K, Kaneko K, Kurahashi T, Yamamoto T, Kushima M, Kanda A, Tajiri H, Mitamura K.](#)

A comparison of magnifying and nonmagnifying colonoscopy for diagnosis of colorectal polyps: A prospective study.
Gastrointest Endosc. 2003 Jan;57(1):48-53.

[Bini EJ, Firoozi B, Choung RJ, Ali EM, Osman M, Weinschel EH.](#)

Systematic evaluation of complications related to endoscopy in a training setting: A prospective 30-day outcomes study.
Gastrointest Endosc. 2003 Jan;57(1):8-16.

[Cotton PB, Connor P, McGee D, Jowell P, Nickl N, Schutz S, Leung J, Lee J, Libby E.](#)

Colonoscopy: practice variation among 69 hospital-based endoscopists.
Gastrointest Endosc. 2003 Mar;57(3):352-7.

[Radaelli F, Meucci G, Terruzzi V, Spinzi G, Imperiali G, Strocchi E, Lenoci N, Terreni N, Mandelli G, Minoli G.](#)

Single bolus of midazolam versus bolus midazolam plus meperidine for colonoscopy: A prospective, randomized, double-blind trial.
Gastrointest Endosc. 2003 Mar;57(3):329-35.

[Zalis ME, Perumpillichira J, Del Frate C, Hahn PF.](#)

CT colonography: digital subtraction bowel cleansing with mucosal reconstruction initial observations.
Radiology. 2003 Mar;226(3):911-7.

[Bielen D, Thomeer M, Vanbeckevoort D, Kiss G, Maes F, Marchal G, Rutgeerts P.](#)

Dry preparation for virtual CT colonography with fecal tagging using water-soluble contrast medium: initial results.
Eur Radiol. 2003 Mar;13(3):453-8.

[Strate LL, Syngal S.](#)

Timing of colonoscopy: impact on length of hospital stay in patients with acute lower intestinal bleeding.
Am J Gastroenterol. 2003 Feb;98(2):317-22.

[Fanti L, Gemma M, Passaretti S, Guslandi M, Testoni PA, Casati A, Torri G.](#)

Electroacupuncture analgesia for colonoscopy. a prospective, randomized, placebo-controlled study.
Am J Gastroenterol. 2003 Feb;98(2):312-6.

[Adrales GL, Harold KL, Matthews BD, Sing RF, Kercher KW, Heniford BT.](#)

Laparoscopic "Radical Appendectomy" is an effective alternative to endoscopic removal of cecal polyps.
J Laparoendosc Adv Surg Tech A. 2002 Dec;12(6):449-52.

[Jung M, Beilenhoff U, Pietsch M, Kraft B, Rippin G.](#)

Standardized Reprocessing of Reusable Colonoscopy Biopsy Forceps is Effective: Results of a German Multicenter Study.
Endoscopy. 2003 Mar;35(3):197-202.

[Mattingly M, Wasvary H, Sacksner J, Deshmukh G, Kadro O.](#)

Minimally invasive, endoscopically assisted colostomy can be performed without general anesthesia or laparotomy.
Dis Colon Rectum. 2003 Feb;46(2):271-3.

[Gatto NM, Frucht H, Sundararajan V, Jacobson JS, Grann VR, Neugut AI.](#)

Risk of perforation after colonoscopy and sigmoidoscopy: a population-based study.
J Natl Cancer Inst. 2003 Feb 5;95(3):230-6.

[Gasparovic S, Rustemovic N, Opacic M, Bates M, Petroveckii M.](#)

Comparison of colonoscopies performed under sedation with propofol or with midazolam or without sedation.

Acta Med Austriaca. 2003;30(1):13-6.

[Sedlack RE, Kolars JC.](#)

Validation of a computer-based colonoscopy simulator.

Gastrointest Endosc. 2003 Feb;57(2):214-8.

[Urita Y, Hike K, Torii N, Kikuchi Y, Kanda E, Sasajima M, Arika H, Miki K.](#)

Hydrogen breath test as an indicator of the quality of colonic preparation for colonoscopy.

Gastrointest Endosc. 2003 Feb;57(2):174-7.

[Stergiou N, Riphaut A, Lange P, Menke D, Kockerling F, Wehrmann T.](#)

Endoscopic snare resection of large colonic polyps: how far can we go?

Int J Colorectal Dis. 2003 Mar;18(2):131-5.

[Keerasuntonpong A, Sitaposa P, Chaiprasert A, Thamlikitkul V.](#)

Efficiency of the glutaraldehyde test strip for monitoring the concentration of glutaraldehyde in reused solutions for disinfecting endoscopes.

J Med Assoc Thai. 2002 Nov;85(11):1164-8.

[Reddy DN, Rao GV, Sriram PV.](#)

Efficacy and safety of oral sodium phosphate versus polyethylene glycol solution for bowel preparation for colonoscopy.

Indian J Gastroenterol. 2002 Nov-Dec;21(6):219-21.

[Maroulis DE, Iakovidis DK, Karkanis SA, Karras DA.](#)

CoLD: a versatile detection system for colorectal lesions in endoscopy video-frames.

Comput Methods Programs Biomed. 2003 Feb;70(2):151-66.

[Richards RJ, Reker DM.](#)

Racial differences in use of colonoscopy, sigmoidoscopy, and barium enema in Medicare beneficiaries.

Dig Dis Sci. 2002 Dec;47(12):2715-9.

[Harewood GC, Wiersema MJ, Melton LJ 3rd.](#)

A prospective, controlled assessment of factors influencing acceptance of screening colonoscopy.

Am J Gastroenterol. 2002 Dec;97(12):3186-94.

[Postic G, Lewin D, Bickerstaff C, Wallace MB.](#)

Colonoscopic miss rates determined by direct comparison of colonoscopy with colon resection specimens.

Am J Gastroenterol. 2002 Dec;97(12):3182-5.

[Nahon S, Bouhnik Y, Lavergne-Slove A, Bitoun A, Panis Y, Valleur P, Vahedi K, Messing B, Matuchansky C, Rambaud JC.](#)

Colonoscopy accurately predicts the anatomical severity of colonic Crohn's disease attacks: correlation with findings from colectomy specimens.

Am J Gastroenterol. 2002 Dec;97(12):3102-7.

[Zubarik R, Ganguly E, Benway D, Ferrentino N, Moses P, Vecchio J.](#)

Procedure-related abdominal discomfort in patients undergoing colorectal cancer screening: a comparison of colonoscopy and flexible sigmoidoscopy.
Am J Gastroenterol. 2002 Dec;97(12):3056-61.

[Yoshikawa I, Honda H, Nagata K, Kanda K, Yamasaki T, Kume K, Tabaru A, Otsuki M.](#)
Variable stiffness colonoscopes are associated with less pain during colonoscopy in unsedated patients.
Am J Gastroenterol. 2002 Dec;97(12):3052-5.

[Makharia GK, Madan K, Garg PK, Tandon RK.](#)
Colonoscopic barotrauma treated by conservative management: role of high-flow oxygen inhalation.
Endoscopy. 2002 Dec;34(12):1010-3.

[Levin TR, Conell C, Shapiro JA, Chazan SG, Nadel MR, Selby JV.](#)
Complications of screening flexible sigmoidoscopy.
Gastroenterology. 2002 Dec;123(6):1786-92.

[Hamamoto N, Nakanishi Y, Morimoto N, Inoue H, Tatukawa M, Nakata S, Kawai Y, Kurihara N, Ookuchi S, Shizuku T, Yamamoto S, Hamamoto S, Kazumori H, Kinoshita Y.](#)
A new water instillation method for colonoscopy without sedation as performed by endoscopists-in-training.
Gastrointest Endosc. 2002 Dec;56(6):825-8.

[Wehrmann K, Fruhmorgen P.](#)
Evaluation of a new three-dimensional magnetic imaging system for use during colonoscopy.
Endoscopy. 2002 Nov;34(11):905-8.

[Shah SG, Pearson HJ, Moss S, Kweka E, Jalal PK, Saunders BP.](#)
Magnetic endoscope imaging: a new technique for localizing colonic lesions.
Endoscopy. 2002 Nov;34(11):900-4.

[McFarland EG, Pilgram TK, Brink JA, McDermott RA, Santillan CV, Brady PW, Heiken JP, Balfe DM, Weinstock LB, Thyssen EP, Littenberg B.](#)
CT colonography: multiobserver diagnostic performance.
Radiology. 2002 Nov;225(2):380-90.

[Church JM.](#)
Warm water irrigation for dealing with spasm during colonoscopy: simple, inexpensive, and effective.
Gastrointest Endosc. 2002 Nov;56(5):672-4.

[Barclay RL, Depew WT, Vanner SJ.](#)
Carbohydrate-electrolyte rehydration protects against intravascular volume contraction during colonic cleansing with orally administered sodium phosphate.
Gastrointest Endosc. 2002 Nov;56(5):633-8.

[Lee DW, Chan AC, Sze TS, Ko CW, Poon CM, Chan KC, Sin KS, Chung SC.](#)
Patient-controlled sedation versus intravenous sedation for colonoscopy in elderly patients: a prospective randomized controlled trial.
Gastrointest Endosc. 2002 Nov;56(5):629-32.

Constipation

[Addison R, Davies C, Haslam D, Powell M, Stowers L.](#)

A national audit of chronic constipation in the community.
Nurs Times. 2003 Mar 18-24;99(11):34-5.

[Pimentel M, Mayer AG, Park S, Chow EJ, Hasan A, Kong Y.](#)

Methane production during lactulose breath test is associated with gastrointestinal disease presentation.
Dig Dis Sci. 2003 Jan;48(1):86-92.

[Clemens CH, Samsom M, Van Berge Henegouwen GP, Smout AJ.](#)

Abnormalities of left colonic motility in ambulant nonconstipated patients with irritable bowel syndrome.
Dig Dis Sci. 2003 Jan;48(1):74-82.

[Cremonini F, Delgado-Aros S, Camilleri M.](#)

Efficacy of alosetron in irritable bowel syndrome: a meta-analysis of randomized controlled trials.
Neurogastroenterol Motil. 2003 Feb;15(1):79-86.

[Smith C, Hellebusch SJ, Mandel KG.](#)

Patient and physician evaluation of a new bulk fiber laxative tablet.
Gastroenterol Nurs. 2003 Jan-Feb;26(1):31-7.

[Gladman MA, Scott SM, Chan CL, Williams NS, Lunniss PJ.](#)

Rectal hyposensitivity: prevalence and clinical impact in patients with intractable constipation and fecal incontinence.
Dis Colon Rectum. 2003 Feb;46(2):238-46.

[Wanitschke R, Goerg KJ, Loew D.](#)

Differential therapy of constipation--a review.
Int J Clin Pharmacol Ther. 2003 Jan;41(1):14-21.

[Simren M, Stotzer PO, Sjovall H, Abrahamsson H, Bjornsson ES.](#)

Abnormal levels of neuropeptide Y and peptide YY in the colon in irritable bowel syndrome.
Eur J Gastroenterol Hepatol. 2003 Jan;15(1):55-62.

[Zhao RH, Baig MK, Thaler KJ, Mack J, Abramson S, Woodhouse S, Tamir H, Wexner SD.](#)

Reduced expression of serotonin receptor(s) in the left colon of patients with colonic inertia.
Dis Colon Rectum. 2003 Jan;46(1):81-6.

[Sakakibara R, Odaka T, Uchiyama T, Asahina M, Yamaguchi K, Yamaguchi T, Yamanishi T, Hattori T.](#)

Colonic transit time and rectoanal videomanometry in Parkinson's disease.
J Neurol Neurosurg Psychiatry. 2003 Feb;74(2):268-72.

[Savoye G, Leroi AM, Bertot-Sassigneux P, Touchais JY, Devroede G, Denis P.](#)

Does water-perfused catheter overdiagnose anismus compared to balloon probe?
Scand J Gastroenterol. 2002 Dec;37(12):1411-6.

[Bommelaer G, Dorval E, Denis P, Czernichow P, Frexinos J, Pelc A, Slama A, El Hasnaoui A.](#)

Prevalence of irritable bowel syndrome in the French population according to the Rome I criteria.
Gastroenterol Clin Biol. 2002 Dec;26(12):1118-23.

[Chaussade S, Minic M.](#)

Comparison of efficacy and safety of two doses of two different polyethylene glycol-based laxatives in the treatment of constipation.
Aliment Pharmacol Ther. 2003 Jan;17(1):165-72.

[Mason HJ, Serrano-Ikkos E, Kamm MA.](#)

Psychological state and quality of life in patients having behavioral treatment (biofeedback) for intractable constipation.
Am J Gastroenterol. 2002 Dec;97(12):3154-9.

[Shin YM, Southwell BR, Stanton MP, Hutson JM.](#)

Signs and symptoms of slow-transit constipation versus functional retention.
J Pediatr Surg. 2002 Dec;37(12):1762-5.

[Wedel T, Spiegler J, Soellner S, Roblick UJ, Schiedeck TH, Bruch HP, Krammer HJ.](#)

Enteric nerves and interstitial cells of Cajal are altered in patients with slow-transit constipation and megacolon.
Gastroenterology. 2002 Nov;123(5):1459-67.

[Tomita R, Tanjoh K, Fujisaki S, Ikeda T, Fukuzawa M.](#)

Regulation of the enteric nervous system in the colon of patients with slow transit constipation.
Hepatogastroenterology. 2002 Nov-Dec;49(48):1540-4.

[Novick J, Miner P, Krause R, Glebas K, Bliesath H, Ligozio G, Ruegg P, Lefkowitz M.](#)

A randomized, double-blind, placebo-controlled trial of tegaserod in female patients suffering from irritable bowel syndrome with constipation.
Aliment Pharmacol Ther. 2002 Nov;16(11):1877-88.

Hemorrhoids

[Peng BC, Jayne DG, Ho YH.](#)

Randomized Trial of Rubber Band Ligation vs. Stapled Hemorrhoidectomy for Prolapsed Piles.
Dis Colon Rectum. 2003 Mar;46(3):291-7.

[Meshikhes AW.](#)

Efficacy of Daflon in the treatment of hemorrhoids.
Saudi Med J. 2002 Dec;23(12):1496-8.

[Palimento D, Picchio M, Attanasio U, Lombardi A, Bambini C, Renda A.](#)

Stapled and open hemorrhoidectomy: randomized controlled trial of early results.
World J Surg. 2003 Feb;27(2):203-7.

[Armstrong DN.](#)

Multiple hemorrhoidal ligation: a prospective, randomized trial evaluating a new technique.
Dis Colon Rectum. 2003 Feb;46(2):179-86.

[Maw A, Concepcion R, Eu KW, Seow-Choen F, Heah SM, Tang CL, Tan AL.](#)

Prospective randomized study of bacteraemia in diathermy and stapled haemorrhoidectomy.
Br J Surg. 2003 Feb;90(2):222-6.

[Guy RJ, Seow-Choen F.](#)

Septic complications after treatment of haemorrhoids.
Br J Surg. 2003 Feb;90(2):147-56. Review.

[Wong LY, Jiang JK, Chang SC, Lin JK.](#)

Rectal perforation: a life-threatening complication of stapled hemorrhoidectomy: report of a case.
Dis Colon Rectum. 2003 Jan;46(1):116-7.

[Kairaluoma M, Nuorva K, Kellokumpu I.](#)

Day-case stapled (circular) vs. diathermy hemorrhoidectomy: a randomized, controlled trial evaluating surgical and functional outcome.
Dis Colon Rectum. 2003 Jan;46(1):93-9.

[Chung YC, Wu HJ.](#)

Clinical experience of sutureless closed hemorrhoidectomy with LigaSure.
Dis Colon Rectum. 2003 Jan;46(1):87-92.

[Accarpio G, Ballari F, Puglisi R, Menoni S, Ravera G, Accarpio FT, Cariati A, Zaffarano R.](#)

Outpatient treatment of hemorrhoids with a combined technique: results in 7850 cases.
Tech Coloproctol. 2002 Dec;6(3):195-6.

[Milito G, Gargiani M, Cortese F.](#)

Randomised trial comparing LigaSure haemorrhoidectomy with the diathermy dissection operation.
Tech Coloproctol. 2002 Dec;6(3):171-5.

[Odelowo OO, Mekasha G, Johnson MA.](#)

Massive life-threatening lower gastrointestinal hemorrhage following hemorrhoidal rubber band ligation.
J Natl Med Assoc. 2002 Dec;94(12):1089-92.

[Sutherland LM, Burchard AK, Matsuda K, Sweeney JL, Bokey EL, Childs PA, Roberts AK, Waxman BP, Maddern GJ.](#)

A systematic review of stapled hemorrhoidectomy.
Arch Surg. 2002 Dec;137(12):1395-406; discussion 1407. Review.

[Khubchandani IT.](#)

Internal sphincterotomy with hemorrhoidectomy does not relieve pain: a prospective, randomized study.
Dis Colon Rectum. 2002 Nov;45(11):1452-7.

[Wilson MS, Pope V, Doran HE, Fearn SJ, Brough WA.](#)

Objective comparison of stapled anopexy and open hemorrhoidectomy: a randomized, controlled trial.
Dis Colon Rectum. 2002 Nov;45(11):1437-44.

[Ortiz H, Marzo J, Armendariz P.](#)

Randomized clinical trial of stapled haemorrhoidopexy versus conventional diathermy haemorrhoidectomy.
Br J Surg. 2002 Nov;89(11):1376-81.

Diverticular disease

[Le Moine MC, Fabre JM, Vacher C, Navarro F, Picot MC, Domergue J.](#)

Factors and consequences of conversion in laparoscopic sigmoidectomy for diverticular disease.

Br J Surg. 2003 Feb;90(2):232-6.

[Morris CR, Harvey IM, Stebbings WS, Speakman CT, Kennedy HJ, Hart AR.](#)

Epidemiology of perforated colonic diverticular disease.

Postgrad Med J. 2002 Nov;78(925):654-8. Review.

[Latella G, Pimpo MT, Sottili S, Zippi M, Viscido A, Chiaramonte M, Frieri G.](#)

Rifaximin improves symptoms of acquired uncomplicated diverticular disease of the colon.

Int J Colorectal Dis. 2003 Jan;18(1):55-62.

Colorectal trauma

[Exadaktylos A, Stettbacher A, Edul S, Nichols A, Bautz P.](#)

[Successful management of abdominal stab wounds with clinical evaluation: experiences of an South-African trauma unit with 496 consecutive patients]

Unfallchirurg. 2003 Mar;106(3):215-9. German.

[Hellinger MD.](#)

Anal trauma and foreign bodies.

Surg Clin North Am. 2002 Dec;82(6):1253-60. Review.

[Zmora O, Mahajna A, Bar-Zakai B, Rosin D, Hershko D, Shabtai M, Krausz MM, Ayalon A.](#)

Colon and rectal surgery without mechanical bowel preparation: a randomized prospective trial.

Ann Surg. 2003 Mar;237(3):363-7.

[Busic Z, Rudman F, Stipancic I, Amic E, Busic D.](#)

War injuries of colon and rectum--results after 10 years.

Coll Antropol. 2002 Dec;26(2):441-6.

[Sonoda T, Hull T, Piedmonte MR, Fazio VW.](#)

Outcomes of primary repair of anorectal and rectovaginal fistulas using the endorectal advancement flap.

Dis Colon Rectum. 2002 Dec;45(12):1622-8.