

Overview on Colorectal papers

N° 9 -- May 2003

A ProctoSite's e-publication
www.proctosite.com

December 2002 / April 2003

Crohn's disease

Surgical treatment

[Brooker JC, Beckett CG, Saunders BP, Benson MJ.](#)

Long-acting steroid injection after endoscopic dilation of anastomotic Crohn's strictures may improve the outcome: a retrospective case series.
Endoscopy. 2003 Apr;35(4):333-7.

[Zimmerman DD, Delemarre JB, Gosselink MP, Hop WC, Briel JW, Schouten WR.](#)

Smoking affects the outcome of transanal mucosal advancement flap repair of trans-sphincteric fistulas.
Br J Surg. 2003 Mar;90(3):351-4.

[Alexander F, Sarigol S, Difiore J, Stallion A, Cotman K, Clark H, Lydzinski B, Fazio V.](#)

Fate of the pouch in 151 pediatric patients after ileal pouch anal anastomosis.
J Pediatr Surg. 2003 Jan;38(1):78-82.

[Herline AJ, Meisinger LL, Rusin LC, Roberts PL, Murray JJ, Collier JA, Marcello PW, Schoetz DJ.](#)

Is routine pouch surveillance for dysplasia indicated for ileoanal pouches?
Dis Colon Rectum. 2003 Feb;46(2):156-9.

[Freeman HJ.](#)

Appendiceal carcinoids in Crohn's disease.
Can J Gastroenterol. 2003 Jan;17(1):43-6.

[Poggioli G, Laureti S, Pierangeli F, Ugolini F.](#)

A new model of strictureplasty for multiple and long stenoses in Crohn's ileitis: side-to-side diseased to disease-free anastomosis.
Dis Colon Rectum. 2003 Jan;46(1):127-30.

[Shore G, Gonzalez QH, Bondora A, Vickers SM.](#)

Laparoscopic vs conventional ileocelectomy for primary Crohn disease.
Arch Surg. 2003 Jan;138(1):76-9.

[Andersson RE, Olaison G, Tysk C, Ekbohm A.](#)

Appendectomy is followed by increased risk of Crohn's disease.
Gastroenterology. 2003 Jan;124(1):40-6.

[Nahon S, Bouhnik Y, Lavergne-Slove A, Bitoun A, Panis Y, Valleur P, Vahedi K, Messing B, Matuchansky C, Rambaud JC.](#)

Colonoscopy accurately predicts the anatomical severity of colonic Crohn's disease attacks: correlation with findings from colectomy specimens.
Am J Gastroenterol. 2002 Dec;97(12):3102-7.

[Takesue Y, Ohge H, Uemura K, Imamura Y, Murakami Y, Yokoyama T, Kakehashi M, Sueda T.](#)
Bacterial translocation in patients with Crohn's disease undergoing surgery.
Dis Colon Rectum. 2002 Dec;45(12):1665-71.

[Evans J, Poritz L, MacRae H.](#)
Influence of experience on laparoscopic ileocolic resection for Crohn's disease.
Dis Colon Rectum. 2002 Dec;45(12):1595-600.

[Radford-Smith GL, Edwards JE, Purdie DM, Pandeya N, Watson M, Martin NG, Green A, Newman B, Florin TH.](#)
Protective role of appendicectomy on onset and severity of ulcerative colitis and Crohn's disease.
Gut. 2002 Dec;51(6):808-13.

Crohn's disease

Medical aspects and research

[Ishikawa T, Okamura S, Oshimoto H, Kobayashi R, Mori M.](#)
Metronidazole plus ciprofloxacin therapy for active Crohn's disease.
Intern Med. 2003 Apr;42(4):318-21.

[Braun J, Sieper J.](#)
Overview of the use of the anti-TNF agent infliximab in chronic inflammatory diseases.
Expert Opin Biol Ther. 2003 Feb;3(1):141-68.

[Clark W, Raftery J, Song F, Barton P, Cummins C, Fry-Smith A, Burls A.](#)
Systematic review and economic evaluation of the effectiveness of infliximab for the treatment of Crohn's disease.
Health Technol Assess. 2003;7(3):1-78.

[Tubaro E, Belogi L, Mezzadri CM, Bettelli E.](#)
Impact on the bowel of amtolmetin guacyl, a new gastroprotective non-steroidal anti-inflammatory drug.
Eur J Pharmacol. 2003 Apr 25;467(1-3):173-83.

[Markowitz JF.](#)
Therapeutic efficacy and safety of 6-mercaptopurine and azathioprine in patients with Crohn's disease.
Rev Gastroenterol Disord. 2003;3 Suppl 1:S23-9.

[Farrell RJ, Alsahli M, Jeen YT, Falchuk KR, Peppercorn MA, Michetti P.](#)
Intravenous hydrocortisone premedication reduces antibodies to infliximab in Crohn's disease: a randomized controlled trial.
Gastroenterology. 2003 Apr;124(4):917-24.

[Eliakim R, Fischer D, Suissa A, Yassin K, Katz D, Guttman N, Migdal M.](#)

Wireless capsule video endoscopy is a superior diagnostic tool in comparison to barium follow-through and computerized tomography in patients with suspected Crohn's disease. *Eur J Gastroenterol Hepatol.* 2003 Apr;15(4):363-7.

[Garcia-Planella E, Domenech E, Esteve-Comas M, Bernal I, Cabre E, Boix J, Gassull MA.](#)

Development of antinuclear antibodies and its clinical impact in patients with Crohn's disease treated with chimeric monoclonal anti-TNFalpha antibodies (infliximab). *Eur J Gastroenterol Hepatol.* 2003 Apr;15(4):351-4.

[Schroder O, Stein J.](#)

Low dose methotrexate in inflammatory bowel disease: current status and future directions. *Am J Gastroenterol.* 2003 Mar;98(3):530-7. Review.

[Andus T, Gross V, Caesar I, Schulz HJ, Lochs H, Strohm WD, Gierend M, Weber A, Ewe K, Scholmerich J.](#)

Replacement of conventional glucocorticoids by oral pH-modified release budesonide in active and inactive Crohn's disease: results of an open, prospective, multicenter trial. *Dig Dis Sci.* 2003 Feb;48(2):373-8.

[Von Tirpitz C, Klaus J, Steinkamp M, Hofbauer LC, Kratzer W, Mason R, Boehm BO, Adler G, Reinshagen M.](#)

Therapy of osteoporosis in patients with Crohn's disease: a randomized study comparing sodium fluoride and ibandronate. *Aliment Pharmacol Ther.* 2003 Mar;17(6):807-16.

[Hisabe T, Matsui T, Sakurai T, Murakami Y, Tanabe H, Matake H, Yao T, Kamachi S, Iwashita A.](#)

Anti- *Saccharomyces cerevisiae* antibodies in Japanese patients with inflammatory bowel disease: diagnostic accuracy and clinical value. *J Gastroenterol.* 2003;38(2):121-6.

[Caprilli R, Cottone M, Tonelli F, Sturniolo G, Castiglione F, Annese V, Papi C, Viscido A, Camma C, Corrao G, Latella G.](#)

Two mesalazine regimens in the prevention of the post-operative recurrence of Crohn's disease: a pragmatic, double-blind, randomized controlled trial. *Aliment Pharmacol Ther.* 2003 Feb 15;17(4):517-23.

[Fraser AG.](#)

Methotrexate: first-line or second-line immunomodulator? *Eur J Gastroenterol Hepatol.* 2003 Mar;15(3):225-31.

[McGovern DP, Travis SP.](#)

Thiopurine therapy: when to start and when to stop. *Eur J Gastroenterol Hepatol.* 2003 Mar;15(3):219-23.

[Picco MF, Bayless TM.](#)

Tobacco consumption and disease duration are associated with fistulizing and stricturing behaviors in the first 8 years of Crohn's disease. *Am J Gastroenterol.* 2003 Feb;98(2):363-8.

[Aghdassi E, Wendland BE, Steinhart AH, Wolman SL, Jeejeebhoy K, Allard JP.](#)

Antioxidant vitamin supplementation in Crohn's disease decreases oxidative stress. a randomized controlled trial. *Am J Gastroenterol.* 2003 Feb;98(2):348-53.

[Fireman Z, Mahajna E, Broide E, Shapiro M, Fich L, Sternberg A, Kopelman Y, Scapa E.](#)

Diagnosing small bowel Crohn's disease with wireless capsule endoscopy.
Gut. 2003 Mar;52(3):390-2.

[Stallmach A, Wittig BM, Moser C, Fischinger J, Duchmann R, Zeitz M.](#)

Safety and efficacy of intravenous pulse cyclophosphamide in acute steroid refractory inflammatory bowel disease.
Gut. 2003 Mar;52(3):377-82.

[Bamba T, Shimoyama T, Sasaki M, Tsujikawa T, Fukuda Y, Koganei K, Hibi T, Iwao Y, Munakata A, Fukuda S, Matsumoto T, Oshitani N, Hiwatashi N, Oriuchi T, Kitahora T, Utsunomiya T, Saitoh Y, Suzuki Y, Nakajima M.](#)

Dietary fat attenuates the benefits of an elemental diet in active Crohn's disease: a randomized, controlled trial.
Eur J Gastroenterol Hepatol. 2003 Feb;15(2):151-7.

[Gorard DA.](#)

Enteral nutrition in Crohn's disease: fat in the formula.
Eur J Gastroenterol Hepatol. 2003 Feb;15(2):115-8.

[Ganten M, Encke J, Flosdorff P, Gruber-Hoffmann B, Erb G, Hansmann J.](#)

[Follow up of Crohn's disease under therapy with hydro-MRI]
Radiologe. 2003 Jan;43(1):26-33. German.

[Hassan C, Cerro P, Zullo A, Spina C, Morini S.](#)

Computed tomography enteroclysis in comparison with ileoscopy in patients with Crohn's disease.
Int J Colorectal Dis. 2003 Mar;18(2):121-5.

[Lamps LW, Madhusudhan KT, Havens JM, Greenson JK, Bronner MP, Chiles MC, Dean PJ, Scott MA.](#)

Pathogenic Yersinia DNA is detected in bowel and mesenteric lymph nodes from patients with Crohn's disease.
Am J Surg Pathol. 2003 Feb;27(2):220-7.

[Tursi A, Brandimarte G, Giorgetti G, Nasi G.](#)

Assessment of oro-caecal transit time in different localization of Crohn's disease and its possible influence on clinical response to therapy.
Eur J Gastroenterol Hepatol. 2003 Jan;15(1):69-74.

[Hart AL, Stagg AJ, Kamm MA.](#)

Use of probiotics in the treatment of inflammatory bowel disease.
J Clin Gastroenterol. 2003 Feb;36(2):111-9.

[Holtmann M, Wanitschke R, Helisch A, Bartenstein P, Galle PR, Neurath M.](#)

[Anti-TNF antibodies in the treatment of inflammatory intestinal stenoses in Crohn's disease]
Z Gastroenterol. 2003 Jan;41(1):11-7. German.

[Alfadhli AA, McDonald JW, Feagan BG.](#)

Methotrexate for induction of remission in refractory Crohn's disease.
Cochrane Database Syst Rev. 2003;(1):CD003459. Review.

[Rutgeerts P, Lemmens L, Van Assche G, Noman M, Borghini-Fuhrer I, Goedkoop R.](#)

Treatment of active Crohn's disease with onerecept (recombinant human soluble p55 tumour necrosis factor receptor): results of a randomized, open-label, pilot study.
Aliment Pharmacol Ther. 2003 Jan;17(2):185-92.

[Schwab M, Schaeffeler E, Marx C, Fromm MF, Kaskas B, Metzler J, Stange E, Herfarth H, Schoelmerich J, Gregor M, Walker S, Cascorbi I, Roots I, Brinkmann U, Zanger UM, Eichelbaum M.](#)

Association between the C3435T MDR1 gene polymorphism and susceptibility for ulcerative colitis.

Gastroenterology. 2003 Jan;124(1):26-33

[Sandborn WJ, Hanauer SB.](#)

Infliximab in the treatment of Crohn's disease: a user's guide for clinicians.

Am J Gastroenterol. 2002 Dec;97(12):2962-72. Review.

[Piodi LP, Bardella M, Rocchia C, Cesana BM, Baldassarri A, Quatrini M.](#)

Possible protective effect of 5-aminosalicylic acid on Helicobacter pylori infection in patients with inflammatory bowel disease.

J Clin Gastroenterol. 2003 Jan;36(1):22-5.

Fecal Incontinence

[Farid M, Moneim HA, Mahdy T, Omar W.](#)

Augmented unilateral gluteoplasty with fascia lata graft in fecal incontinence.

Tech Coloproctol. 2003 Apr;7(1):23-8.

[Jorge JM, Habr-Gama A, Wexner SD.](#)

Biofeedback therapy in the colon and rectal practice.

Appl Psychophysiol Biofeedback. 2003 Mar;28(1):47-61.

[Eva UF, Gun W, Preben K.](#)

Prevalence of urinary and fecal incontinence and symptoms of genital prolapse in women.

Acta Obstet Gynecol Scand. 2003 Mar;82(3):280-6.

[Kayaba H, Hebiguchi T, Itoh Y, Yoshino H, Mizuno M, Morii M, Adachi T, Chihara J, Kato T.](#)

Evaluation of anorectal function in patients with tethered cord syndrome: saline enema test and fecoflowmetry.

J Neurosurg. 2003 Apr;98(3 Suppl):251-7.

[Shafik A, Ahmed I, El-Sibai O, Mostafa RM.](#)

Percutaneous peripheral neuromodulation in the treatment of fecal incontinence.

Eur Surg Res. 2003 Mar-Apr;35(2):103-7.

[Ratto C, Morelli U, Paparo S, Parello A, Doglietto GB.](#)

Minimally invasive sacral neuromodulation implant technique: modifications to the conventional procedure.

Dis Colon Rectum. 2003 Mar;46(3):414-7.

[Foxy-Orenstein A, Kolakowsky-Hayner S, Marwitz JH, Cifu DX, Dunbar A, Englander J, Francisco G.](#)

Incidence, risk factors, and outcomes of fecal incontinence after acute brain injury: findings from the Traumatic Brain Injury Model Systems national database.

Arch Phys Med Rehabil. 2003 Feb;84(2):231-7.

[Chait PG, Shlomovitz E, Connolly BL, Temple MJ, Restrepo R, Amaral JG, Muraca S, Richards HF, Ein SH.](#)

Percutaneous cecostomy: updates in technique and patient care.
Radiology. 2003 Apr;227(1):246-50.

[Fletcher JG, Busse RF, Riederer SJ, Hough D, Gluecker T, Harper CM, Bharucha AE.](#)
Magnetic resonance imaging of anatomic and dynamic defects of the pelvic floor in
defecatory disorders.
Am J Gastroenterol. 2003 Feb;98(2):399-411.

[Gladman MA, Scott SM, Chan CL, Williams NS, Lunniss PJ.](#)
Rectal hyposensitivity: prevalence and clinical impact in patients with intractable
constipation and fecal incontinence.
Dis Colon Rectum. 2003 Feb;46(2):238-46.

[Saigusa N, Belin BM, Choi HJ, Gervaz P, Efron JE, Weiss EG, Nogueras JJ, Wexner SD.](#)
Recovery of the rectoanal inhibitory reflex after restorative proctocolectomy: does it
correlate with nocturnal continence?
Dis Colon Rectum. 2003 Feb;46(2):168-72.

[Lal M, H Mann C, Callender R, Radley S.](#)
Does cesarean delivery prevent anal incontinence?
Obstet Gynecol. 2003 Feb;101(2):305-12.

[Chan CL, Facer P, Davis JB, Smith GD, Egerton J, Bountra C, Williams NS, Anand P.](#)
Sensory fibres expressing capsaicin receptor TRPV1 in patients with rectal hypersensitivity
and faecal urgency.
Lancet. 2003 Feb 1;361(9355):385-91.

[van Duijvendijk P, Slors F, Taat CW, Heisterkamp SH, Obertop H, Boeckxstaens GE.](#)
A prospective evaluation of anorectal function after total mesorectal excision in patients
with a rectal carcinoma.
Surgery. 2003 Jan;133(1):56-65.

[Matzel KE, Bittorf B, Stadelmaier U, Hohenberger W.](#)
[Sacral nerve stimulation in the treatment of faecal incontinence]
Chirurg. 2003 Jan;74(1):26-32. German.

[Yip B, Barrett RC, Collier JA, Marcello PW, Murray JJ, Roberts PL, Rusin LC, Schoetz DJ Jr.](#)
Linear pressure profiles and symmetric findings in the stimulated gracilis muscle.
Dis Colon Rectum. 2003 Jan;46(1):77-80.

[Christensen P, Olsen N, Krogh K, Bacher T, Laurberg S.](#)
Scintigraphic assessment of retrograde colonic washout in fecal incontinence and
constipation.
Dis Colon Rectum. 2003 Jan;46(1):68-76.

[Ripetti V, Caputo D, Ausania F, Esposito E, Bruni R, Arullani A.](#)
Sacral nerve neuromodulation improves physical, psychological and social quality of life in
patients with fecal incontinence.
Tech Coloproctol. 2002 Dec;6(3):147-52.

[Harari D, Coshall C, Rudd AG, Wolfe CD.](#)
New-onset fecal incontinence after stroke: prevalence, natural history, risk factors, and
impact.
Stroke. 2003 Jan;34(1):144-50.

[Sorin V, Ron Y, Smetana S, Avni Y.](#)

Fecal incontinence secondary to CAPD.
Am J Kidney Dis. 2003 Jan;41(1):E2.

[Michot F, Costaglioli B, Leroi AM, Denis P.](#)

Artificial anal sphincter in severe fecal incontinence: outcome of prospective experience with 37 patients in one institution.
Ann Surg. 2003 Jan;237(1):52-6.

[Gray M, Ratliff C, Donovan A.](#)

Protecting perineal skin integrity. Incontinent patients present unique challenges to successful skin care management.
Nurs Manage. 2002 Dec;33(12):61-3. Review.

[Shaul DB, Harrison EA, Muenchow SK.](#)

Avoidance of leakage and strictures when creating an invisible conduit for antegrade colonic enemas.
J Pediatr Surg. 2002 Dec;37(12):1768-71.

[Yerkes EB, Cain MP, King S, Brei T, Kaefer M, Casale AJ, Rink RC.](#)

The Malone antegrade continence enema procedure: quality of life and family perspective.
J Urol. 2003 Jan;169(1):320-3.

[Healy JC, Halligan S, Bartram CI, Kamm MA, Phillips RK, Reznik R.](#)

Dynamic magnetic resonance imaging evaluation of the structural and functional results of postanal repair for neuropathic fecal incontinence.
Dis Colon Rectum. 2002 Dec;45(12):1629-34.

[Kenefick NJ, Vaizey CJ, Nicholls RJ, Cohen R, Kamm MA.](#)

Sacral nerve stimulation for faecal incontinence due to systemic sclerosis.
Gut. 2002 Dec;51(6):881-3.

Colorectal Polyps

[Qiu ZF, Maruyama K, Sunayama K, Kashiwabara H, Shoji T, Nakamura T, Suzuki S, Konno H, Nakamura S.](#)

Piroxicam-Induced Regression of Intestinal Adenomatous Polyps in APC(Delta474) Mice.
J Invest Surg. 2003;16(2):71-81.

[Mayinger B, Jordan M, Horner P, Gerlach C, Muehldorfer S, Bittorf BR, Matzel KE, Hohenberger W, Hahn EG, Guenther K.](#)

Endoscopic light-induced autofluorescence spectroscopy for the diagnosis of colorectal cancer and adenoma.
J Photochem Photobiol B. 2003 Apr;70(1):13-20.

[Lovig T, Thorstensen L, Hofstad B, Andersen SN, Clausen OP, Vatn M, Lothe RA, Rognum TO.](#)

Genetic and protein markers related to in situ growth and multiplicity in small sporadic colorectal adenomas.
Scand J Gastroenterol. 2003 Mar;38(3):298-306.

[Costantini M, Sciallero S, Giannini A, Gatteschi B, Rinaldi P, Lanzanova G, Bonelli L, Casetti T, Bertinelli E, Giuliani O, Castiglione G, Mantellini P, Naldoni C, Bruzzi P.](#)

Interobserver agreement in the histologic diagnosis of colorectal polyps. the experience of the multicenter adenoma colorectal study (SMAC).
J Clin Epidemiol. 2003 Mar;56(3):209-14.

[Kucharzewski M, Braziewicz J, Majewska U, Gozdz S.](#)

Selenium, Copper, and Zinc Concentrations in Intestinal Cancer Tissue and in Colon and Rectum Polyps.
Biol Trace Elem Res. 2003;92(1):1-10.

[Wieman TJ, Taber SW, Reed DN Jr, Vitale GC.](#)

Upper gastrointestinal cancer risk in familial adenomatous polyposis.
J Ky Med Assoc. 2003 Apr;101(4):142-5.

[Polkowski M, Regula J, Wronska E, Pachlewski J, Rupinski M, Butruk E.](#)

Endoscopic ultrasonography for prediction of postpolypectomy bleeding in patients with large nonpedunculated rectosigmoid adenomas.
Endoscopy. 2003 Apr;35(4):343-7.

[Khan A, Shrier I, Gordon PH.](#)

Do distal adenomas mandate total colonoscopy?
Surg Endosc. 2003 Mar 28 [epub ahead of print]

[Sheikh RA, Min BH, Yasmeen S, Teplitz R, Tesluk H, Ruebner BH, Tobi M, Hatfield J, Fligiel S, Lawson MJ.](#)

Correlation of Ki-67, p53, and Adnab-9 immunohistochemical staining and ploidy with clinical and histopathologic features of severely dysplastic colorectal adenomas.
Dig Dis Sci. 2003 Jan;48(1):223-9.

[Bright-Thomas RM, Hargest R.](#)

APC, beta-Catenin and hTCF-4; an unholy trinity in the genesis of colorectal cancer.
Eur J Surg Oncol. 2003 Mar;29(2):107-17. Review.

[Williams NS, Gaynor RB, Scoggin S, Verma U, Gokaslan T, Simmang C, Fleming J, Tavana D, Frenkel E, Becerra C.](#)

Identification and validation of genes involved in the pathogenesis of colorectal cancer using cDNA microarrays and RNA interference.
Clin Cancer Res. 2003 Mar;9(3):931-46.

[Doniec JM, Lohnert MS, Schniewind B, Bokelmann F, Kremer B, Grimm H.](#)

Endoscopic removal of large colorectal polyps: prevention of unnecessary surgery?
Dis Colon Rectum. 2003 Mar;46(3):340-8.

[Baron JA, Cole BF, Sandler RS, Haile RW, Ahnen D, Bresalier R, McKeown-Eyssen G, Summers RW, Rothstein R, Burke CA, Snover DC, Church TR, Allen JI, Beach M, Beck GJ, Bond JH, Byers T, Greenberg ER, Mandel JS, Marcon N, Mott LA, Pearson L, Saibil F, van Stolk RU.](#)

A randomized trial of aspirin to prevent colorectal adenomas.
N Engl J Med. 2003 Mar 6;348(10):891-9.

[Sandler RS, Halabi S, Baron JA, Budinger S, Paskett E, Keresztes R, Petrelli N, Pipas JM, Karp DD, Loprinzi CL, Steinbach G, Schilsky R.](#)

A randomized trial of aspirin to prevent colorectal adenomas in patients with previous colorectal cancer.
N Engl J Med. 2003 Mar 6;348(10):883-90.

[Yood MU, Oliveria S, Boyer JG, Wells K, Stang P, Johnson CC.](#)

Colon polyp recurrence in a managed care population.
Arch Intern Med. 2003 Feb 24;163(4):422-6.

[Lewis JD, Ng K, Hung KE, Bilker WB, Berlin JA, Brensinger C, Rustgi AK.](#)
Detection of proximal adenomatous polyps with screening sigmoidoscopy: a systematic review and meta-analysis of screening colonoscopy.
Arch Intern Med. 2003 Feb 24;163(4):413-20. Review.

[Dave S, Hui S, Kroenke K, Imperiale TF.](#)
Is the distal hyperplastic polyp a marker for proximal neoplasia?
J Gen Intern Med. 2003 Feb;18(2):128-37.

[Torlakovic E, Skovlund E, Snover DC, Torlakovic G, Nesland JM.](#)
Morphologic reappraisal of serrated colorectal polyps.
Am J Surg Pathol. 2003 Jan;27(1):65-81.

[Gupta RA, DuBois RN, Wallace MC.](#)
New avenues for the prevention of colorectal cancer: targeting cyclo-oxygenase-2 activity.
Best Pract Res Clin Gastroenterol. 2002 Dec;16(6):945-56. Review.

[Segnan N, Senore C, Andreoni B, Aste H, Bonelli L, Crosta C, Ferraris R, Gasperoni S, Penna A, Risio M, Rossini FP, Sciallero S, Zappa M, Atkin WS.](#)
Baseline findings of the Italian multicenter randomized controlled trial of "once-only sigmoidoscopy"--SCORE.
J Natl Cancer Inst. 2002 Dec 4;94(23):1763-72.

[Oncel M, Remzi FH, Church JM, Goldblum JR, Zutshi M, Fazio VW.](#)
Course and follow-up of solitary Peutz-Jeghers polyps: a case series.
Int J Colorectal Dis. 2003 Jan;18(1):33-5.

[Martin C, Connelly A, Keku TO, Mountcastle SB, Galanko J, Woosley JT, Schliebe B, Lund PK, Sandler RS.](#)
Nonsteroidal anti-inflammatory drugs, apoptosis, and colorectal adenomas.
Gastroenterology. 2002 Dec;123(6):1770-7.

Anal Fissure

[Songun I, Boutkan H, Delemarre JB, Breslau PJ.](#)
Effect of isosorbide dinitrate ointment on anal fissure.
Dig Surg. 2003;20(2):122-6.

[Lindsey I, Jones OM, Cunningham C, George BD, Mortensen NJ.](#)
Botulinum toxin as second-line therapy for chronic anal fissure failing 0.2 percent glyceryl trinitrate.
Dis Colon Rectum. 2003 Mar;46(3):361-6.

[Merenstein D, Rosenbaum D.](#)
Is topical nifedipine effective for chronic anal fissures?
J Fam Pract. 2003 Mar;52(3):190-2.

[Mentes BB, Irkorucu O, Akin M, Leventoglu S, Tatlicioglu E.](#)
Comparison of botulinum toxin injection and lateral internal sphincterotomy for the treatment of chronic anal fissure.
Dis Colon Rectum. 2003 Feb;46(2):232-7.

[Scholefield JH, Bock JU, Marla B, Richter HJ, Athanasiadis S, Prols M, Herold A.](#)

A dose finding study with 0.1%, 0.2%, and 0.4% glyceryl trinitrate ointment in patients with chronic anal fissures.

Gut. 2003 Feb;52(2):264-9.

Anal Fistula

[Amin SN, Tierney GM, Lund JN, Armitage NC.](#)

V-Y advancement flap for treatment of fistula-in-ano.

Dis Colon Rectum. 2003 Apr;46(4):540-3.

[Sentovich SM.](#)

Fibrin glue for anal fistulas: long-term results.

Dis Colon Rectum. 2003 Apr;46(4):498-502.

[Chew SS, Yang JL, Newstead GL, Douglas PR.](#)

Anal fistula: Levovist-enhanced endoanal ultrasound: a pilot study.

Dis Colon Rectum. 2003 Mar;46(3):377-84.

[Nelson R.](#)

Anorectal abscess fistula: what do we know?

Surg Clin North Am. 2002 Dec;82(6):1139-51, v-vi. Review.

[Zimmerman DD, Delemarre JB, Gosselink MP, Hop WC, Briel JW, Schouten WR.](#)

Smoking affects the outcome of transanal mucosal advancement flap repair of trans-sphincteric fistulas.

Br J Surg. 2003 Mar;90(3):351-4.

[Chang SC, Lin JK.](#)

Change in anal continence after surgery for intersphincteral anal fistula: a functional and manometric study.

Int J Colorectal Dis. 2003 Mar;18(2):111-5.

[Greenberg R, Werbin N, Skornik Y, Kaplan O.](#)

[Repair of anorectal fistulas using fibrin glue tissue adhesive--preliminary experience in 15 patients]

Harefuah. 2002 Dec;141(12):1021-4, 1091. Hebrew.

[Gustafsson UM, Graf W.](#)

Excision of anal fistula with closure of the internal opening: functional and manometric results.

Dis Colon Rectum. 2002 Dec;45(12):1672-8.

[Sonoda T, Hull T, Piedmonte MR, Fazio VW.](#)

Outcomes of primary repair of anorectal and rectovaginal fistulas using the endorectal advancement flap.

Dis Colon Rectum. 2002 Dec;45(12):1622-8.

[Mizrahi N, Wexner SD, Zmora O, Da Silva G, Efron J, Weiss EG, Vernava AM 3rd, Noguerras JJ.](#)

Endorectal advancement flap: are there predictors of failure?

Dis Colon Rectum. 2002 Dec;45(12):1616-21.

[Lindsey I, Smilgin-Humphreys MM, Cunningham C, Mortensen NJ, George BD.](#)

A randomized, controlled trial of fibrin glue vs. conventional treatment for anal fistula.
Dis Colon Rectum. 2002 Dec;45(

Rectal Prolapse

[Bonner C, Prohm P.](#)

Rectal prolapse - laparoscopic resection and results
Zentralbl Chir. 2003 Mar;128(3):199-201. German.

[Kairaluoma MV, Viljakka MT, Kellokumpu IH.](#)

Open vs. laparoscopic surgery for rectal prolapse: a case-controlled study assessing short-term outcome.

Dis Colon Rectum. 2003 Mar;46(3):353-60.

[Thompson JR, Chen AH, Pettit PD, Bridges MD.](#)

Incidence of occult rectal prolapse in patients with clinical rectoceles and defecatory dysfunction.

Am J Obstet Gynecol. 2002 Dec;187(6):1494-9; discussion 1499-500.

[Villanueva Saenz E, Martinez Hernandez-Magro P, Alvarez-Tostado Fernandez JF.](#)

Helicoidal suture: alternative treatment for complete rectal prolapse in high-risk patients.
Int J Colorectal Dis. 2003 Jan;18(1):45-9.

[Ertem D, Acar Y, Karaa EK, Pehlivanoglu E.](#)

A rare and often unrecognized cause of hematochezia and tenesmus in childhood: solitary rectal ulcer syndrome.

Pediatrics. 2002 Dec;110(6):e79.

[Madbouly KM, Senagore AJ, Delaney CP, Duepree HJ, Brady KM, Fazio VW.](#)

Clinically based management of rectal prolapse.
Surg Endosc. 2003 Jan;17(1):99-103.